Profile of Student Physical Fitness Level of Sports Science Study Program: Relationship between Nutrition Status and Learning Achievement during COVID-19 Pandemic

by Syamsul Gultom, Baharuddin, Dina Ampera, Hesti Fibriasari, Nurpelita Sembiring

Submission date: 14-Sep-2021 07:59AM (UTC+0700)

Submission ID: 1647866969

File name: template-Syamsul_Gultom-IJEMST_edits.doc (729K)

Word count: 5510 Character count: 31197

Profile of Student Physical Fitness Level of Sports Science Study Program: Relationship between Nutrition Status and Learning Achievement during COVID-19 Pandemic

Syamsul Gultom, Baharuddin, Dina Ampera, Hesti Fibriasari, Nurpelita Sembiring

Article Info

Article History

Received:

01 Month Year

Accepted:

01 Month Year

Keywords

Nutritional status Physical fitness Learning achievement

Abstract

The level of physical fitness during the coronavirus pandemic has become a basic need because exercise can increase immunity and improve physical fitness. Lack of physical activity during a pandemic can increase the risk of disease and obesity. So that the nutritional status increases while it is not accompanied by physical activity in sports students. This study aims to determine the level of physical fitness in terms of its relationship with nutritional status and learning achievement of students of the Sports Science Study Program at the State University of Medan. This research is a correlational study to find the relationship between two or more variables. In this study, there are two independent variables, namely physical fitness and nutritional status, and one dependent variable, namely learning achievement in practical courses. The participants in this study were students who were following the Physical Fitness training course, amounting to 42 students. The results in this study indicate that there is no significant relationship between nutritional status and student achievement. There is a significant relationship between physical fitness and student achievement. There is a significant relationship between nutritional status and physical fitness with student achievement. Physical fitness gave the largest contribution to student learning achievement, by providing an effective contribution of 39%; while nutritional status was 72.53%.

Introduction

The physical distancing policy is an effort to break the chain of the spread of COVID-19 which has an impact on the pattern of limiting human activities in various sectors of life, one of which is in the field of education. Especially at the tertiary level, students no longer come to campus to carry out practical lectures in the field of sports but are replaced with online learning via video conferencing. Students are usually active in sports activities on campus fields through practical lectures, lose practical lectures, or sports training sessions with online lectures from home. During the lecture process, the majority of students use video conferencing facilities to connect lecturers and students.

This resulted in an increase in the frequency of students' habits in operating smartphones for a long time to listen to the lecture process and or do lecture assignments given by the lecturer. This problem was obtained based on

the results of preliminary research conducted by Andriana and Ashadi (2019) who surveyed 19 students of the S1 Sports Science study program from the Faculty of Sports Science, Medan State University. The facts show that on average these students conduct video conferences with course lecturers for 3-4 hours per day. While undergoing physical distancing at home, these students fill their time to play smartphones while sitting or lying on the bed for 5 hours a day (Andriana & Ashadi, 2019).

If this is not addressed immediately, it is at risk of causing students to experience a lack of movement. In addition, with limited access to leave the house, it tends to make students stay indoors for a long time, so it is at risk for students to experience a sedentary lifestyle and hurt themselves (Kehler & Theou, 2019). Lack of movement can hurt a person's health because lack of movement is a risk factor for cardiovascular disease (Mainous et al., 2019). Several studies say that lack of movement can reduce immunity (Luzi & Radaelli, 2020). When students carry out their daily activities they need sufficient energy, where this energy will be used by the body to carry out endurance, flexibility, coordination, and agility. Lack of nutritional intake makes students' nutritional status worse, so they will have enough energy to carry out activities in their daily lives. The nutritional status of sports students can affect the level of physical fitness of the students themselves.

Excess nutritional intake in adolescence will have a book impact because at this time there will be very rapid changes in growth and development. So that balanced nutrition and good fitness are needed to support optimal growth and development. Movement activities that are always carried out by sports students will affect their physical condition; however, the environment is also very influential on all forms of student activities. If a person has physical fitness and nutritional status that is not balanced, development and growth disorders can occur. Because every time a student makes a motion requires energy.

During the COVID-19 pandemic, students had good food intake, balanced and sufficient nutritional value, while moving activities were very lacking because they had to stay at home. In sports activities, a person's motion will be the center of attention, therefore, the good motion must be supported by sufficient energy and sufficient normal physiological functions, and good health. By staying at home, students can control their nutritional status and maintain good physical fitness. Students who stay at home can control their diet because they eat according to the amount of energy expended every day without ignoring the main nutritional components needed by the body, namely a menu that is by the concept of four healthy five perfect.

Good physical fitness is expected to support student learning achievements, especially achievements in the field of sports that students are engaged in. One of the factors that support student physical fitness is the fulfillment of nutritional status because adequate nutrition will increase fitness so that student achievement is also expected to increase. A good level of physical fitness will lead to good physical abilities as well. Students who are always active will have good physical fitness so that learning outcomes will be better. But the fact that good nutrition and supported by good fitness, not accompanied by body movement, makes students feel lazy to move.

During this pandemic, the use of the internet has become commonplace for students. They sit for hours spending time in front of computers and smartphones. This tends to lead to a lack of exercise and adequate sleep duration,

especially for students, besides that, the food consumed is not given much attention because it is too focused and fun to play games so that the intake of nutrients that enter is reduced. Sports students who do not do exercise daily cause their bodies to expend less energy coupled with less nutritional intake so a student will become more vulnerable to nutritional problems.

Based on the above background, the following problems can be identified: (1) The nutritional status of students who stay at home alone during the pandemic is not yet known. (2) The limited knowledge of students about the importance of eating nutritious food to support learning activities in higher education. (3) There is no known relationship between nutritional status and physical fitness level with learning achievement of students who only stays at home. Seeing this situation, researchers are interested in knowing the level of physical fitness and nutritional status of students who stay at home during the pandemic.

Student Nutrition Status

Nutrient intake is needed by every human being to meet their survival. Proper nutrition results in the fulfillment of nutrients so that they can fight the COVID-19 virus. Prevention of the spread of COVID-19 by building body immunity (Susilo et al., 2020; Wulan & Agusni, 2015) is carried out with proper nutritional intake in the form of vegetables containing minerals, vitamins, and bioactive compounds contained (Siswanto & Ernawati, 2013). According to the Ministry of Health (2020), the guidelines state maintaining the consumption of balanced nutritious foods, limiting the use of salt and fat, consuming supplements, and multivitamins if needed, avoiding cigarettes and alcoholic beverages.

The imbalance between intake and nutritional adequacy will cause nutritional problems, both in the form of over nutrition and under nutrition. Nutritional status can be determined through laboratory examination or anthropometry. Anthropometry is the easiest and cheapest way to determine nutritional status. Body Mass Index (BMI) is recommended as a good indicator to determine the nutritional status of adolescents. Nutritional problems in adolescents will hurt the level of public health, for example, a decrease in learning concentration, a decrease in physical fitness. Body Mass Index is also a simple tool to monitor the nutritional status of adults, especially those related to underweight and overweight (Suprariasa, 2005).

Nutritional status is an expression of a state of balance in the form of certain variables or it can be said that nutritional status is an indicator of whether or not the daily food supply is good. According to Arisman (2002), nutritional status is a sign or appearance caused by a balance between nutritional intake and energy expenditure which is seen through indicators of weight and height. Assessment of nutritional status is a process of examining a person's nutritional status by collecting important data, both objective and subjective.

Nutritional status is a condition of a person as a result of consuming and processing food in the body and the suitability of the nutrients consumed with the nutrients needed by the body. Good nutritional status is needed to maintain a degree of fitness and health, help growth for a person, and support the development of athlete achievement. Assessment of nutritional status can be done by looking at Figure 1.




Figure 1. Nutritional Status Assessment Method (Source: Irianto, 2000)

Physical Fitness

According to Lutan (2001), physical fitness related to health is a person's ability to perform physical tasks that require endurance and flexibility. Meanwhile, according to Irianto (2002), in general, physical fitness is a person's ability to be able to do daily work efficiently without excessive fatigue, so that he can enjoy free time. Sumarjo (2002) argues that physical fitness is the ability to complete daily tasks easily, without significant fatigue, and still be able to enjoy their free time and in an emergency is still able to do unexpected work. From the explanation above, it can be concluded that physical fitness is a condition in which a person can complete his daily tasks well without any significant fatigue.

Knowing and understanding physical fitness is very important because the components of physical fitness are a determinant of good or bad physical conditions or a person's level of physical fitness. According to Lutan (2001), physical fitness includes two aspects, namely: fitness related to health, and physical fitness related to performance. Health-related fitness contains four main elements, namely: (a) muscle strength and muscle endurance, (b) aerobic endurance, (c) flexibility, and (d) body composition. Physical fitness related to performance contains the following elements: (a) coordination, (b) agility, (c) speed of movement, (d) power, and (e) balance.

According to Irianto (2000), the components of physical fitness are grouped into four parts. First, cardiorespiratory endurance is the ability of the heart, lungs, and blood vessels to function optimally when carrying
out daily activities, for a long time without experiencing significant fatigue. Second, cardiopulmonary
endurance is very important to support muscle work, namely by taking oxygen and distributing it to active
muscles. Third, muscle endurance and muscle strength; Muscular endurance is the ability of muscles to perform
a series of work in a long time. Muscular strength is the ability of muscles to resist loads in an effort. Fourth,
flexibility is the ability of joints to move against the load in an effort. Fifth, body composition is the ratio of
body weight in the form of fat in the form of the lean body expressed as a percentage of the body. Body
composition includes two things, namely Body Mass Index (BMI) and body fat percentage. BMI is a way to
describe weight about height and is used to predict nutritional status, namely obesity. Fat percentage is the ratio
between body fat weight and body weight obtained through a certain formula based on the measurement of fat
thickness using a skinfold caliper.

A healthy body is the result of the interaction of various factors that affect the condition of the body, either directly or indirectly. Physical fitness, according to Irianto (2000), is classified into three groups, namely static fitness, dynamic fitness, and motor fitness.

Static Fitness: The state of a person who is free from disease and disability or is called healthy.

Dynamic fitness: A person's ability to work efficiently that does not require special skills, such as walking, running, jumping, and lifting.

Motor fitness: A person's ability to work efficiently which requires special skills.

To find out and assess a person's level of physical fitness can be done with the Cooper test by running or walking for 12 minutes.

Muray in Beck (1990) defines achievement as follows: "to overcome obstacles, to exercise power, to strive to do something difficult as well and as quickly as possible" It means, "the need for achievement is overcoming obstacles, exercising strength, trying to do something difficult as well and as quickly as possible." Achievement is the result that a person has achieved in carrying out activities. Learning achievement is divided into five aspects, namely: intellectual abilities, cognitive strategies, verbal information, attitudes, and skills. According to Bloom in Arikunto (2009), learning outcomes are divided into three aspects, namely cognitive, affective, and psychomotor. Achievement is a concrete skill or result that can be achieved at a certain time or period. Based on this opinion, the achievements in this study are the results that have been achieved by students in the learning process.

Method

This research is a correlational study to find the relationship between two or more variables. In this study, there are two independent variables, namely nutritional status and physical fitness, and one dependent variable, namely the learning outcomes of practical courses. The population is the entire research subject (Arikunto, 2002). The population in this study was students amounting to 120 people. The sampling technique used in this research is purposive sampling. The sample used in this study was 42 students of the Sports Science Study Program (IKOR) of the Faculty of Sports, State University of Medan.

The instruments used in data collection for each variable are: (1) *Nutritional status* is a way of assessing nutritional status based on anthropometric measurements, including BMI: Koup Devenport using a nutritional status assessment method by calculating BMI or Body Mass Index (BMI) (Irianto, 2006). (2) *Physical fitness level* is the level of physical fitness measured using a 12-minute running and walking test (cardiopulmonary endurance test using the Cooper method). (3) *Learning achievement* is measured by using the instrument used to determine student learning achievement who stays at home using the first semester (odd) study results list (DHS). Based on the first semester of DHS, it will be able to know the success of students studying for one semester. In measuring physical fitness, running tests have been prepared for elementary school, high school, college students, and adults. The fitness criteria can be seen in Table 1.

Table 1. A Person's Fitness Criteria based on Distance in the Cooper Test (Sources: Haskel & Philips, 1995)

Gender/Age	Very good	Above average	Average	Below average	bad
Boy 13-14	>2700m	2400-2700m	2200-2399m	2100-2199m	<2100m
Girl 13-14	>2000m	1900-2000m	1600-1899m	1500-1599m	<1500m
Male 15-16	>2800m	2500-2800m	2300-2499m	2200-2299m	<2200m
Girl 15-16	>2100m	2000-2100m	1700-1999m	1600-1699m	<1600m
Boy 17-18	>3000m	2700-3000m	2500-2699m	2300-2499m	<2300m
Girl 17-20	>2300m	2100-2300m	1800-2099m	1700-1799m	<1700m
Male 20-29	>2800m	2400-2800m	2200-2399m	1600-2199m	<1600m
Female 20-29	>2700m	2200-2700m	1800-2199m	1500-1799m	<1500m
Male 30-39	>2700m	2300-2700m	1900-2299m	1500-1999m	<1500m
Female 30-39	>2500m	2000-2500m	1700-1999m	1400-1699m	<1400m
Male 40-49	>2500m	2100-2500m	1700-2099m	1400-1699m	<1400m
Female 40-49	>2300m	1900-2300m	1500-1899m	1200-1499m	<1200m
Male >50	>2400m	2000-2400m	1600-1999m	1300-1599m	<1300m
Girl >50	>2200m	1700-2200m	1400-1699m	1100-1399m	<1100 m

Results and Discussion

This research was conducted on students of the Sports Science Study Program (IKOR) Faculty of Sports Science, State University of Medan, with a sample of 42 students. Data collection was carried out in June 2020. The data in this study were obtained by testing and documentation. The dependent variable (dependent variable) in this study, for the independent variable (independent variable), are namely nutritional status, student learning achievement; and physical fitness, during the COVID-19 pandemic. Univariate Analysis of Nutritional Status Distribution of respondents' nutritional status can be classified as follows:

Table 1. Distribution of Nutritional Status in Students

Nutritional Status	Frequency	Percentage (%)
Not good	12	28.58
Good	30	71.42
Total	42	100.0

Table 1 shows that most of the IKOR students are in the good nutritional status category, namely 42 respondents (71.42%). Nutritional status in this study was measured by the BMI index, namely body weight in kilograms (kg) divided by height in meters squared (m^2). From the results of data analysis obtained the lowest value = 17.26 and the highest was 24.73; with the following central tendency figures: the mean (mean) of 20.82; median= 20.66; mode= 22.15; and standard deviation of = 1.610. The frequency distribution of nutritional status in this study can be seen in Table 2.

Table 2. Frequency Distribution of Nutritional Status

No Nutritional Status	Absolute	Percentage (%)
-----------------------	----------	----------------

1	Skinny	15	35.71
2	Normal	24	57.14
3	Fat	3	7.14
4	Obese	0	0
	Total	42	100

Physical fitness in this study was measured by a 12-minute walk/run test. From the results of data analysis with the help of computer software obtained the lowest value of 1660 and the highest 2870; with the following central tendency figures: the mean (mean) of 2327.83; median = 2400.00; mode = 2400; and standard deviation of 317.532.

This study proves that the first hypothesis in this study was rejected and stated that there was no positive and significant relationship between nutritional status and student achievement. In the product moment correlation analysis (r = 0.483 with p < 0.05) it was stated that there was a significant relationship, but the results of the partial correlation analysis (r = 0.380 with p > 0.05) stated that there was no significant relationship. The frequency distribution of physical fitness is presented in Table 3.

Table 3. Frequency Distribution of Physical Fitness

No	Physical fitness	Absolute	Frequency Percentage (%)
1	Very good		
2	Above average	6	14.28
3	Average	7	16.66
4	Below average	26	61.90
5	Poor	3	7.14
	Total	42	100

Table 4. Distribution of Student Achievement Frequency

No	Student Achievement	Absolute	Frequency Percentage (%)
1	Satisfying	1	2.38
2	Very satisfying	34	80.95
3	With compliments	7	16.66
	Total	42	100

From the results of the second hypothesis test based on the first level partial correlation analysis between student learning achievement and physical fitness, where the nutritional status variable is controlled/controlled the correlation coefficient is 0.452; count = 2.268 and with p = 0.035. Because the p-value is less than 5% (p > 0.05); then the correlation is significant. Thus, Ha which states "there is a positive and significant relationship between physical fitness and student achievement" is accepted; and Ho which states "there is no positive and significant relationship between physical fitness and student achievement", rejected; and concluded that there is a positive and significant relationship between physical fitness and student achievement.

From the results of the third hypothesis testing, based on the above analysis, it is also obtained with the achievement of student learning outcomes. This is evidenced by the calculation results obtained by the value of R = 0.625 and F-regresi = 6.395 with p < 0.05. Budiyanto (2001) explained that the factors that affect a person's nutritional status are (1) food products, (2) food distribution, (3) acceptability (acceptance), (4) bad prejudice on certain foodstuffs, (5) taboos on certain foods, and (6) the magnitude of the coefficient of determination preference for certain types of food.

This means that student learning achievement can be explained by nutritional status and physical fitness of 39.0% and the rest (61.0%) is determined by variables outside this study. Based on the results above, it can be explained that the effective contribution of nutritional status to student learning achievement is 10.32%. This means that the level of student learning achievement can be explained by the nutritional status of 10.32%. The effective contribution of predictors of student achievement to physical fitness is 39%. This means that the high and low student achievement can be explained by physical fitness of 39%. So, it can be stated that the increase and decrease in physical fitness can be explained by the two predictors in this study of 39.0%.

Based on the results of data analysis and hypothesis testing, this study proves that the second hypothesis of this study is accepted and stated that there is no positive and significant relationship between fitness and student achievement. In the product-moment correlation analysis (r = 0.536 with p < 0.05) it was stated that there was a significant relationship, and strengthened by the results of the partial correlation analysis (r = 0.452 with p < 0.05) it was stated that there was a significant relationship. The results of testing the third hypothesis prove that there is a positive and significant relationship between nutritional status and physical fitness with economic limitations, (8) eating habits, (9) appetite, (10) food sanitation (preparation, serving, storage), and (11) knowledge nutrition. According to Lund and Burk (1996) cited by Baliwati (2004) suggested the Children's food consumption behavior model that children's food consumption depends on the attitude, knowledge, and three main motivations for food, namely biological, psychological and social needs which are strongly influenced by the family and environment.

Furthermore, based on calculations using the SPS 2005 software, it can also be stated that the relative contribution (SR%) and effective contribution (SE%) of each predictor are summarized in Table 5.

Table 5. Summary of the Weight of the Contribution of the Independent Variables to the Dependent Variable

Predictor Relative	Contribution (SR) %	Effective Contribution (SE) %
Nutritional Status	26.46	10.32
Learning achievement	72.53	39.00

Based on Table 5, it can be explained that the effective contribution of nutritional status (X1) to student learning achievement (X2) is 10.32%; This means that the high and low achievement of student learning outcomes can be explained by the nutritional status of 10.32%. The effective contribution of predictors of student learning achievement to physical fitness is 39%. This means that the high and low achievement of student learning

outcomes can be explained by physical fitness of 39%. So, it can be stated that the increase and decrease in physical fitness can be explained by the two predictors in this study of 39.0%. Furthermore, it is known that student learning achievement can be explained by nutritional status and learning achievement of 39.0%. This means that the increase or decrease in student physical fitness is determined by the two predictors of 39.0%; the remaining 61.0% is explained by other variables not examined in this study.

Energy sources are needed for the body to carry out daily activities. Lack of energy will cause the body to become weak and unable to perform activities properly. For this reason, to meet the needs of energy sources, it is necessary to regulate a good diet (Kusdiono, 2002). Physical fitness is the ability of a person's body to perform daily work tasks without causing significant fatigue (Wahjoedi, 2001). Physical fitness components consist of endurance, muscle strength, speed, agility, flexibility, balance, coordination, body composition.

According to Wiyono (2001) cited by Haryono (2002), one of the factors that affect physical fitness is nutrition or food. About nutritional status which includes the fulfillment of food nutrition with the ability to carry out daily tasks that require physical fitness, it can be said that nutritional status has a relationship with physical fitness. In this regard, the relevance of which is very visible from the value of nutritional adequacy for the body, then based on the usefulness that can be obtained from food nutrients is to fulfill nutrients for the body, namely as a source of energy, building material and regulatory material (Sediaoetama, 2010). To be able to perform daily tasks properly, energy is needed as a driving force. Thus, it can be said that to get physical fitness, nutrition is needed; otherwise the presence of nutrition can increase physical fitness.

Furthermore, based on the results of the research above, it can also be explained the amount of effective contribution of each predictor to the criteria, based on the largest, as follows: the effective contribution of nutritional status is 10.32%; and the effective contribution of learning achievement was 39%; According to Irianto (2000), other factors that affect the level of physical fitness are continuous activity programs or physical/physical exercise, eating well-nourished foods, resting, sleeping, relaxing and maintaining adequate health. Oriented to the factors that affect a person's level of physical fitness, basically everyone is encouraged to eat with a food composition that contains a source of energy or energy to live and carry out daily activities such as working, studying, exercising and doing other activities such as playing. This sport is often called physical activity to improve health and fitness. The positive benefits of exercise are increasing personal and psychosocial development, sleeping better, and even reducing dependence on alcohol (Lopez et al., 2016). Exercise increases the response of cells and the immune system within seconds to minutes after starting to exercise. So, it is recommended to exercise regularly so that immunity is well maintained. Exercise increases the fight or flight stress response, meaning the body's response to stress will be better. The body can measure and react to stress more effectively (Zhu, 2020).

Conclusion

To examine the relationship between nutritional status and physical fitness level, a proper analysis is needed regarding the aspects contained in it. Nutritional status is the position of basic food substances needed for a

person's body consisting of carbohydrates, proteins, minerals, salts, fats, vitamins and water. The function of nutrition is to produce energy, building blocks and regulating substances. Based on the results of the study, it was found that there was no significant relationship (p > 0.05) between nutritional status and student achievement. There is a significant relationship (p < 0.05) between physical fitness and student achievement. There is a significant relationship (p > 0.05) between nutritional status and learning achievement with students' physical fitness. Physical fitness gives the greatest contribution to student learning achievement, by providing an effective contribution of 39%; while the nutritional status of 10.32%.

The optimal level of physical fitness is not only obtained by doing regular exercise, adequate rest and maintaining health, but also must be balanced with the fulfillment of the nutrients contained in the food consumed. This will affect a person's activity and will also affect the level of physical fitness. To be able to carry out daily activities well, humans need good physical fitness as well. Food or nutrition is one of the factors that need to be considered in improving physical fitness.

Based on the results of research and discussion, improving physical health and a sense of responsibility for health in students and getting used to a healthy way of life are crucial. Improvement of physical health is only obtained through continuous exercise, by gradually increasing the training load. Someone who has high physical fitness will be able to carry out daily activities, such as the ability to study longer than those with low levels of physical fitness. The importance of physical fitness for students, among others, can improve the ability of organs, socio-emotional, sportsmanship, and the spirit of competition. This study proves that physical fitness has a positive correlation with academic achievement.

Acknowledgements

We would like to thank all colleagues, research locations and all levels of leadership at Medan State University.

References

Tunç, A. Ç., & Akandere, M. (2020). Effects of Sports On Social Anxiety and Subjective Well-Being Levels of University Students. *Journal of Education and Training Studies*, 8(1), 14-19.

Al-Dabal, B. K., Koura, M. R., Rasheed, P., & Al-Sowielem. (2010). A comparative Study of Perceived Stress Among Female Medical And NonMedical University Students In Dammam. SQU Medical Journal, 231.

Almatsier, S. (2011). Gizi Seimbang dalam Daur Kehidupan. Jakarta: Gramedia

Almatsier. (2009). Prinsip Dasar Ilmu Gisi, Jakarta: Gramedia Pustaka Utama

Andriana, L. M., & Ashadi, K. (2019). The comparison of two types of exercise in the morning and night to the quality of sleep. Sportif: *Jurnal Penelitian Pembelajaran*, 5(1).

Arikunto, S. (2010). Prosedur Penelitian Suatu Pendekatan Praktek. Jakarta: PT. Rineka Cipta.

Astari, K. (2009). Olahraga untuk Meredam Stres. http://staffnew.uny.ac.id/, 1-8.

Bao, W. (2020). COVID-19 and online teaching in higher education. A case study of Peking University, 113– 115.

- Batmang, B., Sultan, M., Azis, A., & Gunawan, F. (2021). Perceptions of pre-service teachers on online learning during the COVID-19 pandemic. *International Journal of Education in Mathematics*, Science and Technology, 9(3), 449-461.
- Beck. (1990). Nutrition, Principles: Issues and Application. New York: Mac Graw HillBook Company.
- Black, N., Johnston, D. W., Propper, C., & Shields, M. A. (2019). The effect of school sports facilities on physical activity, health and socioeconomic status in adulthood. Social Science and Medicine, 220, 120– 128. https://doi.org/10.1016/j.socscimed.2018.10.025
- Brown. (2013). Nutrition through the life cycle. Wadsworth: USA.
- Burnet, K., Higgins, S., Kelsch, E., Moore, J. B., & Stoner, L. (2020). The effects of manipulation of Frequency, Intensity, Time, and Type (FITT) on exercise adherence: A meta-analysis. *Translational Sports Medicine*, 3(3), 222–234. https://doi.org/10.1002/tsm2.138
- Camera, D. M., Smiles, W. J., & Hawley, J. A. (2016). Exercise-induced skeletal muscle signaling pathways and human athletic performance. *Free Radical Biology and Medicine*, 98, 131–143. https://doi.org/10.1016/j.freeradbiomed.2016.02.007
- Chan, J. F.-W., Yuan, S., Kok, K.-H., To, K. K.-W., Chu, h., Yang, J., & Yuen, K.-Y. (2020). A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster. *Lancet*, 514-523.
- Goldschmidt, K., & Msn, P. D. (2020). The COVID-19 pandemic: Technology use to support the wellbeing of children. *Journal of Pediatric Nursing*, 3-5.
- Hebebci, M. T., Bertiz, Y., & Alan, S. (2020). Investigation of views of students and teachers on distance education practices during the coronavirus (COVID-19) pandemic. *International Journal of Technology* in Education and Science, 4(4), 267-282.
- Jones, A. W., & Davison, G. (2018). Exercise, Immunity, and Illness. In Muscle and Exercise Physiology. Elsevier Inc. https://doi.org/10.1016/B978-0-12-814593-7.00015-3
- Katzmarzyk, P. T., Ross, R., Blair, S. N., & Després, J. P. (2020). Should we target increased physical activity or less sedentary behavior in the battle against cardiovascular disease risk development? *Atherosclerosis*. https://doi.org/10.1016/j.atherosclerosis.2020.07.010
- Kehler, D. S., & Theou, O. (2019). The impact of physical activity and sedentary behaviors on frailty levels.
 Mechanisms of Ageing and Development, 180, 29–41. https://doi.org/10.1016/j.mad.2019.03.004
- Lutan, R. (2001). Pendidikan Kebugaran Jasmani Orientasi Pembinaan Disepanjang Hayat.

 Direktorat Pemberdayaan IPTEK Olahraga, DirjenOR. Depdiknas. Jakarta: CV. Berdua Satu tujuan.
- Luzi, L., & Radaelli, M. G. (2020). Influenza and obesity: its odd relationship and the lessons for COVID-19 pandemic. Acta Diabetologica, 57(6), 759–764. https://doi.org/10.1007/s00592-020-01522-8
- Mainous, A. G., Tanner, R. J., Rahmanian, K. P., Jo, A., & Carek, P. J. (2019). Effect of Sedentary Lifestyle on Cardiovascular Disease Risk Among Healthy Adults With Body Mass Indexes 18.5 to 29.9 kg/m 2. American Journal of Cardiology, 123(5), 764–768. https://doi.org/10.1016/j.amjcard.2018.11.043
- Moghetti, P., Bacchi, E., & Donà, S. (2019). Metabolic effect of breaks in sedentary time in subjects with type 2 diabetes. Current Opinion in Endocrine and Metabolic Research, 9, 40–44. https://doi.org/10.1016/j.coemr.2019.06.013
- Mondal, Amalesh. & Chatterjee, S. (2018). Exercise and Immunity: A Correlated Mechanism. International

- Journal of Health Science and Research, 8(8), 284-294.
- Panda, S. R. (2020). Alliance of COVID 19 with pandemic of sedentary lifestyle & Physical Inactivity: Impact on Reproductive health. *Taiwanese Journal of Obstetrics and Gynecology*, 59(5), 790. https://doi.org/10.1016/j.tjog.2020.07.034
- Peake, J. M., Neubauer, O., Walsh, N. P., & Simpson, R. J. (2017). Recovery of the immune system after exercise. *Journal of Applied Physiology*, 122(5), 1077–1087. https://doi.org/10.1152/japplphysiol.00622.2016
- Ranasinghe, C., Ozemek, C., & Arena, R. (2020). Exercise and well-being during COVID 19-time to boost your immunity. Expert Review of Anti-infective Therapy, 18(12), 1195-1200.
- Restuati, M., Nasution, M. Y., Pulungan, A. S. S., Pratiwi, N., & Safirah, B. (2021). Improvement efforts for student learning outcomes and motivation using Edmodo during the COVID-19 pandemic. *International Journal of Education in Mathematics, Science and Technology*, 9(4), 614-624.
- Ruiz-Montero, P. J., & Castillo-Rodríguez, A. (2016). Body composition, physical fitness and exercise activities of elderly. *Journal of Physical Education and Sport*, 16(3), 860–865. https://doi.org/10.7752/jpes.2016.03136
- Sánchez-Oliva, D., Esteban-Cornejo, I., Padilla-Moledo, C., Pérez-Bey, A., Veiga, Ó. L., Cabanas-Sánchez, V., & Castro-Piñero, J. (2020). Associations between physical activity and sedentary time profiles transitions and changes in well-being in youth: The UP&DOWN longitudinal study. *Psychology of Sport and Exercise*, 47, 101558. https://doi.org/10.1016/j.psychsport.2019.101558
- Scheffer, D. da L., & Latini, A. (2020). Exercise-induced immune system response: Anti-inflammatory status on peripheral and central organs. *Biochimica et Biophysica Acta- Molecular Basis of Disease*, 1866(10). https://doi.org/10.1016/j.bbadis.2020.165823
- Schnitzer, M., Schöttl, S. E., Kopp, M., & Barth, M. (2020). COVID-19 stayat-home order in Tyrol, Austria: sports and exercise behaviour in change? Public Health, 185, 218–220. https://doi.org/10.1016/j.puhe.2020.06.042
- Simpson, R. J., & Katsanis, E. (2020). The immunological case for staying active during the COVID-19 pandemic. Brain, Behavior, and Immunity, 87, 6–7. https://doi.org/10.1016/j.bbi.2020.04.041
- Srivastav, A. K., Sharma, N., & Samuel, A. J. (2020). Impact of Coronavirus disease-19 (COVID-19) lockdown on physical activity and energy expenditure among physiotherapy professionals and students using webbased open E-survey sent through WhatsApp, Facebook and Instagram messengers: Impact of COVID-19 lock. Clinical Epidemiology and Global Health, 19, 0-1. https://doi.org/10.1016/j.cegh.2020.07.003
- Wong, A. Y. Y., Ling, S. K. K., Louie, L. H. T., Law, G. Y. K., So, R. C. H., Lee, D. C. W., Yau, F. C. F., & Yung, P. S. H. (2020). Impact of the COVID-19 pandemic on sports and exercise. Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology, 22, 39–44. https://doi.org/10.1016/j.asmart.2020.07.006.

Author Information Syamsul Gultom Baharuddin https://orcid.org/0000-0002-6364-2364 Universitas Negeri Medan Universitas Negeri Medan

Indonesia
Contact e-mail: syamsulgultom@unimed.ac.id

Dina Ampera

| Hesti Fibriasari
| https://orcid.org/0000-0003-3252-2551 | https://orcid.org/0000-0002-8009-4603 |
Universitas Negeri Medan | Universitas Negeri Medan |
Indonesia | Indonesia |

Nurpelita Sembiring
| https://orcid.org/0000-0003-3819-4990 |
Universitas Negeri Islam Sultan Syarif Kasim Riau |
Indonesia |

Profile of Student Physical Fitness Level of Sports Science Study Program: Relationship between Nutrition Status and Learning Achievement during COVID-19 Pandemic

ORIGINALITY REPORT

17% SIMILARITY INDEX

15%

INTERNET SOURCES

9%

PUBLICATIONS

9%

STUDENT PAPERS

MATCHED SOURCE



Submitted to University of Southern Queensland

%

Student Paper

%

Submitted to University of Southern Queensland

Student Paper

Exclude quotes

Off Off Exclude matches

< 1%

Exclude bibliography