

DAFTAR PUSTAKA

- Allwar, A. (2018). Preparation and characteristics of highly microporous activated carbon derived from empty fruit bunch of palm oil using KOH activation. *Rasayan Journal of Chemistry*, 11(1), 280–286.
- Ambroz, F., Macdonald, T. J., Martis, V., & Parkin, I. P. (2018). Evaluation of the BET Theory for the Characterization of Meso and Microporous MOFs. *Small Methods*, 1800173(2), 1–17.
- Barakat, M. A. (2011). New trends in removing heavy metals from industrial wastewater. *Arabian Journal of Chemistry*, 4(4), 361–377.
- Bunaciu, A. A., Udriștioiu, E., Aboul-enein, H. Y., Bunaciu, A. A., Udriștioiu, E., Aboul-enein, H. Y., Bunaciu, A. A., & S, E. G. U. (2015). X-Ray Diffraction : Instrumentation and Applications. *Critical Review in Analytical Chemistry*, 45(4), 289–299.
- Direktorat Jenderal Perkebunan. (2021). Statistik Perkebunan Unggulan Nasional. In *Sekretariat Direktorat Jenderal Perkebunan*.
- Farma, R., & Wahyuni, F. (2019). Physical Properties Analysis of Activated Carbon from Oil Palm Empty Fruit Bunch Fiber on Methylene Blue Adsorption. *Journal of Technomaterial Physics *Corresponding Author at: Bina Widya Km, 1(1)*, 28293.
- Foo, K. Y., & Hameed, B. H. (2010). Insights into the modeling of adsorption isotherm systems. *Chemical Engineering Journal*, 156(1), 2–10.
- Hidayah, N., & Wusko, I. U. (2020). Characterization and Analysis of Oil Palm Empty Fruit Bunch (OPEFB) Waste of PT Kharisma Alam Persada South Borneo. *Majalah Obat Tradisional*, 25(3).
- Huo, S.-H.; Yan, X.-P. Metal-organic framework MIL-100(Fe) for the adsorption of malachite green from aqueous solution. *J. Mater. Chem.* 2012, 22 (15), 7449–7455.

- Indah, D. R. (2020). Adsorpsi Logam Tembaga (Cu) Pada Karbon Baggase Teraktivasi Natrium Hidroksida (NaOH). *Jurnal Ilmiah IKIP Mataram*, 7(1), 12–26.
- Intarachandra, N., Siriworakon, S., & Sangmanee, T. (2019). Preparation of oil palm empty fruit bunch based activated carbon for adsorption of dye from aqueous solution. *MATEC Web of Conferences*, 268, 06008.
- Irianti, T. T., Kuswadi, Nuranto, S., & Budiyatni, A. (2017). Logam Berat Dan Kesehatan. In *Grafika Indah ISBN: 979820492-1* (Issue January 2017).
- Karri, R. R., & Sahu, J. N. (2018). Process optimization and adsorption modeling using activated carbon derived from palm oil kernel shell for Zn (II) disposal from the aqueous environment using differential evolution embedded neural network. *Journal of Molecular Liquids*, 265, 592–602.
- Karunia, F. S. A. F., Sani, & Astuty, D. H. (2021). Karakterisasi Karbon Aktif dari Batang Singkong sebagai Adsorben pada Adsorpsi Logam Tembaga. *Seminar Nasional Teknik Kimia Soebardjo Brotohardjono XVII*, 17, 1–9.
- Kenneth, A., Casimir, G., Agbaji, B. E., & Steven, A. (2015). Structural and Microstructural Properties of Neem Husk and Seed Carbon Activated with Zinc Chloride and Phosphoric Acid. *Journal of Chemical and Pharmaceutical Research*, 7(3), 2470–2479.
- Largitte, L., & Pasquier, R. (2016). A review of the kinetics adsorption models and their application to the adsorption of lead by an activated carbon. *Chemical Engineering Research and Design*, 109, 495–504.
- Lestari, W. W., Yunita, L., Saraswati, T. E., Herald, E., Khafidhin, M. A., Krisnandi, Y. K., Arrozi, U. S. F., & Kadja, G. T. M. (2021). Fabrication of composite materials MIL-100(Fe)/Indonesian activated natural zeolite as enhanced CO₂ capture material. *Chemical Papers*, 75(7), 3253–3263.
- M, M., Sosidi, H., Sumarni, N. K., Ys., H., Ruslan, Inda, N. I., & Mirzan, Moh. (2022). Penggunaan Karbon Aktif dari Tandan Kosong Kelapa Sawit

- Teraktivasi NaOH pada Penyerapan Ion Pb(II). *KOVALEN: Jurnal Riset Kimia*, 8(1), 92–98.
- Maihendra, Fadli, A., & Zultiniar. (2016). Kinetika Adsorpsi pada Penjerapan Ion Timbal Pb²⁺ Terlarut dalam Air Menggunakan Partikel Tricalcium Phosphate Maihendra1),. *Jom FTEKNIK*, 3(2), 1–5.
- Maslahat, M., Hutagaol, R. P., Lestari, S., Sholeh Iskandar, J. K. H., & Sareal - Bogor, T. (n.d.). *POTENSI BIOSORBEN TANDAN KOSONG KELAPA SAWIT (TKKS) DALAM RECOVERY LIMBAH FENOL*.
- Mazumder, M., Ahmed, R., Wajahat, A., & Lee, S. (2018). SEM and ESEM techniques used for analysis of asphalt binder and mixture : A state of the art review. *Construction and Building Materials*, 186, 313–329.
- Muñoz-Senmache, J. C., Kim, S., Arrieta-Pérez, R. R., Park, C. M., Yoon, Y., & Hernández-Maldonado, A. J. (2020). Activated Carbon–Metal Organic Framework Composite for the Adsorption of Contaminants of Emerging Concern from Water. *ACS Applied Nano Materials*, 3(3), 2928–2940.
- Paudel, S., Dr, S. K., & Malik, Dr. A. (2021). ATOMIC ABSORPTION SPECTROSCOPY : A SHORT REVIEW. *EPRA International Journal of Research and Development (IJRDR)*, 6(8), 6–11.
- Scimeca, M., Bischetti, S., Lamsira, H. K., Bonfiglio, R., & Bonanno, E. (2018). Energy Dispersive X-ray (EDX) microanalysis : A powerful tool in biomedical research and diagnosis. *European Journal of Histochemistry*, 62, 1–10.
- Solis, K. L. B., Kwon, Y. H., Kim, M. H., An, H. R., Jeon, C., & Hong, Y. (2020). Metal organic framework UiO-66 and activated carbon composite sorbent for the concurrent adsorption of cationic and anionic metals. *Chemosphere*, 238.
- Sopiah, N., Prasetyu, D., & Aviantara, D. B. (2017). Pengaruh aktivasi karbon aktif dari tandan kosong kelapa sawit terhadap adsorpsi kadmium terlarut. *Jurnal Riset Teknologi Pencegahan Pencemaran Industri*, 8(2), 57–66.

- Surugau, N., Chong, H. L. H., May, J., Thoe, L., Lye, H., & Chong, H. (2019). Application of Oil Palm Empty Fruit Bunch as Adsorbent: A Review Assessing DNA Recombinant Technology for transferring Fungal Resistance Traits to Sabah's Tradisional Rice View project Antioxidant-enriched film from blended seaweed biomass with antimicrobial properties as an alternative for single-use food packaging View project Application of Oil Palm Empty Fruit Bunch as Adsorbent: A Review. In *Transactions on Science and Technology* (Vol. 6, Issue 1).
- Tan, K. L., & Hameed, B. H. (2017). Insight into the adsorption kinetics models for the removal of contaminants from aqueous solutions. *Journal of the Taiwan Institute of Chemical Engineers*, 74, 25–48.
- Thoe, J. M. L., Surugau, N., & Chong, H. L. H. (2019). Application of Oil Palm Empty Fruit Bunch as Adsorbent: A Review. *Transactions on Science and Technology*, 6(1), 9–26.
- Tran Thi Dieu, H., Charoensook, K., Tai, H. C., Lin, Y. T., & Li, Y. Y. (2021). Preparation of activated carbon derived from oil palm empty fruit bunches and its modification by nitrogen doping for supercapacitors. *Journal of Porous Materials*, 28(1), 9–18.
- Wang, Y., Pan, J., Li, Y., Zhang, P., Zhang, X., Li, M., Zheng, H., Sun, Y., Wang, H., & Du, Q. (2021). Preparation and Characterization of Activated Carbon from Oil-palm Fiber and Its Evaluation for Methylene Blue Adsorption. *Materiali in Tehnologije*, 55(3), 449–457.
- Wijayanti, I. E., & Kurniawati, E. A. (2019). Studi Kinetika Adsorpsi Isoterm Persamaan Langmuir dan Freundlich pada Abu Gosok sebagai Adsorben. *EduChemia (Jurnal Kimia Dan Pendidikan)*, 4(2), 175–184.
- Yahya, M. A., Mansor, M. H., Zolkarnaini, W. A. A. W., Rusli, N. S., Aminuddin, A., Mohamad, K., Sabhan, F. A. M., Atik, A. A. A., & Ozair, L. N. (2018). A brief review on activated carbon derived from agriculture by-product. *AIP Conference Proceedings*, 1–9.

- Zhang, Y., Chen, Z., Liu, X., Dong, Z., Zhang, P., Wang, J., Deng, Q., Zeng, Z., Zhang, S., & Deng, S. (2020). Efficient SO₂ Removal Using a Microporous Metal-Organic Framework with Molecular Sieving Effect. *Industrial and Engineering Chemistry Research*, 59(2), 874–882.
- Zubir, M., Muchtar, Z., Syahputra, R. A., Sudarma, T. F., Nasution, H. I., Lubis, R. A. F., Fadillah, L., & Sandi, K. (2021). Characterization of Modified Fe-Cu Nanoparticle Activated Carbon Derived of Oil Palm Empty Bunches. *Journal of Physics*, 1–6.
- Indah, D.R., & Safnowandi, S. (2018). Pemanfaatan Karbon Baggaseteraktivasi Untuk Menurunkan Kadar Logam Tembaga Pada Limbah Kerajinan Perak Di Lombok Tengah. *Hydrogen: Jurnal Kependidikan Kimia*, 6(1), 65-74.
- Indah, D.R., & Safnowandi, S. (2020). Karakterisasi Karbon Baggaseteraktivasi Dan Aplikasinya Untuk Adsorpsi Logam Tembaga. *Hydrogen: Jurnal Kependidikan Kimia*, 7(2), 46-54.
- Febriani, A., Septika, A., Euis, N., & Mochammad, L. (2022). Kapasitas Adsorpsi Zat Warna *Malachite Green* Dan *Violet Dye* Menggunakan *Metal Organic Frameworks (FE-BDC)*. *Hydrogen: Jurnal Kependidikan Kimia*, 10(2), 61-72.
- Ayub, A., Raza, Z. A., Majeed, M. I., Tariq, M. R., & Irfan, A. (2020). Development of sustainable magnetic chitosan biosorbent beads for kinetic remediation of arsenic contaminated water. *International Journal of Biological Macromolecules*, 163, 603–617.
- Callister, Jr And WD. Rethwisch, D.G. (2009). *Material Science And Engineering An Introduction*. Jhon Wiley & Sons.
- Lee, H.M., An, K., Soo-Jin Park, S., Kim, B. (2019). Mesopore-Rich Activated Carbons For Electrical Double-Layer Capasitos By Optimal Activation Condition. *Nanomaterials*, 9(4).
- Rawal, S., Joshi, B., & Kumar, Y. (2018). Synthesis And Characterization Of Activated Carbon From The Biomass Of *Saccharum Bengalense* For Electrochemical Superccapacitor. *Journal Of Energy Storage, Elsevier*, 20, 418-426.
- Zheng, K., Li, Y., Zhu, M., YU, X., Zhang, M., Shi, L. (2017). The Porous Carbon Derived From Water Hyacinth With Well Designed Hierarchical Structure For Supercapacitors. *Journal Of Power Sources*, 336, 270-277.