

DAFTAR PUSTAKA

- Amro, I. (2013). In vitro antimicrobial and anti-inflammatory activity of Jordanian plant extracts: A potential target therapy for *Acne vulgaris*. *African Journal of Pharmacy and Pharmacology*, 7(29), pp. 2087–2099. <https://academicjournals.org/journal/AJPP/article-full-text-pdf/94E1F8525477>
- Awodele. (2020). *The antimicrobial activities of Moringa oleifera Methanolic leaf extract on the bacterial isolates from some surface waters*. *J. Appl. Sci. Environ. Manage.* 24 (7): 1307-1314.
- Balouiri, M., Sadiki, M., & Ibsouda, S. K. (2016). Methods for In Vitro Evaluating Antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2):71-79.
- Bimakr. (2019). *Comparison of different extraction methods for the extraction of major bioactive flavonoid compounds from spearmint (Mentha spicata L.) leaves*. *Food and Bioproducts Processing*. 112: 1–12.
- Carrol, K. C. (2017). *Mikrobiologi Kedokteran*. Jakarta: EGC.
- Chan. (2020). Effects of solid-to-solvent ratio on metabolite profile of bioactive-rich *Moringa oleifera* leaf extracts. *South African Journal of Botany*. 133: 419 426.
- Clinical Laboratory Standart Institute. (2013). Performance Standart for Antimicrobial Susceptibility Testing; Twentieth Information Supplement. USA.
- Dwika, W., Putra, P., Agung, A., Oka Dharmayudha, G., & Sudimartini, L. M. (2016). Identifikasi Senyawa Kimia Ekstrak Etanol Daun Kelor (*Moringa oleifera* L) di Bali (Identification Of Chemical Compounds Ethanol Extract Leaf Moringa (*Moringa oleifera* L) In Bali). *Indonesia Medicus Veterinus Oktober*.
- George, R. M., & Sridharan, R. (2018). Factors aggravating or precipitating acne in Indian adults: A hospital-based study of 110 cases. *Indian Journal of Dermatology*. vol 63(4): 3 28–331.
- Green, E., Alsuwaysi, N., Traynor, K., Meade, J., & Kost, R. G. (2020). *An innovative collaborative to improve nursing student preparation for clinical microbiology testing*. *Open Forum Infectious Diseases*.
- Hajipour, M. J. (2021). Antibacterial agents and mechanisms: Beyond traditional antimicrobial therapy. *Chemical Society Journal*, 50(5), 3042-3126.
- Harti, S. (2015). *Mikrobiologi Kesehatan*. Yogyakarta: CV. ANDI OFFSET.

- Hwang, I. Y., Koh, E., Wong, A., March, J. C., Bentley, W. E., Lee, Y. S., & Chang, M. W. (2020). Engineered probiotic *Escherichia coli* can eliminate and prevent *Pseudomonas aeruginosa* gut infection in animal models. *Nature communications*, 11(1), 1-11.
- Isyraqi, N. A. (2020). Skrining Fitokimia dan Aktivitas Farmakologi Tanaman Kelor (*Moringa oleifera* Lam). Proceeding of Mulawarman Pharmaceuticals Conferences. <https://prosiding.farmasi.unmul.ac.id/index.php/mpc/article/download/426/409/561>
- Jawetz. (1995). *Mikrobiologi Kedokteran*. Dalam: Mikrobiologi Kedokteran (20 ed.). Jakarta: EGC.
- Jumadin L., Satyaningtyas AS & Santoso K. (2017). Ekstrak Daun Baik Sebagai Antioksidan. *Jurnal Veteriner*, 18 (1), 1135-1143. <https://doi.org/10.19087/jveteriner.2017.18.1.135>
- Jumadin L, Maheswari H, Ulupi N & Satyaningtijas S. (2022). Physiological and Productivity Performances of Japanese Quails Supplemented with Cassava Leaf Past. *Tropical Animal Science Journal*. 45(4):460-466. <https://doi.org/10.5398/tasj.2022.45.4.460>
- Kayser F.H. & Bienz K.A. (2011). *Medical Microbiology*. New York: Thieme Stuttgart. pp. 571-8.
- Kusniyanti & Agustini. (2007). Uji Aktivitas Senyawa Antibakteri dari Mikroalga *Porphyridium cruentum*. *Biodiversitas* 8(1) : 48-53.
- Laia, H., Yusliana., Daeli, P., Sarwendah., Chiuman, L. (2019). Uji antibakteri perasan buah nanas (*Ananas Comosus* L Merr) terhadap bakteri *Staphylococcus aureus*. 15(2).
- Lakshmi. (2020). *Exploration of phytoconstituents from Moringa oleifera and their biomedical applications*. *Int. J. Green Pharm.*, 14 (1): 3-19.
- Leone. (2019). *Moringa oleifera, a Plant with High Nutritional and Therapeutical Value..* 19(17):1352-1360.
- Marzouk, M. M. (2016). Flavonoid Constituents and Cytotoxic Activity of *Erucaria Hispanica* (L.) Druce Growing Wild in Egypt. *Arabian Journal of Chemistry*, 9:S411–15.
- Mbikay. (2020). *Moringa oleifera, an interesting source of bioactive compounds – state of the art*. *Biomed Pharmacother*. 129:110356.
- McDonnell, G., & Russell, A. D. (2021). Chapter 1 - Antiseptics, Disinfectants, and Sterilization. In G. McDonnell & A. D. Russell (Eds.), *Antisepsis, Disinfection, and Sterilization* (pp. 1-29). Academic Press.
- Meilina, N. E. and Hasanah, N. A. (2018) ‘Aktivitas Antibakteri Ekstrak Kulit Manggis (*Garcinia mangostana* L.) Terhadap Bakteri Penyebab Jerawat.

Jurnal Farmaka, 16(2), pp. 322–328. <https://jurnal.unpad.ac.id/farmaka/article/view/17550/pdf>

- Mollerup, S., Friis-Nielsen, J., Vinner, L., Hansen, T. A., Richter, S. R., Fridholm, H., Herrera, J. A. R., Lund, O., Brunak, S., Izarzugaz, J. M. G., Mourier, T., Nielsen, L. P., & Hansen, A. J. (2016). *Propionibacterium acnes*: Disease causing agent or common contaminant detection in diverse patient samples by next generation sequencing. *Journal of Clinical Microbiology*, 54(4).
- Mulugeta. (2019). *Influence of blending ratio on the functional and antioxidant properties of wheat-moringa leaves composite flour*. *Cogent Food & Agriculture*. 5(1): 1686682.
- Munhoz, V. M., Longhini, R., Souza, J. R. P., Zequi, J. A. C., Mello, E. V. S. L., Lopes, G. C., Mello, J. C. P., Munhoz, V. M., Longhini, R., Souza, J. R. P., Zequi, J. A. C., Mello, E. V. S. L., Lopes, G. C., & Mello, J. C. P. (2014). Extraction of Flavonoids from *Tagetes Patula*: Process Optimization and Screening for Biological Activity. *Revista Brasileira de Farmacognosia*, 24(5), 576–583
- Nurjanah, N., Aprilia, B. E., Fransiskayana, A., Rahmawati, M., & Nurhayati, T. (2018). Senyawa bioaktif rumput laut dan ampas teh sebagai antibakteri dalam formula masker wajah. *Jurnal Pengolahan Hasil Perikanan Indonesia*. vol 21(2): 304-316.
- Parnanto. (2020). *The Potency of Moringa oleifera Leaf Extraction as an Antibacterial*. *INA-Rxiv Preprints*. Doi:10.31227/osf.io/gz7b8
- Perwita, M. H. (2019). Pemanfaatan Ekstrak *Moringa Oleifera* Sebagai Masker Organik untuk Merawat Kesehatan Kulit Wajah. *Jurnal Keluarga Sehat Sejahtera*, 17(2). 36 41.
- Portillo, M. E., Corvec, S., Borens, O., & Trampuz, A. (2019). *Propionibacterium acnes*: an underestimated pathogen in implant-associated infections. *BioMed research international*.
- Putra, I., W., D. (2016). Identifikasi Senyawa Kimia Ekstrak Etanol Daun Kelor (*Moringa oleifera* L) di Bali. *Jurnal Indonesia Medicus Veterinus*, 5(5).
- Putri, D. M., & Lubis, S. S. (2020). Skrining Fitokimia Ekstrak Etil Asetat Daun Kalayu (*Erioglossum rubiginosum* (Roxb.) Blum). *Jurnal Amina*, 2(3).
- Rachmawati, P. A. (2019). Biodegradable Detergen Dari Saponin Daun Waru dan Ekstraksi Bunga Tanjung. *Indonesian Chemistry and Application Journal*, 2(2), 1. <https://doi.org/10.26740/icaj.v2n2.p1-4>
- Ramdani, R., Sibero, & T., H. (2015). Treatment for *Acne vulgaris*. *Journal Majority*. Vol 4(2): 87–95. <https://joke.kedokteran.unila.ac.id/index.php/majority/article/view/531/532>

- Rani, K., C., Ekajayani, Darmasetiawan, & Dewi. (2019). *Modul Pelatihan Kandungan Nutrisi Tanaman Kelor*. Surabaya: Fakultas Farmasi Universitas Surabaya. <https://repository.ubaya.ac.id/38511/1/MODUL%20NUTRISI%20TANAMAN%20KELOR.pdf>
- Rini, C., S. (2020). *Bakteriologi Dasar*. Sidoarjo: UMSIDA PRESS.
- Riswana, A.P. (2022). Uji Aktivitas Antibakteri Ekstrak Daun Kelor (*Moringa oleifera* L.) terhadap Pertumbuhan Bakteri Penyebab Jerawat. *Riset Kedokteran*.
- Santoso, B., B. (2018). *Biji dan Teknologi Benih Kelor (Moringa oleifera Lam.)*. Lombok: Arga Puji Press <https://bbsagriculture.com/wp-content/uploads/2019/04/Buku-Biji-Teknologi-Benih-Kelor-Full-Version.pdf>
- Saragih, D. F., Opod, H., & Pali, C. (2016). Hubungan Tingkat Kepercayaan Diri dan Jerawat (*Acne vulgaris*). *Jurnal E-Biomedik*, 4(1), 0-7.
- Sasidharan. (2020). *Extraction, isolation, and identification of bioactive compounds from plants' extracts*. *Arab J Chem*. 13(1): 1097–1099.
- Savitri, E., Fakhrurazi., Harris, A., Erina., Sutriana, A., & Lubis, T. M. (2018). Uji Antibakteri Ekstrak Daun Kelor (*Moringa oleifera* L.) Terhadap Pertumbuhan Bakteri *Staphylococcus aureus*. *Jurnal Ilmiah Mahasiswa Veteriner*, 2(3). 373-379.
- Sibero, H. T., Sirajudin, A., & Anggraini, D. (2019). Prevalensi dan Gambaran Epidemiologi Akne Vulgaris di Provinsi Lampung The Prevalence and Epidemiology in Lampung. *Jurnal Farmasi Komunitas*, 3(2), 62–68.
- Sudarwati, T. P. L. (2019). Aktivitas Antibakteri Daun Pepaya (*Carica Pepaya*) Menggunakan Pelarut Etanol Terhadap Bakteri *Escherichia Coli*. *Journal of Pharmaceutical Care Anwar Medika*. Vol: 1(2).
- Toripah SS, Abidjulu J, Wehantouw F. (2014). Aktivitas Antioksidan dan Kandungan Total Fenolik Ekstrak Daun Kelor (*Moringa oleifera Lam*). *Pharmacon* 3(4): 37-43. <https://ejournal.unsrat.ac.id/index.php/pharmacon/article/view/6043>
- Vierra. (2019). *Moringa oleifera with promising nutritional and medicinal values: a smart herb in a sustainable agri-food system*. *Agriculture*. 9(6):127.
- Wang, Q., Jin, J., Dai, N., Han, N., Han, J., & Bao, B. (2016). Anti-Inflammatory Effects, Nuclear Magnetic Resonance Identification, and High-Performance Liquid Chromatography Isolation of the Total Flavonoids from *Artemisia Frigida*. *Journal of Food and Drug Analysis*, 24(2), 385–391.
- Winastri, N. L. A. P., Muliasari, H., & Hidayati, E. (2020). AKTIVITAS ANTIBAKTERI AIR PERASAN DAN REBUSAN DAUN CALINCING

(*Oxalis corniculata* L.) TERHADAP *Streptococcus mutans*. *Berita Biologi*, 19(2).

Yuliati, M. (2012). Uji Aktivitas Antimikroba Ekstrak Daun Salam (*Syzygium polyanthum* (Weight) Walp.) Terhadap Beberapa Mikroba Patogen secara KLT-Bioautografi. Universitas Islam Negeri Alauddin Makassar.

Zaenglein *et.al.* (2020). Guidelines of care for the management of acne vulgaris. *J Am Acad Dermatol*. 74(5):945-973.

