

DAFTAR PUSTAKA

- Abatyough, M.T., Ajibola, V.O., Agbaji, E.B., & Yashim, Z.K. (2022). Properties of Upgraded Bio-oil from Pyrolysis of Waste Corn Cobs. *Journal of Sustainability and Environmental Management*, 1(2): 120-128.
- Abbey, D. M., Dibofo-Orji, A. N., & Ihunwo, O. C. (2022). Determination of Polycyclic Aromatic Hydrocarbons (PAH) from Air Conditioning Dust in Bonny Metropolis. *Asian Journal of Applied Science and Technology (AJAST)*, 6(2): 149-166.
- Abnisa, F., Daud, W. W., Husin, W. N. W., & Sahu, J. N. (2011). Utilization possibilities of palm shell as a source of biomass energy in Malaysia by producing bio-oil in pyrolysis process. *Biomass and Bioenergy*, 35(5), 1863-1872.
- Abnisa, F., Daud, W. W., Husin, W. N. W., & Sahu, J. N. (2011). Utilization possibilities of palm shell as a source of biomass energy in Malaysia by producing bio-oil in pyrolysis process. *Biomass and Bioenergy*, 35(5), 1863-1872.
- Adilina, I. B., Widjaya, R. R., Hidayati, L. N., Supriadi, E., Safaat, M., Oemry, F., Restiawaty, E., Bindar, Y., & Parker, S. F. (2021). Understanding the surface characteristics of biochar and its catalytic activity for the hydrodeoxygenation of guaiacol. *Catalysts*, 11(12): 1434.
- Ahmadi, S., Reyhanitash, E., Yuan, Z., Rohani, S., & Xu, C. (Charles). (2017). Upgrading of fast pyrolysis oil via catalytic hydrodeoxygenation: Effects of type of solvents. *Renewable Energy*, 114, 376-382.
- Aini, Z., Yahdi, Y., & Sulistiyana, S. (2020). Kualitas Biodiesel Dari Minyak Jelantah Menggunakan Katalis Cangkang Telur Ayam Ras Dengan Perlakuan Suhu Yang Berbeda. *Spin Jurnal Kimia & Pendidikan Kimia*, 2(2): 98-115.
- Aladin, A., Modding, B., Syarif, T., Wiyani, L., & Azis, H. A. (2023). *Pirolisis Simultan*. Makassar: NAS Media Indonesia.
- Al-Dabbas, M. A. (2011). Heating by catalytic gas infrared rays. *Energy Engineering*, 108(6): 26-45.
- Alfiandari, Y., Manfarizah, M., & Darusman, D. (2023). Analisis Karakteristik Biochar Bambu Petung (*Dendrocalamus asper*) dan Kayu Pulai (*Alstonia scholaris* (L.) R. Br). *Jurnal Ilmiah Mahasiswa Pertanian*, 8(4), 817-826.

- Ali, A., Zhang, N., & Santos, R. M. (2023). Mineral characterization using scanning electron microscopy (SEM): A Review of The Fundamentals, Advancements, and Research Directions. *Applied Sciences*, 13(23): 12600
- Allwar, A., Maulina, R., Julianto, T. S., & Widyaningtyas, A. A. (2022). Hydrocracking of crude palm oil over bimetallic oxide Nio-CdO/biochar catalyst. *Bulletin of Chemical Reaction Engineering & Catalysis*, 17(2), 476-485.
- Ambursa, M. M., Juan, J. C., Yahaya, Y., Taufiq-Yap, Y. H., Lin, Y. C., & Lee, H. V. (2021). A Review On Catalytic Hydrodeoxygenation Of Lignin To Transportation Fuels By Using Nickel-Based Catalysts. *Renewable and Sustainable Energy Reviews*, 138, 110667.
- Andrio, D., Mahardika, D. A. D. P., & Darmayanti, L. (2024). Penyisihan Warna, Zat Organik, dan Logam Fe Air Gambut dengan Magnetic Biochar Berbahan Dasar Cangkang Sawit. *JST (Jurnal Sains dan Teknologi)*, 13(1): 1-10.
- Astuti, F., Sari, N., Maghfirohtuzzoimah, V. L., Asih, R., Baqiya, M. A., & Darminto, D. (2020). Study of the formation of amorphous carbon and rGO-like phases from palmyra sugar by variation of calcination temperature. *Jurnal Fisika dan Aplikasinya*, 16(2), 91-94.
- Badan Pusat Statistik. (2023). *Statistik Kelapa Sawit Indonesia 2023*. Jakarta: BPS.
- Bartholomew, C.H., Farrauto, R.J., (2005). *Fundamentals Of Industrial Catalytic Processes, Second Edition*. John Wiley & Sons, Inc, New Jersey
- Benitha, V. S., Prabhahar, R. S. S., & Nagarajan, J. (2021). Enhanced Yield Of Biodiesel Through Nano Catalytic Transesterification Of Palm Oil. *Materials Today: Proceedings*, 47(11): 3088-3094.
- Brame, J., and Griggs, C. (2016). *Surface area analysis using the Brunauer-Emmett-Teller (BET) method*. US Army Corps of Engineers, Engineer Research and Development Center.
- Cao, X., Sun, S., & Sun, R. (2017). *Application of biochar-based catalysts in biomass upgrading: a review*. *RSC Adv* 7: 48793–48805.
- Chen, G., Liang, L., Li, N., Lu, X., Yan, B., & Cheng, Z. (2021). Upgrading of Bio-Oil Model Compounds and Bio-Crude into Biofuel by Electrocatalysis: A Review. *ChemSusChem*, 14(4): 1037-1052.

- Cheng, F., & Li, X. (2018). Preparation And Application Of Biochar-Based Catalysts For Biofuel Production. *Catalysts*, 8(9), 346.
- Damsyik, A., Natalia, W. A., Ipah, P., Pebriani, N., Siringo-ringo, F. B., & Pasaribu, M. H. (2024). Perkembangan Pemanfaatan Material Organologam Sebagai Katalis Dalam Pembuatan Biodiesel. *Bohr: Jurnal Cendekia Kimia*, 3(1): 19-32.
- Dhas, N., Kudarha, R., Garkal, A., Ghate, V., Sharma, S., Panzade, P., Khot, S., Chaudhari, P., Singh, A., Paryani, M., Lewis, S., Gaeg, N., Singh, N., Bangar, P., & Mehta, T. (2021). Molybdenum-Based Hetero-Nanocomposites For Cancer Therapy, Diagnosis And Biosensing
- Ding, Q., Zhang, W., Zhu, Y., Wang, L., Feng, X., Xi, Y., & Lin, X. (2021). Supported Pt–Cu Bimetallic Catalysts: Preparation and Synergic Effects in Their Catalytic Oxidative Degradation of Aniline. *RSC advances*, 11(54), 34355-34368.
- Douvartzides, S., Charisiou, N. D., Wang, W., Papadakis, V. G., Polychronopoulou, K., & Goula, M. A. (2022). Catalytic Fast Pyrolysis Of Agricultural Residues And Dedicated Energy Crops For The Production Of High Energy Density Transportation Biofuels. *Renewable Energy*, 185: 315-338.
- Fatimah, I., Yahya, A., & Fadillah, G.(2023). *Material Anorganik Untuk Aplikasi Kimia Ramah Lingkungan*. Yogyakarta: Deepublish Digital.
- Fattah, I. M. R., Ong, H. C., Mahlia, T. M. I., Mofijur, M., Silitonga, A. S., Rahman, S. A., & Ahmad, A. (2020). State of the art of catalysts for biodiesel production. *Frontiers in Energy Research*, 8(101): 1-17.
- Fauzi, Y., Widyastuti, YE, Satyawibawa, I., & Paeru, RH (2012). *Minyak Sawit*. Jakarta: Grup Penebar Swadaya.
- Febrina, W., Awaluddin, A., Saryono, S., & Helwani, Z. (2024). Karakterisasi Biochar dari Tandan Kosong Kelapa Sawit. *Jurnal Unitek*, 17(2), 293-301.
- Fekhar, B., Zsinka, V., & Miskolczi, N. (2020). Thermo-Catalytic Co-Pyrolysis Of Waste Plastic And Paper In Batch And Tubular Reactors For In-Situ Product Improvement. *Journal of Environmental management*, 269: 1-9.
- Fitri, A. S., & Fitriana, Y. A. N. (2020). Analisis Angka Asam pada Minyak Goreng dan Minyak Zaitun. *Sainteks*, 16(2).
- Gea, S., Hutapea, Y.A., Piliang, A.F.R., Pulungan, A.N., Rahayu, Layla, J., Tikoalu, A.D., Wijaya, K., Saputri, W.D. (2022). A Comprehensive Review

- of Experimental Parameters in Bio-oil Upgrading from Pyrolysis of Biomass to Biofuel Through Catalytic Hydrodeoxygenation. *Bio Energy Research*, 1-23.
- Gea, S., Irvan, Wijaya, K., Nadia, A., Pulungan, A.N., Sihombing, J.L., & Rahayu. (2022a). Bio-oil hydrodeoxygenation over zeolite- based catalyst: the effect of zeolite activation and nickel loading on product ncharacteristics. *International Journal of Energy and Environmental Engineering*, 13, 541-553.
- Ghafur, A. dan Mitaris. (2014). Pembuatan Arang Aktif Dari Limbah Padat Sintesis Furfural Berbahan Dasar Sekam Padi Melalui Aktivasi Kimia. *UNESA Journal of Chemistry*, 3(3), 1-8.
- Giyanto, G., & Muljadi, M. (2020). Analisis densitas, kuat tarik dan kekuatan magnet dari rubber magnet yang dibuat dari Ba-Ferrite dan silicon rubber. *Teknika: Jurnal Sains dan Teknologi*, 16(2): 227-230.
- Goenadi, D., & Santi, L. (2017). Kontroversi aplikasi dan standar mutu biochar. *Jurnal Sumberdaya Lahan*, 11(1): 23-32.
- Gupta, S., Fernandes, R., Patel, R., Spreitzer, M., & Patel, N. (2023). A review of cobalt-based catalysts for sustainable energy and environmental applications. *Applied Catalysis A: General*, 661, 119254.
- Haque, A. M. S., Ristikawati, A., & Santi, S. S. (2025). Optimasi Proses Adsorpsi Penurunan Angka Asam Bio-Oil Hasil Pirolisis Batang Tembakau Menggunakan Response Surface Methodology (Rsm). *Jurnal Integrasi Proses*, 14(1), 39-47.
- Hartanto, L. B., Sibarani, M., & Tuapetel, J. V. (2020). Analisa Teknis Dan Biaya Penggunaan Bahan Bakar Cangkang Kelapa Sawit Dan Batu Bara Pada Boiler DZL4 Di PT. Lautan Luas Tbk. *J. Tek. Mesin ITI*, 4(1): 17.
- Hartono, S. B., Hadisoewignyo, L., & Antaresti, A. (2017). Pembuatan, modifikasi dan pemanfaatan material nano-pori. *Widya Teknik*, 16(2), 105-109.
- Hidayat, B., Lubis, N. A., & Sabrina, T. (2021). Pengaruh penggunaan biochar biomassa kelapa sawit terhadap aktivitas mikroorganisme pada tanah ultisol. *Jurnal Agro Estate*, 5(1): 14-24.
- Hikmawan, O., & Naufa, M. (2020). Pemanfaatan Cangkang Dan Serat Kelapa Sawit Sebagai Bahan Bakar Boiler. *Indonesian Journal of Industrial Research*, 15(29): 18-26.

- Hue, N. (2020). Biochar for maintaining soil health. *Soil health*, 21-46.
- Indarwati, E. R., & Samik, S. (2022). Artikel review: pemanfaatan katalis abu cangkang pada reaksi transesterifikasi minyak jelantah menjadi biodiesel. *Unesa Journal of Chemistry*, 11(2): 113-122.
- Issafira, R. D., Sayoko, B. L., & Soegianto, V. R. (2023). The addition effect of Biodiesel Made from Kemiri Sunan to the Droplet Combustion Characteristic of Diesel Oil. *PROISRM*, 8(4): 152-152.
- Jamilatun, S., Hakika, D. C., Sarah, D., & Puspitasari, A. (2024). Generation and Characterization of Bio-Oil Obtained From The Slow Pyrolysis of Oil Palm Empty Fruit Bunches at Various Temperatures. *Elkawnie: Journal of Islamic Science and Technology*, 10(1): 103-114.
- Jamilatun, S., Pitoyo, J., Puspitasari, A., & Sarah, D. (2022). Pirolisis Tandan Kelapa Sawit untuk Menghasilkan Bahan Bakar Cair, Gas, Water Fase dan Charcoal. In *Prosiding Seminar Nasional Penelitian LPPM UMJ*, 1(1).
- Jaya, S. J., Bahri, S., & Saputra, E. (2017). *Upgrading Crude Bio-Oil (CBO) dari Biomassa Menjadi Upgrade Bio-Oil (UBO) dengan Katalis Ni/Lempung* (Doctoral dissertation, Riau University).
- Kappjr, R. W. (2014). *Encyclopedia of Toxicology*. Elsevier.
- Kasih, T. S. D., Taufik, M., & Khair, M. (2020). Pembuatan Karbon Aktif Dari Limbah Cangkang Kelapa Sawit (*Elaeis guineensis*) Menggunakan Ultrasonik. *Periodic*, 9(2): 60-64.
- Kasmi, M., Darma W. A., Irawan, N. C., Kasmiati, Kamarudin, A. P., Esthi, R. B., Gracia, S., Zainuddin, & Andryanto. (2023). *Agribisnis Hortikultura*. Makassar: Tohar Media.
- Kumar, P. S., & Periyasamy, S. (2019). Performance, Combustion and Emission Characteristics of a Diesel Engine Fuelled with the Annona Squamosa Seed Cake Pyrolysis Oil. *International Advanced Research Journal in Science, Engineering and Technology*, 6(5): 39-46.
- Liu, Y., Wang, H., Niu, H., Wang, T., Chen, Z., Chen, Y., & Qi, Q. (2023). Time-shift effect of spontaneous combustion characteristics and microstructure difference of dry-soaked coal. *International Journal of Coal Science & Technology*, 10(1), 68.
- Lü, F., Lu, X., Li, S., Zhang, H., Shao, L., & He, P. (2022). Dozens-Fold Improvement Of Biochar Redox Properties by KOH Activation. *Chemical Engineering Journal*, 429: 132203.

- Ly, H.V., Kim, J., Hwang, H.T., Choi, J.H., Woo, H.C., & Kim, S.S. (2019). Catalytic Hydrodeoxygenation of Fast Pyrolysis Bio-Oil from *Saccharina japonica* Alga for Bio-Oil Upgrading. *Catalysts*, 9(12): 1-15
- Mahmud, M. (2023). Skenario Konservasi Tanah pada Perkebunan Sawit sebagai Upaya Mitigasi Limpasan Permukaan pada DAS Arui, Kabupaten Manokwari, Papua Barat. *Jurnal Ilmu Pertanian Indonesia*, 28(1), 129-139.
- Mahmudah, F., & Kusumawati, D. H. (2020). Pengaruh penambahan katalis nikel terhadap homogenitas fasa dan konduktivitas listrik karbon dari serabut kelapa. *Inovasi Fisika Indonesia*, 9(2): 119-124.
- Mardawati, E., Hidayat, M. S., Rahmah, D. M., & Rosalinda, S. (2019). Produksi biodiesel dari minyak kelapa sawit kasar off grade dengan variasi pengaruh asam sulfat pada proses esterifikasi terhadap mutu biodiesel yang dihasilkan. *Jurnal Industri Pertanian*, 1(3): 46-60.
- Milya, C., Kurniawan, E., Hakim, L., Dewi, R., & Muhammad, M. (2023). Pembuatan Briket Cangkang Kelapa Sawit Menggunakan Variasi Jenis dan Persentase Perekat Tepung Tapioka dan Tepung Beras. *Chemical Engineering Journal Storage (CEJS)*, 3(4): 505-516.
- Mortensen, P. M., Grunwaldt, J. D., Jensen, P. A., & Jensen, A. D. (2013). Screening of catalysts for hydrodeoxygenation of phenol as a model compound for bio-oil. *Acs Catalysis*, 3(8), 1774-1785.
- Muangsuwan, C., Kriprasertkul, W., Ratchahat, S., Liu, C. G., Posoknistakul, P., Laosiripojana, N., & Sakdaronnarong, C. (2021). Upgrading Of Light Bio-Oil From Solvothermolysis Liquefaction Of An Oil Palm Empty Fruit Bunch In Glycerol By Catalytic Hydrodeoxygenation Using NiMo/Al₂O₃ or CoMo/Al₂O₃ Catalysts. *ACS Omega*, 6(4): 2999-3016.
- Muangsuwan, C., Kriprasertkul, W., Ratchahat, S., Liu, C. G., Posoknistakul, P., Laosiripojana, N., & Sakdaronnarong, C. (2021). Upgrading Of Light Bio-Oil From Solvothermolysis Liquefaction Of An Oil Palm Empty Fruit Bunch In Glycerol By Catalytic Hydrodeoxygenation Using NiMo/Al₂O₃ or CoMo/Al₂O₃ Catalysts. *ACS Omega*, 6(4): 2999-3016.
- Mudi, I., Hart, A., Ingram, A., & Wood, J. (2023). Catalytic Hydrodeoxygenation of Vanillin, a Bio-Oil Model Compound Over Renewable Ni/Biochar Catalyst. *Catalysts*, 13(1): 171.
- Mujtaba, G., Hayat, R., Hussain, Q., & Ahmed, M. (2021). Physio-Chemical Characterization Of Biochar, Compost And Co-Composted Biochar Derived From Green Waste. *Sustainability*, 13(9), 4628.

- Mukhlis, Hidayat, B., & Sabrina. (2023). *Biochar Arang Hitam Pembenh Tanah Pertanian*. Medan: USU Press.
- Munnik, P., De Jongh, P. E., & De Jong, K. P. (2015). Recent developments in the synthesis of supported catalysts. *Chemical reviews*, 115(14), 6687-6718.
- Mutamima, A., Bahri, S., Junaidi, W., & Huwaidah, F. (2023). Hidrogenasi Simultan Pada Pirolisis Cangkang Sawit Menjadi Bio-Oil dengan Katalis ZSM-5. *Journal of Bioprocess, Chemical and Environmental Engineering Science*, 4(1), 30-36.
- Nugroho, I., Putri, N., Adji, J. E. P., Nur, S. R., & Sekarningrum, N. A. (2024). Tinjauan Kritis Kemampuan Fourier Transform Infrared Spectroscopy (FTIR) dalam Analisis dan Karakterisasi Senyawa Obat. *Jurnal Ilmiah Wahana Pendidikan*, 10(15): 332-344.
- Nurfaritsya, S. A., Rusnandi, I., & Daniar, R. (2023). Pengaruh Variasi Temperatur dan Waktu Proses Pirolisis Tatal Kayu Karet untuk Pembuatan Bio-Char, Bio-Oil dan Syngas sebagai Bahan Bakar. *Jurnal Pendidikan Tambusai*, 7(3), 24569-24576.
- Nzediegwu, C., Naeth, M. A., & Chang, S. X. (2021). Elemental Composition of Biochars is Affected by Methods Used For Its Determination. *Journal of Analytical and Applied Pyrolysis*, 156, 105174.
- Pahan, I. (2011). *Panduan Lengkap Kelapa Sawit. Manajemen Agribisnis Dari Hulu Hingga Hilir*. Penebar Swadaya. Jakarta.
- Panwar, N. L., & Paul, A. S. (2021). An overview of recent development in bio-oil upgrading and separation techniques. *Environmental Engineering Research*, 26(5): 1-17.
- Paranthaman, R., Moses, J. A., & Anandharamakrishnan, C. (2022). Powder X-Ray Diffraction Conditions For Screening Curcumin in Turmeric Powder. *Journal of Food Measurement and Characterization*, 1-9.
- Pirmoradi, M., & Kastner, J. R. (2021). A kinetic model of multi-step furfural hydrogenation over a Pd-TiO₂ supported activated carbon catalyst. *Chemical Engineering Journal*, 414, 128693.
- Pizzanelli, S., Maisano, S., Pinzino, C., Manariti, A., Chiodo, V., Pitzalis, E., & Forte, C. (2022). The effect of activation on the structure of biochars prepared from wood and from *Posidonia oceanica*: A spectroscopic study. *Physchem*, 2(3), 286-304.

- Pourzolfaghar, H., Abnisa, F., Wan Daud, W. M. A., Aroua, M. K., & Mahlia, T. M. I. (2020). Catalyst characteristics and performance of silica-supported zinc for hydrodeoxygenation of phenol. *Energies*, 13(11), 2802.
- Promraksa, A., & Rakmak, N. (2020). Biochar production from palm oil mill residues and application of the biochar to adsorb carbon dioxide. *Heliyon*, 6(5).
- Pulungan, A. N., Goei, R., Harahap, F., Simatupang, L., Suriani, C., Gea, S., Hasibuan, M. I., Sihombing, J. L., & Tok, A. I. Y. (2024). Pyrolysis of Palm Fronds Waste into Bio-Oil and Upgrading Process Via Esterification-Hydrodeoxygenation Using Cu-Zn Metal Oxide Catalyst Loaded on Mordenite Zeolite. *Waste and Biomass Valorization*, 15(1): 187-206.
- Pulungan, A. N., Goei, R., Kembaren, A., Nurfajriani, N., Sihombing, J. L., Gea, S., Wong, H. R., Hasibuan, M. I., Rahayu, R., & Tok, A. I. Y. (2024). Two Stages Upgrading of Bio-Oil Through Esterification and Hydrodeoxygenation Reactions Using $\text{Fe}_2\text{O}_3\text{-CoO}$ Supported Catalyst. *Biomass Conversion and Biorefinery*, 14(17), 20655-20664.
- Pulungan, A. N., Kembaren, A., Sihombing, J. L., Ginting, C. V., Nurhamidah, A., & Hasibuan, R. (2022). The Stabilization of Bio-Oil As An Alternative Energy Source Through Hydrodeoxygenation Using Co and Co-Mo Supported On Active Natural Zeolite. In *Journal of Physics: Conference Series*, 2193(1): 1-9.
- Putri, R. E., Polii, J., & Rampengan, A. M. (2024). Analisis Viskositas Lube Oil Di Turbin Unit 2 PLTP Lahendong. *Jurnal FisTa: Fisika dan Terapannya*, 5(1): 24-29.
- Qureshi, K.H., Lup, A.N.K., Khan, S., Abnisa, F., & Daud, W.M.A.W. (2021). Optimization of palm shell pyrolysis parameters in helical screw fluidized bed reactor: Effect of particle size, pyrolysis time and vapor residence time. *Cleaner Engineering and Technology*, 4: 1-11
- Rahardja, I. B., Afifah, H., Dermawan, Y., Diniardi, E., Ramadhan, A. I., & Siregar, J. P. (2021). Mechanical Properties Of Particle Board From Empty Palm Fruit With Polyester Resin Adhesive. *Journal Of Applied Sciences And Advanced Technology*, 4(1): 35-42.
- Rahman, M. M., Muttakin, M., Pal, A., Shafiullah, A. Z., & Saha, B. B. (2019). A statistical approach to determine optimal models for IUPAC-classified adsorption isotherms. *Energies*, 12(23), 4565.

- Ramanda, G. D., Allwar, A., Tamyiz, M., Fatimah, I., & Doong, R. A. (2023). Nickel/Biochar from Palm Leaves Waste as Selective Catalyst for Producing Green Diesel by Hydrodeoxygenation of Vegetable Oil. *Bulletin of Chemical Reaction Engineering & Catalysis*, 18(1): 25-36.
- Rauf, A., Supriadi, Harahap, F. S., Wicaksono, M. 2020. Karakteristik Sifat Fisika Tanah Ultisol Akibat Pemberian Biochar Berbahan Baku Sisa Tanaman Kelapa Sawit. *Jurnal Solum*, 17(2): 21-28
- Reis, P., M. (2024). Exposure to Cobalt Metal (Without Tungsten Carbide) and Some Cobalt Compounds: A Literature Review. *Journal of UMinho Science*, 3: 1-13.
- Ridhuan, K., Winarno, E., & Irawan, D. (2022). Analisa proses pirolisis dengan variasi jumlah tabung pembakaran terhadap Karakteristik hasil bio-oil. *Turbo: Jurnal Program Studi Teknik Mesin*, 11(2).
- Saberi, M., & Rouhi, P. (2021). Extension of The *Brunauer-Emmett-Teller* (BET) Model For Sorption Of Gas Mixtures On The Solid Substances. *Fluid Phase Equilibria*, 534: 112968.
- Sahoo, A., Saini, K., Jindal, M., Bhaskar, T., & Pant, K. K. (2021). Co-Hydrothermal Liquefaction Of Algal And Lignocellulosic Biomass: Status And Perspectives. *Bioresource Technology*, 342, 125948.
- Sait, H. H., Kanthasamy, R., & Ayodele, B. V. (2025). Hybrid Analysis of Biochar Production from Pyrolysis of Agriculture Waste Using Statistical and Artificial Intelligent-Based Modeling Techniques. *Agronomy*, 15(1), 181.
- Sajjadi, B., Zubatiuk, T., Leszczynska, D., Leszczynski, J., & Chen, W. Y. (2019). Chemical activation of biochar for energy and environmental applications: a comprehensive review. *Reviews in Chemical Engineering*, 35(7), 777-815.
- Sakulkit, P., Palamanit, A., Dejchanchaiwong, R., & Reubroycharoen, P. (2020). Characteristics of pyrolysis products from pyrolysis and co-pyrolysis of rubber wood and oil palm trunk biomass for biofuel and value-added applications. *Journal of Environmental Chemical Engineering*, 8(6): 1-15.
- Saleh, A. M., Alias, A. B., Mahdi, H. H., Jawad, A. H., Syed-Hassan, S. S. A., Saleh, N. M., & Ahmed, O. K. (2024). Characterizing Biochar Derived from Palm Kernel Shell Biomass via Slow Pyrolysis for Adsorption Applications. *NTU Journal of Renewable Energy*, 6(1): 10-20.

- Saputra, H., Siregar, A. L., Oktavia, R. Y., & Simatupang, D. F. (2023). Sintesis Biooil dari Limbah Pelepah Kelapa Sawit Berbasis Metode Pirolisis. *REACTOR: Journal of Research on Chemistry and Engineering*, 4(1): 12-18.
- Sari, D. R., & Ariani, A. (2021). Pengolahan Tempurung Kelapa Menjadi Arang Dan Asap Cair Dengan Metode Semi-Batch Pyrolysis. *Distilat: Jurnal Teknologi Separasi*, 7(2): 367-372.
- Sembiring, G. A., Widyasaputra, R., dan Widyowanti R. A. (2023). Pemanfaatan Limbah Padat Kelapa Sawit Berupa Cangkang dan Lidi sebagai Bahan Pembuatan Dupa. *Agroforetech*, 1(3).
- Shao, Y., Wang, J., Wu, H., Yan, Y., Jin, Q., & Zhang, X. (2024). Shape stability control of a 3D-printed clay/biochar-based monolith to support Fe catalyst for continuous levofloxacin degradation with low metal leaching. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 680, 132664.
- Shomal, R., & Zheng, Y. (2023). Development of processes and catalysts for biomass to hydrocarbons at moderate conditions: A comprehensive review. *Nanomaterials*, 13(21), 2845.
- Sihombing, J. L., Gea, S., Wirjosentono, B., Agusnar, H., Pulungan, A. N., Herlinawati, H., Yusuf, M., & Hutapea, Y. A. (2020). Characteristic And Catalytic Performance Of Co and Co-Mo Metal Impregnated In Sarulla Natural Zeolite Catalyst For Hydrocracking Of MEFA Rubber Seed Oil Into Biogasoline Fraction. *Catalysts*, 10(1): 121.
- Sihombing, J. L., Herlinawati, A. W. N., Pulungan, A. N., Zubir, M., Nasution, T., Wibowo, A. A., & Gea, S. (2022). Hydrocracking of Mefa Rubber Seed Oil into Biofuels Fraction with Co and CoMo Metals Supported on Zeolite Catalyst.
- Sihombing, J. L., Herlinawati, H., Pulungan, A. N., Simatupang, L., Rahayu, R., & Wibowo, A. A. (2023). Effective Hydrodeoxygenation Bio-Oil Via Natural Zeolite Supported Transition Metal Oxide Catalyst. *Arabian Journal of Chemistry*, 16(6), 104707.
- Siipola, V., Tamminen, T., Källi, A., Lahti, R., Romar, H., Rasa, K., Keskinen, R., Hyvaluoma, J., Hannula, M., & Wikberg, H. (2018). Effects of Biomass Type, Carbonization Process, and Activation Method on The Properties of Bio-Based Activated Carbons. *BioResources*, 13(3), 5976-6002.

- Siregar, M. Z., & Ansari, A. (2020). Penggunaan Katalis Fe Terhadap Karbon Aktif Cangkang Kelapa Sawit Dan Karbon Aktif Sekam Padi Pada Proses Impregnasi. *Jurnal Vorteks*, 1(1): 13-19.
- Soni, A., Yusuf, M., Mishra, V. K., & Beg, M. (2022). An Assessment Of Thermal Impact on Chemical Characteristics of Edible Oils by Using FTIR Spectroscopy. *Materials Today: Proceedings*, 68, 710-716.
- Sujatno, A., Salam, R., Bandriyana, B., & Dimiyati, A. (2017). Studi *Scanning Electron Microscopy* (SEM) Untuk Karakterisasi Proses Oksidasi Paduan Zirkonium. *Jurnal Forum Nuklir*, 9(1): 44.
- Suparnawati, S., Harlia, H., Warsidah, W., & Aritonang, A. B. (2021). Retracted: Produksi Dan Karakterisasi Biochar Ampas Tebu (*Saccharum Officinarum* Linn) Production And Charaterization Of Bagasse Biochar (*Saccharum officinarum* Linn). *Indonesian Journal of Pure and Applied Chemistry*, 4(2), 91-101.
- Suprianto, S., & Nusantara, R. W. (2024). Identifikasi Hambatan Pemanfaatan Limbah Cangkang dan Serabut Sawit sebagai Bahan Bakar Biomassa di Pabrik Kelapa Sawit Sambas. *Jurnal Pedontropika: Jurnal Ilmu Tanah dan Sumber Daya Lahan*, 10(1): 39-48.
- Surani, Pujiasmoro, C., & Kadarohman, A. (2023). Penentuan Suhu Terprogram Optimum pada Analisis Asam Lemak Hasil Ekstrak Mikroalga *Chlorella* Menggunakan Instrument GCMS. *UNESA Journal of Chemistry*, 12(1): 20-25.
- Surdu, V. A., & György, R. (2023). X-Ray Diffraction Data Analysis By Machine Learning Methods—A Review. *Applied Sciences*, 13(17): 1-22.
- Thommes, M., Kaneko, K., Neimark, A. V., Olivier, J. P., Rodriguez-Reinoso, F., Rouquerol, J., & Sing, K. S. W. (2015). Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report). *Pure and Applied Chemistry*, 87(9–10), 1051–1069.
- Tojo, C., Buceta, D., & López-Quintela, M. A. (2017). On metal segregation of bimetallic nanocatalysts prepared by a one-pot method in microemulsions. *Catalysts*, 7(2), 68.
- Tran, C. C., Akmach, D., & Kaliaguine, S. (2020). Hydrodeoxygenation of vegetable oils over biochar supported bimetallic carbides for producing renewable diesel under mild conditions. *Green Chemistry*, 22(19), 6424-6436.

- Turnlund, J. R., Friberg, L. T (2007). *Handbook on The Toxicology of Metals Third Edition*. Elsevier.
- Wang, S., Li, H., & Wu, M. (2021). Advances In Metal/Biochar Catalysts For Biomass Hydro-Upgrading: A Review. *Journal of Cleaner Production*, 303: 1-18.
- Wardani, S. J., Fahrurrozi, M., & Sulistyo, H. (2024). Pengaruh Kondisi Pirolisis terhadap Penurunan Kandungan Volatile Matter pada Batubara Kualitas Rendah. *Jurnal Sosial Teknologi*, 4(8), 537-545.
- Wijaya, K., Utami, M., Hasanudin, Hauli, L., Amin, A. K., Saputri, W. D., & Nadia, A. (2023). *Konversi Sampah Plastik Menjadi Gasoline Aplikasi Katalis Berbasis Zirkonia, Zeolit, dan Bentonit*. Makassar: Nas Media Pustaka.
- Wiraya, W. A., Rifaldi, K., Muljani, S., Siswati, N. D., & Karaman, N. (2025). Peningkatan Kualitas Bio-Oil Hasil Pirolisis Cangkang Kelapa Sawit Berstandar Pelumas Organik. *Jurnal Fisika Unand*, 14(3), 249-254.
- Wulandari, Y. R., Silmi, F. F., Ermaya, D., Sari, N. P., & Teguh, D. (2023). Pengaruh suhu pirolisis jerami padi terhadap variabel komposisi produk pirolisis menggunakan reaktor batch. *Inovasi Teknik Kimia*, 8(3), 167-172.
- Yang, C., Ko, B. H., Hwang, S., Liu, Z., Yao, Y., Luc, W., Cui, M., Malkani, A. S., Li, T., Wang, X., Dai, J., Xu, B., Wang, G., Su, D., Jiao, F., & Hu, L. (2020). Overcoming immiscibility toward bimetallic catalyst library. *Science advances*, 6(17), eaaz6844.
- Yanti, R. N., Hambali, E., Pari, G., & Suryani, D. A. (2020). Characteristics Of Empty Fruit Bunches Activated Charcoal Impregnated With Nickel-Metal As A Catalyst. *Jurnal Penelitian Hasil Hutan*, 38(3): 129-138.
- Yuhermita, N. M., Nazarudin, N., Alfernando, O., Prabasari, I. G., & Haviz, M. (2021). Perengkahan Katalitik Minyak Jelantah Menggunakan Katalis Co-Carbon Yand Dihasilkan Dengan Metode Ion Exchange. *Journal BiGME*, 1(1): 1-22.
- Zhang, X., et al. (2021). Understanding the Surface Characteristics of Biochar and Its Catalytic Activity for the Hydrodeoxygenation of Guaiacol. *Catalysts*, 11(12), 1434.
- Zhu, L. (2005). *Surface temperature excess in heterogeneous catalysis*. The Netherlands: Delft University of Technology.