

Daftar Pustaka

- Apers, S., Varonikova, S., Sindambiwe, J.-B., Witvrouw, M., De Clercq, E., Vanden Berghe, D., Van Marck, E., Vlietinck, A. and Pieters, L. 2001. antiviral, haemolytic and molluscicidal activities of triterpenoid saponins from *maesa lanceolata*: establishment of structure–activity relationships. *Planta Medical*.67: 528–532.
- Badan Pengawasan Obat dan Makanan. 2000. *Parameter Standar Umum Ekstrak Tumbuhan Obat*. Departemen Kesehatan RI. Jakarta.
- Bhattacharya, A; Sood P, Citovsky V. 2010. Review: The roles of plant phenolics in defence and communication during agrobacterium and rhizobium infection. *Molecules Planta Pathology*. 11:705-719
- Bhattacharya, A., Oksbjerg N., Young JF., Jeppesen PB. 2014. Caffeic acid, Naringenin and kuersetin enhance glucose-stimulated insulin secretion and glucose sensitivity in ins-1e cells. *Diabetes Obesity Metabolism*. 16:602–612.
- Bernhof, A. 2010. *Bioactive Compounds in Plants – Benefits and Risks for Man and Animals*. The Norwegian Academy of Science and Letters National Veterinary Institute, Oslo, Norway.
- Chung, L.Y., Soo W.K., Chan K.Y., Mustafa M.R., Goh S.H., Imiyabir Z. 2009. Lipoygenase inhibiting activity of some malaysian plants. *Pharmaceutical Biology*.00: 000–000.
- Cos, P.; Ying, L.; Calomme, M.; Hu, J.P.; Cimanga, K.; Poel, B.V.; Pieters, L Vlietinck, A.J.;Berghe, D.V. 1988. Structure-activity relationship and classification of flavonoids as inhibitors of xanthine oxidase and superoxide scavengers. *Journal Natural Pharmacology*. 61:71-76.
- Co kun, Omer , Mehmet Kanter , Ferah Armutçu , Kurtulu Çetin , Betül Kaybolmaz , Ömer Yazgan. 2004. Protective effects of kuersetin, a flavonoid antioxidant, In Absolute Ethanol-Induced Acute Gastric Ulcer. *Europe Journal Genetic Medical* ; 13: 37-42.
- Cushnie, T.P.T , V.E.S. Hamilton , D.G. Chapman , P.W. Taylor and A.J. Lamb. 2005. Aggregation of *staphylococcus aureus* following treatment with the antibacterial flavonol galangin. *Journal of Applied Microbiology* 103:1562-1567.
- Cowell, Pamela. 1999. Prevention and therapy of cancer by dietary monoterpenes. *Journal Nutrition* .129: 775–778.

- Cowan, M.M. 1999. Plant products as antimicrobial agents. *Clinical Microbiology Reviews*. 12: 564–582.
- Darwin P.S. 1997. New spesies of the *Timonius flavescens* alliance (rubiaceae: guettardeae) in papuasia. *Systematic Botany* 22:85-98.
- De Lucca, A., Bland, J.M., Vigo, C.B., Cushion, M., Selitrennikoff, C.P., Peter, J. and Walsh, T.J. 2002. A fungicidal saponin from *Capsicum sp.* fruit. *Medical Mycology* 40:131–137.
- Dictionary of Food Science and Technology (2nd Ed). 2009. International food information service (IFIS editor). 47-48.
- Doss, A. And S.P. Anand. 2012. Preliminary phytochemical screening of *Asteracantha longifolia* and *Pergularia daemia*. *World Applied Sciences Journal*. 18:233-235.
- Fessenden, R.J., dan Fessenden, J.S. 1986. *Kimia Organik Jilid 2*. Erlangga, Jakarta.
- Food Bioactives Centre. 2012. *Bioactive compounds* . University of Gothenburg (website): <http://www.chalmers.se/chem/fbac-en>. Diakses pada 17 Februari 2016.
- Fuhrman, B., M. Aviram. 2002. *Polyphenols and Flavonoids Protect LDL Against Atherigenic Modification*. Handbook of Antioxidants. New York : Marcel Dekker, Inc. p. 303-336.
- Garcia, P.; Morales-Soto, A.; Segura-Carretero, A.; Fernández-Gutiérrez, A. 2010. Phenolic compound- extraction systems for fruit and vegetable samples. *Molecules*. 15:8813–8826.
- Gosse, B., Gnabre, J., Bates, R.B., Dicus, C.W., Nakkiew, P. and Huang, R.C.C. 2002. Antiviral saponins from *Tieghemella heckelii*. *Journal of Natural Products*.65:1942–1944.
- Gritter, R. J. 1991. *Pengantar Kromatografi Edisi Kedua*. Terjemahan Kokasih Padmawinata. Bandung : Penerbit ITB.
- Grotewold, Erich. 2006. *The Science of Flavonoid. Department of Cellular and Molecular Biology The Ohio State University Columbus*. Ohio 43210.
- Handa S. S., Khamja S. P. S., Longo G., dan Rakes D.D. 2008. *Extraction Technologies for Medicinal and Aromatic Plants*. Trieste: International Centre For Science and High Technology: 21-25.

- Harbone, J.B. 1996. *Metoda Fitokimia, Penuntun Cara Modren Menganalisa Tumbuhan, Terbitan ke-2*. Terjemahan Kosasih Padmawinata dan Iwan Soediro, ITB, Bandung.
- Helgadotti, A., Manolescu A., Thorleifsson G., Gretarsdottir S., Jonsdottir H., Thorsteinsdottir U, Samani N.J. 2009. The Gene Encoding 5-Lipoxygenase Activating Protein Confers Risk of Myocardial Infarction and Stroke. *Natural Genetic*.3:233–239.
- Hossain, CM, Ghosh MK, Satapathy BS, Dey NS, Mukherjee B. 2014. Apigenin causes biochemical modulation, glut4 and cd38 alterations to improve diabetes and to protect damages of some vital organs in experimental diabetes. *Journal Pharmacology Toxicology* .9:39–52.
- Irondi,A,E, K.K. Anokam, and U.S. Ndidi. 2013. Effect Of Drying Methods on The Phytochemicals Composition and Antioxidant Activities of *Carica Papaya* Seed. *International Journal Bioscience*. 3:154-163.
- IDF, 2015. *Internatioanal Diabetes Federation Atlas Seventh Edition*. New York. Karakas Print..
- Iorizzi, M., Lanzotti, V., Ranalli, G., De Marino, S. and Zollo, F. 2002 Antimicrobial furostanol saponins from the seeds of *Capsicum annuum l. var. acuminatum*. *Journal of Agricultural and Food Chemistry* 50:4310–4316.
- Jayatilake, G.S., Freeberg, D.R., Liu, Z., Richeimer, S.L., Blake, M.E., Bailey, D.T., Haridas, V. and Gutterman, J.U. 2003. Isolation and structures of avicins d and g: in vitro tumor-inhibitory saponins derived from *acacia victoriae*. *Journal of Natural Products* 66:779–783.
- Jung, Eun Hee, Sung Ran Kim, In Kyeong Hwang[‡]and Tae Youl Ha. 2007. Hypoglycemic effects of a phenolic acid fraction of rice bran and ferulic acid in c57bl/ksj-db/db mice. food function research center, korea food research institute. *Journal Agriculture Food Chemical*.55:9800–9804.
- Lide, D.R., G.W.A. Milne (eds.). 1994. *Handbook of Data on Organic Compounds*. CRC Press, Inc.
- Hertog, M. G. L., P. C. H. Hollman, and M. B. Katan. 1992. Content of Potentially anticarcinogenic flavonoids of 28 vegetables and 9 fruits commonly consumed in The Netherlands. *Journal of Agricultural and Food Chemistry*. 40:2379–2383.

- Kajaria, D.K., M. Gangwar, A.K. Sharma, G. Nath, Tripathi, J.S. Tripathi and S.K. Tiwari. 2011. Comparative evaluation of phenol and flavonoid content of polyherbal drugs. *Pharmacology online*.3: 1365-1373.
- Kenneth W Raymond. 2010. General, organic and biological chemistry an intergrated approach. third edition. Eastern Washington. Willey&Son.Inc.
- Klepcka, J., Gujska E, Michalak J.. 2011. Phenolic Compounds as Cultivar- And Variety-Distinguishing Factors in Some Plant Products. *Plant Foods Human Nutrition*. 66:64–69.
- Koll K, Reich E, Blatter A, Veit M. 2003. Validation of standardized high performance thin layer chromatographic methods for quality control and stability testing of herbals. *Journal AOAC International*.86:263-273.
- Marica, Ivona Jasprica, Asja Smol, Bubalo, and Ana Mornar. 2004. Optimization of chromatographic conditions in thin layer chromatography of flavonoids and phenolic acids. *Original Scientific Paper*. 77:361.366.
- Markham, K.R. 1998. *Cara Mengidentifikasi Flavonoid*. Penerbit ITB. Bandung.
- Merrile, E.D.1923. *An Enumeration of Philippine Flowering Plants (Rubiaceae 3:492-576)*. Martila: Bureau of Science.
- Moses, Maobe, A.G. Gitu, Leonard. Erastus .Gatebe . Rotich, Henry. 2012. Phytochemical analysis of phenol and flavonoid in eight selected medicinal herbs used for the treatment of diabetes, malaria and pneumonia in kisii, kenya. department of chemistry, jomo kenyatta university of agriculture and technology. *Academic Journal of Cancer Research* 5: 31-39.
- Muafdan.2014.http://www.rri.co.id/sibolga/post/berita/124242/ruangpublik/daun_bosibosi_pengganti_bubuk_teh_dapat_sembuhkan_penyakit.htmL. Diakses pada 11 Oktober 2015.
- Morris, Jennifer. 2011. Anti proliferative and potential anti-diabetic effects of phenolic rich extracts from edible *Marine algae*. *Food Chemistry*. 126:1006–1012.
- Mota, Fátima L.; Queimada, António J.; Pinho, Simão P.; Macedo, Eugénia A. 2008. Aqueous solubility of some natural phenolic compounds. *Industrial & Engineering Chemistry Research*. 47 : 5182–5189.
- Nainggolan, Marline. 2004. Pemeriksaan mikroskopis dan analisis kimia daun thailand (*Clinacanthus nutans*). *Jurnal Komunikasi Kesehatan*.16:1-5.

- Napitupulu, A.A. 2015. *Kandungan metabolit sekunder dan Bagaimana Aktifitas Antioksidan pada Ekstrak Metanol Daun Bosibosi (Timonius Flavescens (Jack) Baker)*. Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Negeri Medan.
- NCBI. 2016. <https://pubchem.ncbi.nlm.nih.gov/compound/>. Diakses pada 5 Agustus 2016
- Nyiredy Sz. 2002. Planar Chromatographic Method Development Using The Prisma Optimization System and Flow Charts. *Jurnal Chromatografi Scientific*. 40:1–10.
- Percival, Mark. 1998. *Antioxidants*. Clinical Nutrition Insights Advanced Nutrition Publications, Inc.
- Pokorny. Jan, Nedyalka, Michael Gordon. 2001. *Antioksidan in Food*. CRC Press LLC Corporate Blvd, NW Boca Raton FL 33431. USA
- Pourmorad. F, Hosseinimehr. S.J, Shahabimajd. N. 2006. Antioxidant Activity, Phenol and Flavonoid Contents of Some Selected Iranian Medicinal Plants. *African Journal of Biotechnology*.5:1142-1145.
- Puff, C. And K.M. Wong. 1993 . *A Synopsis of The Genera of Rubiaceae in Borneo*. Sandakania 2:13-24.
- Rahmawati, 2013. *Senyawa Metabolit Sekunder*. Keguruan dan Ilmu pendidikan. Universitas Sebelas Maret. www.academia.edu/5330992 September 2015.
- Ramawat, K.G. 2009. *Herbal Drugs: Ethnomedicine to Modern Medicine*; Springer: New York. USA.
- Rasemi, Saidi, Khong Heng Yen and Rohaya Ahmad. 2013. Total phenolic compounds, antioxidant, anticancer and antidiabetic properties of *Myrmecodia tuberosa* (rubiaceae). Faculty of Applied Sciences, Universiti Teknologi MARA Malaysia. *The Open Conference Proceedings Journal*.4:125-135.
- Robinson, T. 1995, *Kandungan Organik Tumbuhan Tinggi*, ITB Bandung.
- Roze, L.V., Chanda, A. & Linz, J.E. 2011. Compartmentalization and molecular traffic in secondary metabolism: a new understanding of established cellular processes. *Fungal Genetics and Biology*.48:35–48.
- Safayhi, H dan Sailer ER. 1997. Anti-inflammatory Actions of Pentacyclic Triterpenes. *Planta Medical*.63:487- 493.32.

- Pradip, Saha., K, Reddy Vasumathi T., Konopleva Marina., Michael Andreeff, Lawrence Chan. 2010. The Triterpenoid CDDO-Me has potent antidiabetic effects in diet-induced diabetic mice and leprdb/db mice. *Journal Biotechnology*.17:45-65.
- Savithamma, N., M. Linga Rao and D. Suhrulatha, 2011. Screening of Medicinal Plants for Secondary Metabolites. *Middle-East Journal of Scientific of Research*. 8: 579-584.
- Seikel, M.K. dan Hillis, W. F. 1970. *Phytochemistry*. London. Academic Express.
- Sendrayaperumal V, Iyyam Pillai S, Subramanian S. 2014. Design, synthesis and characterization of zinc-morin, a metal flavonol complex and evaluation of its antidiabetic potential in hfd-stz induced type 2 diabetes in rats. *Chemical Biology Interaction*.219:9–17.
- Sherma, Joseph.1991. *Basic Techniques, Materials and Apparatus. In Handbook of Thin-Layer Chromatography, ed. Joseph Sherma and Bernard Fried*. New York: Marcel Dekker, Inc.
- Stahl, E., 1985. *Analisis Obat Secara Kromatografi dan Mikroskopi*. Diterjemahkan oleh Kosasih Padmawinata dan Iwang Soediro, Bandung. Penerbit ITB.
- Striegel, W.F. 1996. *Thin Layer Chromatography for Binding Media Analysis*. J. Los Angels.Paul Getty Trust inc.
- Sudibyoy, R. S., 2002. *Metabolit Sekunder: Manfaat dan Perkembangannya Dalam Dunia Farmasi*. Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Farmasi. Fakultas Farmasi. Universitas Gajah Mada. Yogyakarta.
- Tapas, D. M. Sakarkar, and R. B. Kakde. 2008. Flavonoids as nutraceuticals: a review. *Tropical Journal of Pharmaceutical Research*.7:1089–1099.
- Tunon, M. V. Garcia-Mediavilla, S. Sanchez-Campos, and J. Gonzalez-Gallego,. 2009. Potential of flavonoids as anti-inflammatory agents: modulation of pro-inflammatory gene expression and signal transduction pathways. *Current Drug Metabolism*.10:256–271.
- Valentão, P.; Fernandes, E.; Carvalho, F.; Andrade, P.B.; Seabra, R.M.; Bastos, M.L. 2003. Hydroxyl radical and hypochlorous acid scavenging activity of small centaury (*Centaureum erythraea*) infusion. a comparative study with green tea (*Camellia sinensis*). *Journal Phytomedicine*. 10: 517-522.
- Walsh, Gary. 2003. *Biopharmaceuticals*. Second Edition. Ireland. Industrial Biochemistry Programme CES Department University of Limerick.

- Nishizuka, Y. 1988. The Molecular Heterogeneity of Protein Kinase C And Its Implications For Cellular Regulation. *Journal of Natural Phytochemistry*.33:661–665.
- Yuwono, Arief. 2014. *Keanekaragaman Hayati Indonesia*. <http://www.menlh.go.id/peluncuran-buku-status-kekinian-keanekaragaman-hayati-indonesia/>. Diakses pada 21 September 2014.
- Wu, Y., Wang F. and Zheng. 2006 . Hepatoprotective effect of total flavonoids from *Laggera alata* against carbon tetrachlorideinduced injury in primary cultured neonatal rat hepatocytes and in rats with hepatic damage. *Journal of Biomedical Science*.13:569–578.
- Zhang, J., Tiller, C., Shen, J., Wang, C., Girraud, G. S., Dennis, D. 2007. Antidiabetic properties of polysaccharide- and polyphenolic-enriched fractions from the brown seaweed *Ascophyllum nodosum*. *Canadian Journal of Physiology and Pharmacology*.85:1115–1123.