

## **DAFTAR PUSTAKA**

- Bhat, A.H., Abdul Khalil H.P.S, (2011) Nano Filler Based on Oil Palm ash Polypropilene Composites, Bio Resouces 6(2), 1288-1297
- Bukit, Nurdin., (2012) Mechanical And Thermal Properties Of Polypropylene Reinforced By Calcined And Uncalcined Zeolite Makara, Technology, 16, (2) : 121-128
- Bukit, N., Frida, E, and Harahap.M.H, (2013) Preparation Natural Bentonite In Nano Particle Material As Filler Nanocomposite High Density Poliethylene (HDPE) Journal of Chemistry and Material Research.3.13, 10-20
- Bakri dan Baharuddin. (2009). “Absorpsi Air Komposit Beton Sekam Padi dengan Penambahan Pozzolan Abu Sekam Padi dan Kapur pada Matriks Beton”. Jurnal Perennial, 6(2) : 70-78
- Chand, N., dan Jhod, B. D.(2008), “Mechanical, Electrical, And Thermal Properties Of Maleic Anhydride Modified Rice Husk Filled PVC Composites”, BioResources 3(4) : 1228-1243.
- D.Zhang, X.Wang, , L.J . He , W.Song, Z. Sun, B.Han, J.X, Li (2013),’Preparation and characteristic of magnetic LDPE/Fe<sub>3</sub>O<sub>4</sub> nano-composite films’, Springer Science Business Media New York , J Mater Sci: Mater Electron , 24 issue 6:, .1796–1800
- Ezzat Rafiee, Shabnam Shahebrahimi, Mostafa Feyzi and Mahdi Shaterzadeh ,(2012) , Optimization of synthesis and

characterization of nanosilica produced from rice husk (a common waste material . International Nano Letters , 2 :29

Fouad, H., Elleithy, R., Al-Zahrani, S. M., Ali, M. A., (2011). Characterization and processing of High Density Polyethylene/carbon nano-composites, Materials and Design, 32: 1974–1980

Ginting, E. M., Wirjosentono, B., Bukit, N., dan Agusnar, H., (2014), Preparation and Characterization of Rice Husk Ash as Filler Material in to Nanoparticles on HDPE Thermoplastic Composites, Chemistry and Materials Research 6 (7), 14-24

Ginting.E.M. Sinulingga .K, Harahap,M.H.,Siegar I.S.Bukit .N,(2016) ." Analysis of Rice Husk Ash Nanoparticles with Polyethylene Glycol Surfactants -6000 Using Coprecipitation Method", Chemistry and Materials Research 8 (7), 58-63

Harsono, H. (2002). "Pembuatan Silika Amorf dari Limbah Sekam Padi". Jurnal Ilmu Dasar. 3 (2): 98 -103.

Hamid, T.F.Z., (2008)," Pengaruh Modifikasi Kimia Terhadap Sifat-Sifat Komposit Polietilena Densitas Rendah (LDPE) Terisi Tempurung Kelapa", Tesis, USU, Medan.

Ismail, M. S. and Waliuddin, A. M. (1996)." Effect of Rice Husk Ash on High Strength Concrete". Construction and Building Materials. 10 (1): 521 – 526

Ismail,H,Salmah, Nasir M.(2003), "The Effect of Dynamic

``Vulcanization on mechanical Properties and Water Amsorbsi of Silika and Rubber wood Filled polypropylene/Nutural Rubber Hybrid Composites'', Inter,J.Polym, Mater.53(3) : 229-238

Jayathu, Z.E., Natanael, C.L., dan Hendrana, S., (2006), "Analisis Fourier Transform Infrared (FT-IR) Fraksionasi Polietilen-Graft-Maleat Anhidrida (PE-g-MAH)", Majalah Polimer Indonesia 9,(.2), 54-58

Jauberthie, R., Rendell, F. Tamba, S. and Cisse', I. K. (2000). "Origin of the Pozzolanic Effect of Rice Husks". Construction and Building Materials. 14: 419 – 423

Kamath, S.R., Proctor, A.,(1998)." Silica gel from rice hull ash: preparation and characterization". Cereal Chemistry 75, 484-487.

Kohls,J.L, and Beauchage,(2002) , "Rational Desing of Reinforced Rubber", Cur OP.Solid St Mat Sci ,6:183-194.

Kaboosi, K. (2007). "The Feasibility of Rice Husk Application as an Envelope Material in Subsurface Drainage System". Islamic Azad University, Science and Research Branch. Tehran, Iran.

Koo, C. M., Ham, H. T., Kim, S.O., Wang, K. H., and Chung, I. (2002). "The effect of crystallization on structure and morphology of polypropylene/clay nanocomposites", Macromolecules 35, 5116-5130

Kord B,(2011) , "Nano Filler Reinfocement effect on the Thermal ,Dynamic Mechanical ,and Morphological Behavior of

HDPE /Rice Husk Flour Composites”. Bio resources 6,(2),1351-1358

Karian, H.G. (1999). “Handbook of Polipropilena and Polipropilena Composites”, nd2. New York, Marcel Dekker,

Liu, H., Wu, Q., Han, G., Yao, F., Kojima, Y., dan Suzuki, S., (2008), “Compatibilizing and toughening bamboo flour-filled HDPE composites”: Mechanical properties and morphologies, Elsevier Composites: Part A 39: 1891–1900

Leblance,J,R.(2002). “Rubber-filler Interaction and Rheology properties in Filled Coumpaund”, Prog .Polym . Sci 27:627- 687

Lei, Y., Wu, Q., Clemons, C. M., Yao. F., and Xu, Y. (2007). “Influence of nanoclay on properties of HDPE/wood composites,” Journal of Applied Polymer science 18,1425-1433.

Muthadhi, A., Anitha, R. and Kothandaraman, S. (2007). “Rice Husk Ash – Properties and Its Uses”, A Review. IE(I) Journal–CV, 88: 50 – 56.

Ma, J.S., Qi, Z.N., and Hu, Y.L. (2001). “Synthesis and Characterization of Polypropylene/Clay Nanocomposites”.Journal of Applied Polymer Science. 82: 3611-3617

Machado,A.V., Covas, J.A., dan Vanduin, M., (2005), “Effect of Processing Conditions on Grafting of Maleic Anhydride onto Polyolefins”, University of Minho, Portugal.

Ni'mah, Y.L., Atmaja, L., dan Juwono, H., (2009), "Synthesis and Characterization of HDPE Plastic Film for Herbicide Container Using Fly Ash Class F as Filler", Indo.J. Chem 9(3) : 348-354

Nikmatin.S,(2013 ), "Kajian Sifat Termal Dan Kristalografi Nanopartikel Biomassa Rotan Sebagai Filler Bionanokomposit ",Prosiding Simposium Nasional Inovasi Pembelajaran dan Sains (3-4 ) Juli 2013, Bandung, Indonesia

Prasad C.S., Maiti K.N., Venugopal R., (2001), "Effect of rice husk ash in whiteware compositions", Ceramic International, 27, 629-635.

Supakorn Pukird, Pattanasuk Chamninok, Supon Samran, Pristanuch Kasian, Kiattisak Noipa And Lee Chow. (2009) ,”Synthesis and Characterization of SiO<sub>2</sub>Nanowires Prepared from Rice Husk Ash” , Journal of Metals, Materials and Minerals, .19 (2) .33-37

Sun, L., Gong, K., (2001). "Review, silicon-based materials from ricehusks and their applications". Ind. Eng. Chem. Res. 40, 5861–5877.

Sinto Jacob, Suma K.K. Sona Narayanan, Abhilash G, Jude Martin Mendez K.E.George,(2010)," Maleic anhydride modification of PP/silica nanocomposites",International Conference on Advances in Polymer Technology, Feb. 26-27, India, 223.

Samal, S. K., Nayak, S., and Mohanty, S. (2008). "Polypropylene nanocomposites. Effect of organo-modified layered silicates on mechanical, thermal and morphological performance," Journal of Thermoplastic Composite Material 8,,243-263.

Thuadaij, N and Nuntiya, A. (2008). "Synthesis and Characterization of Nanosilica from Rice Husk Ash Prepared by Precipitation Method. CMU".J. Nat. Sci. Special Issue on Nanotechnology 7(1)

Tomi Budi Waluyo, Suryadi, Nurul Taufiq Rochman,(2013), Pembuatan Partikel Nano Fe<sub>2</sub>O<sub>3</sub>Dengan Kombinasi Ball-Milling Dan Ultrasonic- Milling Prosiding Pertemuan Ilmiah XXVII HFI Jateng & DIY, Solo, 23 Maret 2013 ISSN : 0853-0823 , 48-51

Tjong,S.C.(2006), structural and mechanical properties of polymer nanocomposites A.review,Journal of Material Science and Engineering 53,73-197.

Utracki,L.A.,Sepehr,M., and Boccaleri, E. (2007). "Synthetic layered nanoparticels for polymeric nanocomposites (PNCs); A review."Journal of Polymer Advanced Technology 18, 1-37

Zebarjad, S. M, Sajjadi, S. A., Tahani, M., and Lazzeri, A. (2006). A study on thermal behaviour of HDPE/CaCO<sub>3</sub> nanocomposites, Journal of Achievements in Materials and Manufacturing Engineering 17 Issue 1-2,173-176

Wu,Q.,Lei,y.,Clemons,C.M.,Yao,F.,Xu,Y.,and Lian,K, (2007), Properties of HDPE/Caly/Wood Nanocomposites, Journal of Plastic Technology 27,108-115