

DAFTAR PUSTAKA

- Abdullah, M., (2008), Sintesis Nanomaterial, *Jurnal Nanosains & Nanoteknologi*. **1(2)**: 1-25.
- Agustiningrum,S., (2014), *Sintesis dan Karakterisasi Komposit Fe₃O₄-Montmorilonite dari Lempung Alam*, Skripsi, Yogyakarta: UIN Sunan Kalijaga
- Amin, R. S., Elzatahry, A. A., El-Khatib, K. M., & Youssef, M. E. (2011). Nanocatalysts prepared by microwave and impregnation methods for fuel cell application. *Int. J. Electrochem. Sci*, 6, 4572-4579.
- Anbarasu,M., Anandan, Chinnasamy, V.Gopinath, K. Balamurugan, (2015), Synthesis and Characterization of Polyethylene Glycol (PEG) Coated Fe₃O₄ Nanoparticles by Chemical co-precipitation Mrthod for Biomedical Applications, *Jurnal ELSEVIER*, Molecular and Biomolecular Spectroscopy 135: hal 536-539
- Ansari,R, N.K.Fahim. (2010), React Func Polym, *Jurnal ELSEVIER*, TALANTA 67: hal 367-371
- Bhowmick, A., et al., *Polypyrrole-Coated Magnetite Fe3O4 Nanoparticles Containing an Anthraquinone Crown Ether Macrocycle Used for the Extraction of Cu (II) Ion from Water*. Advances in Polymer Technology, 2018. 37(1): p. 235-239.
- Boran M & Altinok I. (2010). A Review of Heavy Metals in Water, Sediment and Living Organisms in the Black Sea. *Turkish Journal of Fisheries and Aquatic Sciences* **10** : 565-572
- Bradder, P., Ling, S. K., Wang, S., & Liu, S. (2010). Dye adsorption on layered graphite oxide. *Journal of Chemical & Engineering Data*, 56(1), 138-141.
- Cerdas,Material.,(2009), Teori Dasar Scanning Electron Microscopy, <http://materialcerdas.com/teori-dasar/scanning-electron-microscopy/>, (diakses pada tanggal 5 Desember 2016).
- Coey, J.M., *Magnetism and magnetic materials*. 2010: Cambridge University Press.
- Delmifiana, B., Pengaruh Sonikasi Terhadap Struktur Dan Morfologi Nanopartikel Magnetik Yang Disintesis Dengan Metode Kopresipitasi. *Jurnal Fisika Unand*, 2013. 2(3).
- Dobson, J., *Gene therapy progress and prospects: magnetic nanoparticle-based gene delivery*. Gene therapy, 2006. 13(4): p. 283.

- Feng, B. R.Y. Hong, L.S. Wang, L.Guo, H.Z. Li, J. Ding, Y. Zheng and D.G. Wei. (2008). *Synthesis of Fe₃O₄/APTES/PEG diacid functionalized magnetic nanoparticles for MR imaging.* Colloids and Surfaces A: Physicochem. Eng. Aspects 328 (2008) 52–59
- Ghazanfari, M.R., et al., *Perspective of Fe₃O₄ nanoparticles role in biomedical applications.* Biochemistry research international, 2016. 2016.
- Gubin, S. F., (2007), *Magnetic Nanoparticles*, Russian Academy of Sciences, Moscow, Russia.
- Haw, C.Y., Mohamed, F., Chia, C.H., Radiman, S., Zakaria, S., Huang, N.M., Lim, H.N., (2010). Hydrothermal synthesis of magnetite nanoparticles as MRI contrast agents. Ceram. Int. 36, 1417–1422. doi:10.1016/j.ceramint.2010.02.005
- Ihsani, Sri Indah, Primadhyia Arif Ekaputra, Lia Amelia Tresna Wulan Asri, Suyatman, Bambang Sunendar Purwasasmita, (2015), *Enkapsulasi Nanopartikel Supermaramagnetik Fe₃O₄ Menggunakan Kitosan Dan Alginat Yang Diimpregnasi Magosteen Serta Modifikasi Morfologi Menggunakan Kitosan Dan Tapioka.* Research and Development on Nanotechnology in Indonesia, Vol 2 No. 2, 91-98
- Jain, A.K., Nagpal, A.K., Singhal,R. And Gupta, K, (2000), Effect of Dynamic Crosslinking on Impact and Other Mechanical Properties of Polypropilena/Ethylene-Propylene Diene Rubber Blends, *jurnal appl. Polym. Sci.* 78.
- Jain, D.S., (2004), Adsorption of Zinc on Bed Sediment of River Hindon : Adsorption Models and Kinetics, *Journal Hazard Mater*, pp. 231-239.
- J, Coey. M.D. (2009). *Magnetism and Magnetic Materials.* New York: Cambridge University Press
- Labaik, G., (2006), Kajian Bentonit di Kabupaten Tasikmalaya, *jurnal kajian terhadap bentonit di kabupaten tasikmalaya dan kemungkinan dijadikan bahan pembersih minyak sawit*, Bandung.
- Lakshmanan, R., (2013). Application of magnetic nanoparticles and reactive filter materials for wastewater treatment. Biotechnology, KTH Royal Institute of Technology, Stockholm.
- Larumbe, S., Gómez-Polo, C., Pérez-Landazábal, J.I., Pastor, J.M., (2012). Effect of a SiO₂ coating on the magnetic properties of Fe₃O₄ nanoparticles. *J. Phys. Condens. Matter* 24, 266007.

- Li, Y., et al., *Facile synthesis, magnetic and microwave absorption properties of Fe₃O₄/polypyrrole core/shell nanocomposite*. Journal of Alloys and Compounds, 2011. 509(10): p. 4104-4107.
- Masa'ud, Felisita Annisanti, (2014) ,*Sintesis dan Karakterisasi Nanopartikel Magnetik Fe₃O₄-Kitosan dengan Variasi Dua Jenis Surfaktan Untuk Aplikasi Terapi Hyperthermi*. Bandung:ITB
- Mondal, P., et al., *Synthesis of polypyrrole nanoparticles and its grafting with silica gel for selective binding of chromium (VI)*. Talanta, 2011. 83(5): p. 1482-1486.
- Nuzully, seveny., (2013), Pengaruh Konsentrasi Polyethelene glycol (PEG) pada Sifat Kemagnetan Nonopartikel Magnetik PEG-Coated Fe₃O₄. *Jurnal Fisika Indonesia*. 51(17), 1-6.
- Palar, H. (2004). *Pencemaran dan Toksikologi Logam Berat..* Jakarta: PT.Rineka Cipta.
- Putri, Silvia Trisa, (2011), *Pengaruh Temperatur Sintering Terhadap Ukuran Nanopartikel Fe₃O₄ Menggunakan Template Peg-4000*, Skripsi, Universitas Andalas.
- Primandaru, W. (2009). *Laporan Praktikum Kimia Analitik Percobaan III Penentuan Kandungan Besi Dengan Metode Spektrofotometri Serapan Atom*. Skripsi.Fakultas Matematika Dan IPA Institut Teknologi Bandung.
- Priyo S. (2013). 90 % Air Minum Isi Ulang Tak Layak Konsumsi: <http://koransindo.com/node/343554>. Diunduh pada tanggal 1 Februari 2014.Yogyakarta.
- Qiu, G., Q. Wang, and M. Nie, *Polypyrrole-Fe₃O₄ Magnetic Nanocomposite Prepared by Ultrasonic Irradiation*. Macromolecular Materials and Engineering, 2006. 291(1): p. 68-74.
- Ramesan, M., *Preparation and properties of Fe₃O₄/polypyrrole/poly (pyrrole-co-acrylamide) nanocomposites*. International Journal of Polymeric Materials and Polymeric Biomaterials, 2013. 62(5): p. 277-283.
- Rahmayani. F. (2009). Analisa Kadar Besi (Fe) Dan Tembaga (Cu) Dalam Air Zamzam Secara Spektrofotometri Serapan Atom (SSA).*Jurnal.Kesehatan Lingkungan*, Vol. 2 No. 1, Edisi Oktober 2009: 19-25.
- Riyanto, Agus., (2012), Analisis Struktur Kristal dan Sifat Magnetik pada Nanopartikel Magnetit (Fe₃O₄) sebagai Bahan Aktif Biosensor Surface Plasmon Resonance (SPR), *Prosiding Pertemuan Ilmiah XXVI HFI Jateng & DIY, Purworejo*. 1-5.

- Rochayatun, E., Edward & Rozak, A. (2003) . Kandungan Logam Berat Pb, Cd, Cu, Zn, Ni, Cr, Mn & Fe Dalam Air Laut Dan Sedimen Di Perairan Kalimantan Timur . *Jurnal Oseanologi dan Limnologi*, (Online), 35 (1): 51-71, diakses 4 Januari 2013.
- Rochayatun, E., Kaisupy, M.T. & Rozak, A. (2006) .Distribusi Logam Berat Dalam Air dan Sedimen di Perairan Muara Sungai Cisadene. *Jurnal Makara Sains*, (Online), 10 (1): 35-40, (<http://repository.ui.ac.id>), diakses 3 Oktober 2012.
- Rosanti, Santi Dewi., Dwi Puryanti,(2015), Pengaruh Temperatur Terhadap Ukuran Partikel Fe₃O₄dengan Templatepeg-2000 Menggunakan Metode Kopresipitasi, *Jurnal Ilmu Fisika*, 7 (1): 1-6.
- Sahu, M.K., Mandal, S., Dash, S.S., Badhai, P., and Patel, R.K., (2013), Removal of Pb (II) from Aqueous Solution by Acid Activated Red Mud, *Journal of Environmental Chemical Engineering* 1, pp. 1315- 1324.
- Sari, Rafika dan Kamsul Abraha, (2012),*Simulasi Pengaruh Ketebalan Lapisan Nanopartikel Magnetik (Fe₃O₄) Terhadap Respon Biosensor Berbasis Surface Plasmon Resonance (SPR) untuk deteksi DNA*.Prosiding Pertemuan Ilmiah XXVI HFI Jateng & DIY Purworejo April ISSN: 0853-0823: 77-81
- Setiadi, E., et al. *The synthesization of Fe₃O₄ magnetic nanoparticles based on natural iron sand by co-precipitation method for the used of the adsorption of Cu and Pb ions*. in *Journal of Physics: Conference Series*. 2016. IOP Publishing.
- Shahrokhian, S., and Saberi, R. S., (2016), Electrochemical Preparation of Over-Oxidized Polypyrrole/Multi-Walled Carbon Nanotube Composite on Glassy Carbon Electrode and its Application in Epinephrine Determination, *Electrochimica Acta*, vol. 57, pp. 132-138.
- Sholihah, Kurnia Lia, (2010), *Sintesis dan Karakterisasi Partikel Nano Fe₃O₄ yang Berasal dari Pasir Besi dan Fe₃O₄ Bahan Komersial* , Institut Teknologi Sepuluh Nopember , Surabaya.
- Simamora, Pintor,Peter Tri Abadi Sihite, (2016), Sifat Magnetic Elastomer Nanokomposit Fe₃O₄ Dengan Binder Silicone Rubber. *Jurnal Einstein* 4(2) : 47-52.

- Simamora, P., et al., *Synthesis of nanoparticles Fe 3 O 4/PEG/PPy-based on natural iron sand*. Materials Today: Proceedings, 2018. 5(7): p. 14970-14974.
- Suharyadi, E , E.A Setiadi, A, Riyanto, T. Kato, and K. Abraha, (2014), Magnetic Nanostructures : Fabrication and Applications From Memory Devices to Biosensor. *Jurnal Sains Materi Indonesia*. Vol. 15, No 3 April :123-128.
- Suharyadi, E., et al., *Magnetic Nanostructures: Fabrication and Applications from Memory Devices to Biosensor*. Jurnal Sains Materi Indonesia, 2018. 15(3): p. 123-128.
- Thiesen, B., Jordan, A., (2008). Clinical applications of magnetic nanoparticles for hyperthermia. *Int. J. Hyperthermia* 24, 467–474.
- Wang, Lixia , Jianchen Lee, Qing Jiang & Lijun Zhao. (2012). Water-soluble Fe₃O₄ nanoparticles with high solubility for removal of heavy-metal ions from waste water.*Dalton trans.*
- Wang, H., et al., *Facile synthesis of polypyrrole decorated reduced graphene oxide–Fe₃O₄ magnetic composites and its application for the Cr (VI) removal*. Chemical Engineering Journal, 2015. 262: p. 597-606.
- William, R.A., B. Sitorus, and M.B.a. Malino, *Sintesis Polianilina pada Matriks Selulosa sebagai Elektrolit Padat pada Model Baterai Sederhana*. Jurnal Kimia Khatulistiwa, 2014. 3(4).
- Wulan SP, Thamrin & Amin B. (2013). *Konsentrasi, Distribusi dan Korelasi Logam Berat Pb, Cr dan Zn pada Air dan Sedimen di Perairan Sungai Siak sekitar Dermaga PT. Indah Kiat Pulp and Paper Perawang-Provinsi Riau*. Pusat Penelitian Lingkungan Hidup Universitas Riau.
- Wu, Qiuhua, Cheng Feng, Chun Wang & Zhi Wang.(2013). A facile one-pot solvothermal method to producesuperparamagnetic graphene–Fe₃O₄ nanocomposite and its application in the removal of dye from aqueous solution. *Elsevier Press*,No.101:210- 214
- Yang, R.-B., et al., *Synthesis and characterization of Fe₃O₄/polypyrrole/carbon nanotube composites with tunable microwave absorption properties: role of carbon nanotube and polypyrrole content*. Chemical Engineering Journal, 2016. 285: p. 497-507.
- Yuan, L. and Liu, Y., (2013), Removal of Pb (II) and Zn (II) from Aqueous Solution by Ceramisite Prepared by Sintering Bentonite, Iron Powder and Activated Carbon. *Chemical Engineering Journal* 215-216, pp. 432-439.

Yusoff, S. N., Kamari, A., Putra, W.P., Ishak, C.F., Mohamed, A., Hashim, N., and Isa, M.I., (2014), Removal of Cu (II), Pb (II) and Zn (II) Ions from Aqueous Solutions Using Selected Agricultural Wastes : Adsorption and Characterisation Studies, *Journal of Environmental Protection Vol. 5*, pp. 289- 300.

Zulaikah, Siti., (2012), *Sintesis dan Karakterisasi Sifat Fisika Toner Berbasis Pasir Besi dengan menggunakan Polimerisasi Emulsi*. Universitas Negeri Malang.

Zuraida R., R. Rahardiawan, Subarsyah, K. T. Dewi, H. Widhi, T. A. Soeprapto, N. Yayu, I. Adhirana, Y. Permanawati, A. Ibrahim, A. Saefudin, A. Subekti, Mulyono, Supriyatna, Heriyanto, D. Eko, 2010, Laporan Akhir Penelitian Lingkungan dan Kebencanaan Geologi Kelautan Perairan Teluk Jakarta (Tanjung Kait – Muara Gembong), *Pusat Penelitian dan Pengembangan Geologi Kelautan*.

Zhao, W., Y. Wang, and A. Wang, *Nonlinear Optical Properties of Novel Polypyrrole Derivatives Bearing Different Aromatic Segments*. Materials Sciences and Applications, 2017. 8(11): p. 774.

