

DAFTAR PUSTAKA

- Arthanarceswaran, G., Thanikaivalan, P., Srinivasn, K., Mohan, D., Rajendran, M., (2004), Synthesis, characterization and thermmal studies on cellulose acetate membranes with additive, *Europen Polymer Journal* 40: 2153-2159.
- Asl, S.A., Mousavi, M., Labbaf, M., (2017), Synthesis and Characterization of Carboxymethyl Cellulose from Sugarcane Bagasse, *Journal Food Process Technol* 8: 687.
- Awalludin, A., Achmadi, A.A., Nuhidayati, N., (2004), Karboksimetilasi Selulosa Bakteri, *Prosiding Pertemuan Ilmiah Ilmu Pengetahuan dan Teknologi Bahan* 305-312.
- Arifin, B. (2004), *Optimasi Kondisi Asetilasi Selulosa Bakteri dari Nata de Coco.*, Skripsi, Institut Pertanian Bogor, Bogor.
- Bergh, M. (2011), *Absorbent Cellulose Based Fibers Investigation of Carboxylation and Sulfonation of Cellulose.*, Master's Thesis, Chalmers University of Technology, Goteborg.
- Bezerra, R.D.S., Teixeira P.R.S., Teixeira, A.S.N.M., Eiras, C., Osajima, J.A., Filho, E.C.S., (2015), *Chapter 4: Chemical Functionalization of Cellulosic Materials-Main Reactions and Applications in the Contaminants Removal of Aqueous Medium*, Intech.
- Bielecki, S., Krystinowicz, A., Turkiewicz, M.B.C., Kalinowska, H., (2005), *Bacterial cellulose in polysaccharides and polyamide in the food industry: Properties, production and patents*, Wiley VCH, Weinhein.
- Bisht, S.S., Pandey, K.K., Joshi, G., Naithani, S., (2017), New Route for Carboxymethylation of Cellulose: Synthesis, Structural Analysis and Properties, *Cellulose Chem. Technol* 51: 609-619.
- Candido, R.G., Godoy, G.G., Gonçalves, A.R., (2017), Characterization and application of cellulose acetate synthesized from sugarcane bagasse, *Carbohydr. Polym.* 167: 280-289.
- Carraher, C.E., (2013), *Introduction to Polymer Chemistry Third Edition*, CRC Press Taylor & Francis Group.
- Carraher, C.E., (2014), *Carraher's Polymer Chemistry Ninth Edition*, CRC Press Taylor & Francis Group.
- Cheng, H.N., Dowd, M.K., Selling, G.W., Biswas, A., (2010), Synthesis of cellulose acetate from cotton byproducts, *Carbohydr. Polym.* 80: 449-452.

Collado, L.S., (1987), *Nata: Processing and Problems of the Industry in the Philippines traditional Food and their Processing in Asia*, Nodai Research Institute Tokyo University of Agriculture, Japan.

CPKelco, (2009), *Carboxymethylcellulose (CMC) Book 1st edition*, CP Kelco a Huber Company.

Daniella, L., Morgado., Elisabete, F., (2011), Thermal decomposition of mercerized linter cellulose and its acetates obtained from homogeneous reaction, *Polimeros*. 21: 111-117.

Direktorat Jenderal Perkebunan Kementerian Pertanian, (2016), *Statistik Perkebunan Indonesia 2015-2017 Kelapa*, Sekretariat Direktorat Jenderal Perkebunan Direktorat Jenderal Perkebunan Kementerian Pertanian.

Eichhorn, S.J., Baillie, C.A., Zafeiropoulos, N., Mwaikambo, L.Y., Ansell, M.P., Dufresne, A., Entwistle, K.M., Herrera-Franco, P.J., Escamilla, G.C., Groom, L., Hughes, M., Hill, C., Rials, T.G., Wild, P.M., (2001), Review current international research into cellulosic fibres and composites, *Journal of Material Science* 36: 2107-2131.

Esau, A., Marek, P., (2014), Dilute solution properties of carboxymethyl celluloses of various molecular weights and degrees of substitution, *Carbohydrate Polymer* 99: 423-431.

Fox, S.C., Li, B., Xu, D., Edgar, K.J., (2011), Regioselective Esterification and Etherification of Cellulose: A Review, *Biomacromolecules* 12: 1956-1972.

Fuller, M.E., Andaya, C., McClay, K., (2018), Evaluation of ATR-FTIR for analysis of bacterial cellulose impurities, *Journal of Microbiological Methods* 144: 145-151.

Gayathry, G., (2015) Production of *Nata de coco* - a Natural Dietary Fibre Product from Mature Coconut Water using *Gluconacetobacter xylinum* (sju-1), *Intl. J. Food. Ferment. Technol* 5: 231-235.

Gea, S. (2010). *Innovative Bio-nanocomposites Based on Bacterial Cellulose*. Thesis, Queen Mary University of London, London.

Gindl, W., Keckes, J., (2004), Tensile properties of cellulose acetate butyrate composites reinforced with bacterial cellulose, *Composite Science and Technology* 64: 2407-2413.

Goodhew, P.J., Humphreys, J., Beanland, R., (2001), *Electron Microscopy and Analysis Third Edition*, Taylor and Francis, London and New York.

- Haleem, N., Arshad, M., Shahid, M., Tahir, M.A., (2014), Synthesis of carboxymethyl cellulose from waste of cotton ginning industry, *Carbohydrate Polymers* 113: 249–255.
- Hans, S., (2004), Acetate manufacturing process and technology, *Macromolecular Symposia* 208: 49-60.
- Harmita., (2015), *Analisis Fisikokimia Potensiometri dan Spektroskopi Volume I*, Penerbit Buku Kedokteran EGC, Jakarta.
- Heinze, T., Koschella, A., (2005), Carboxymethyl Ethers of Cellulose and Starch – A Review, *Macromol. Symp.* 223: 13–40.
- Heinze, T., Liebert, T., Koschella, A., (2006), *Esterification of Polysaccharides*, Springer, Berlin.
- Helbert, W., Cavaille, J.Y., Dufresne, A., (1996), Thermoplastic Nanocomposite filled with wheat straw cellulose whisker. Part I: processing and mechanical behavior, *Polymer Composite* 17: 604-611.
- Hendayana, S., Kadarohman. A., Sumarna, A.A., Supriatna, A., (1994), *Kimia Analitik Instrumen Edisi Kesatu*, IKIP Semarang Prees, Semarang.
- Hirai, A., Horii, F., Kitamaru, R., (1987), Transformation of native cellulose crystals from cellulose Ib to Ia through solid state chemical reactions, *Macromolecules* 20:1440-1442.
- Horii, F., Yamamoto, H., Hirai, A., (1997), Microstructural analysis of microfibrils of bacterial cellulose, *Macromol Symp* 120:197-205.
- Huang, W., Zhan, Y., Shi, X., Chen, J., Deng, H., Du, Y., (2017), Controllable immobilization of naringinase on electrospun cellulose acetate nanofibers and their application to juice debittering, *Int. J. Biol. Macromol* 98: 630–636.
- Husemann, E., Siefert, S., (1969), N-Äthyl-pyridinium-chlorid als Lösungsmittel und Reaktionsmedium für Cellulose, *Die Makromolekulare Chemie* 128: 288-291.
- Iguchi, M., Yamanaka, S., Budhiono, A., (2000), Review: Bacterial cellulose- a masterpiece of nature's arts, *Journal of Material Science* 35: 261-270.
- Jagannath, A., Kalaiselvan, A., Manjunatha, S.S., Raju, P.S., Bawa, A.S., (2008), The effect of pH, sucrose and ammonium sulphate concentrations on the production of bacterial cellulose (Nata-de-coco) by *Acetobacter xylinum*, *World J Microbiol Biotechnol* 24: 2593–2599.

Jawetz., Melnick., Adelbergs., (2007), *Mikrobiologi Kedokteran Edisi 23*, Salemba Medika, Jakarta.

Je, H.H., Noh, S., Hong, S., Ju, Y., Kim, J., Hwanga, D.S., (2017), Cellulose nanofibers for magnetically-separable and highly loaded enzyme immobilization, *Chem. Eng. J.* 323: 425–433.

Joly, C., Kofman, M., Gauthier, R.J., (1996), Polypropylene/cellulosic fiber composite: chemical treatment of the cellulose assuming compatibilization between the two materials, *Journal of Macromolecule Science* 33: 1981–1996.

Kasuya, N., Sawatari, A., (2000), A Simple and Facile Method for Triphenylmethylation of Cellulose in a Solution of Lithium Chloride in N,N-dimethylacetamide, *Sen'i Gakkaishi.* 56: 249-253.

Kim, D.Y., Nishiyama, Y., Kuga, S., (2002), Surface acetylation of bacterial cellulose, *Cellulose* 9: 361–367.

Klemm, D., Stein, A., Heinze, T., Philipp, B., Wagenknecht, W., (1996), dalam “*Polymeric Materials Encyclopedia: Synthesis, Properties and Applications*”, edited by J. C. Salamone. USA: CRC Press, Inc. Vol. 2, Hal. 1043-1053.

Klemm, D., Philipp, B., Heinze, T., Heinze, U., Wagenknecht, W., (1998), *Comprehensive Cellulose Chemistry, Vol. 2: Functionalization of Cellulose*, Wiley-VCH, Weinheim.

Klemm, D., Schumann, D., Kramer, F., Hebler, N., Hornung, M., Schmauder, H.P., Marsch, S., (2006), Nanocellulose innovative polymers in research and application, *Advance of Polymer Science* 205: 49-96.

Klemm, D., (2001), Bacterial synthesized cellulose-artificial blood vessel for microsurgery, *Progress in Polymer Science* 26: 1561-1603.

Klug, E.D., (1964), *Cellulose*. Di dalam: Mark HF, McKetta JJ, Othmer DF (ed). *Kirk-Othmer Encyclopedia of Chemical Technology*. Vol 5 Ed ke-2. New York (US): Interscience Publication, John Wiley and Sons. Hlm 593-644.

Koschella, A., Fenn, D., Illy, N., Heinze, T., (2006), *Macromol. Symp.* 59: 244.

Kosaka, P.M., Kawano, Y., El Seoud, O.A., Petri, D.F.S., (2007), Catalytic Activity of Lipase Immobilized onto Ultrathin Films of Cellulose Esters, *Langmuir* 23: 12167–12173.

- Kuryani, T., (2014), *Pembuatan biofilm selulosa asetat dari selulosa mikrobial nata de cassava*. Skripsi, IPB, Bogor.
- Lapuz, M.M., Gallerdo, E.G., Palo, M.A., (1967), The Nata Organism-Cultural Requirements, Characteristic and Identify, *Philippines J. Science* 96: 91-102.
- Lawal, O.S., Lechner, M.D., Kulicke, W.M., (2008), Single and multi-step carboxymethylation of water yam (*Dioscorea alata*) starch: Synthesis and characterization, *International Journal of Biological Macromolecules*, 42: 429–435.
- Liebert, T., Heinze, T., (1998), Synthesis Path versus Distribution of Functional Groups in Cellulose Ethers, *Macromolecular Symposia*, 130: 271-283.
- Lin, Q.H., Zheng, Y.D., Ren, L.L., Wu, J., Wang, H., An, J.X., Fan, W., (2014), Preparation and Characteristic of a Sodium Alginate/Carboxymethylated Bacterial Cellulose Composite with a Crosslinking Semi-Interpenetrating Network, *J. Appl. Polym. Sci.* 131.
- Longmans., Green., Co., (1952). *Mellor's Modern Inorganic Chemistry*, London, New York, Toronto.
- McMurry, J., (2008), *Organic Chemistry eight edition*, Brooks/Cole, USA.
- Meireles, D.S.C., (2007), *Síntese e Caracterização de Membranas de Acetato de Celulose, Obtido do Bagaço de Cana-de-Açúcar, e Blendas de Acetato de Celulose com Poliestireno de Copos Plásticos Descartados*. Ph.D. Thesis, Federal University of Uberlândia, Brazil.
- Moat, A.G., (1988), *Microbial Physiology*, John Wiley and Sons Inc., New York.
- Nakagaito, A.N., Iwamoto, S., Yano, H., (2005), Bacterial cellulose: the ultimate nanoscalar cellulose morphology for the production of high strength composites, *Applied Physics* 80: 93-97.
- Nanda, S., Mohanty, P., Pant, K.K., Naik, S., Kozinski, J.A., Dalai, A.K., (2013), Characterization of North American lignocellulosic biomass and biochars in terms of their candidacy for alternate renewable fuels, *Bioenergy Research*, 6: 663–677.
- Neto, F.W.P., Silvério, H.S., Dantas, N.O., Pasquini, D., (2013), Extraction and characterization of cellulose nanocrystals from agro-industrial residue—Soy hulls, *Industrial Crops and Products* 42: 480–488.
- Nevell, T.P., Zeronian, S.H., (1985), *Cellulose Chemistry and Its Applications*, Ellis HORWOOD Ltd, Chichester.

- Nilired., (2018), <https://youtu.be/yMG0yfGFJ00>. (diakses 1 Juni 2018).
- Nishino, T., Takano, K., Nakamae, K., (1995), Elastic modulus of the crystalline regions of cellulose polymorphs, *J. Polym. Sci., Part B: Polym. Phys.* 33: 1647–1651.
- Nugroho, A.D., Aji, P., (2015), Characterization of *Nata de coco* Produced by Fermentation of Immobilized *Acetobacter xylinum*, *Agriculture and Agricultural Science Procedia* 3: 278 – 282.
- Ott, E., (1946), *Cellulose and Cellulose Derivatives*, Interscience Publishers Inc., New York.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., Vyvyan, J.R., (2009), *Introduction to Spectroscopy*, Brooks/Cole, Washington.
- Prades, A., Dornier, M., Diop, N., Pain, J.P., (2012), Coconut water uses, composition and properties: a review, *Fruits* 67: 87–107.
- Prasetyo, E.N., Semlitsch, S., Nyanhongo, G.S., Lemmouchi, Y., Guebitza, G.M., (2015), Laccase functionalized cellulose acetate for the removal of toxic combustion products, *React. Funct. Polym.* 97: 12–18.
- Rakhmatullah, R., (2015), *Pembuatan CMC dari selulosa mikrobial (nata de cassava)*, Skripsi, Institut Pertanian Bogor, Bogor.
- Ramos, L.A., Frollini, E., Heinze, T., (2005), Carboxymethylation of cellulose in the new solvent dimethyl sulfoxide/tetrabutylammonium fluoride, *Carbohydrate Polymers* 60: 259–267.
- Ribeiro, S.D., Guimes, R.F., Meneguim, A.B., Prezotti, F.G., Boni, F.I., Cury, B.S.F., Gremião, M.P.D., (2016), Cellulose triacetate films obtained from sugarcane bagasse: Evaluation as coating and mucoadhesive material for drug delivery systems, *Carbohydr. Polym.* 152: 764–774.
- Rodrigues, E.G., Ribeiro, S.D., da Silva, M.C., da Silva, L.G., Ruggiero, R., Ferreira, M.F., Cerqueira, D.A., de Assunção, R.M.N., Zeni, M., Polleto, P., (2011), Release of doxycycline through cellulose acetate symmetric and asymmetric membranes produced from recycled agroindustrial residue: Sugarcane bagasse, *Ind. Crops Prod.* 33: 566–571.
- Rosalio, R.R.D., (1982), *Compositon and Utilization of Coconut Water*, Philippines Coconut Research and Development Fondation, Los Banos.
- Ross, P., Mayer, P., Benziman, M., (1991), Cellulose biosynthesis and function bacteria, *Microbiology Review* 55: 35-58.

- Santos, D.M.d., Bukzem, A.d.L., Ascheri, D.P.R., Signini, R., Aquino, G.L.B.d., (2015), Microwave-assisted carboxymethylation of cellulose extracted from brewer's spent grain, *Carbohydrate Polymers* 131: 125–133.
- Saputra, A.H., Qadhayna, L., Pitaloka, A.B., (2014), Synthesis and Characterization of Carboxymethyl Cellulose (CMC) from Water Hyacinth Using Ethanol-Isobutyl Alcohol Mixture as the Solvents, *International Journal of Chemical Engineering and Applications*, 5: 36-40.
- Scheirs, J., Camino, G., Tumiatti, W., (2001), Overview of water evolution during the thermal degradation of cellulose, *European Polymer Journal* 37: 933-942.
- Silva, F.B.d., Júnior, W.G.d.M., Silva, C.V.d., Vieira, A.T., Batista, A.C.F., Faria, A.M.d., Assunção, R.M.N., (2017), Preparation and Characterization of Cellulose Triacetate as Support for Lecitase Ultra Immobilization. *Molecules*, 22: 1-19.
- Silva, L.S., Lima, L.C.B., Silva, F.C., Matos, J.M.E., Santos, M.R.M.C., Júnior, L.S.S., Sousa, K.S., da Silva., Filho, E.C., (2013), Dye anionic sorption in aqueous solution onto a cellulose surface chemically modified with aminoethanethiol, *Chem Eng J.* 218: 89–98.
- Silverstein, R.M., Webster, F.X., Kiemle, D.J., (2005), *Spectrometric Identification of Organic Compounds Seventh Edition*, Jhon Wiley & Sons, USA.
- Son, H.J., Heo, M.S., Kim, Y.G., Lee, S.J., (2001), Optimization of fermentation condition for the production of BC by a newly isolated *Acetobacter* sp. A9 in shaking culture, *Biotechnology and Applied Biochemistry* 33: 1-5.
- Steven, M.P., (2001), *Kimia Polimer*, Pradnya Paramita, Jakarta.
- Tal, R., Wong, H.C., Calhoon, R., Gelfand, D., Fear, A., Volman, G., Mayer, R., Ross, P., Amikam, D., Weinhouse, H., Cohen, A., Sapir, S., Ohana, P., and Benziman, M., (1998), Three *cdg* operons control cellular turnover of cyclic di-GMP in *Acetobacter xylinum*: genetic organization and occurrence of conserved domains in isoenzymes, *Journal of Bacteriology* 180: 4416–4425.
- Tian, Y., Wu, M., Liu, R., Wang, D., Liu, X., Liu, W., Ma, L., Li, T., Huang, Y., (2011), Modified native cellulose fibers: a novel efficient adsorbent for both fluoride and arsenic, *J Hazard Mater* 185 (1): 93–100.
- Trivedi, M.K., Nayak, G., Patil, S., Tallapragada, R.M., Mishra, R., (2015), Impact of biofield treatment on chemical and thermal properties of cellulose and cellulose acetate, *Journal Bioengineer and Biomedical Science* 5: 162.

Varshney, V.K., Gupta, P.K., Naithani, S., Khullar, R., Bhatt, A., Soni, P.L., (2006), Carbosymethylation of α -cellulose isolated from *Lantana camara* with respect to degree of substitution and rheological behaviour, *Carbohydr. Polym.* 63: 40-45.

Wertz, J.L., Bédoué, O., Mercier, J.P., (2010), *Cellulose Science and Technology*, EPEL Press, Italia.

White, D.G., Brown, R.M. Jr., (1989), *Prospects for the commercialization of the biosynthesis of microbial cellulose. In: Schuerech C (ed) Cellulose and wood-chemistry and technology*, Wiley, New York.

Yamanaka, S., Watanabe, K., Kitamura, N., (1989), The structure and mechanical properties of sheets prepared from bacterial cellulose, *Journal of Material Science* 24: 3141-3145.

Yang, X.H., Zhu, W.L., (2007), Viscosity properties of sodium carboxymethylcellulose solutions, *Cellulose* 14 (5): 409-417.

Yasar, F., Togrul, H., Arslan, N., (2007), Flow properties of cellulose and carboxymethyl cellulose from orange peel, *J Food Eng* 81: 187-99.

Yeasmin, M.S., Mondal, M.I.H., (2015), Synthesis of highly substituted carboxymethyl cellulose depending on cellulose particle size, *International Journal of Biological Macromolecules*, 80: 725-731.

Yoshinaga, F., Tonouchi, N., Watanabe, K., (1997), Research progress in production of bacterial cellulose by aeration and agitation culture and its application as a new industrial material, *Biosci Biotechnol Biochem*, 61: 219-224.

Yue, L., Zheng, Y., Xie, Y., Liu, S., Guo, S., Yang, B., Tang, T., (2016), Preparation of a carboxymethylated bacterial cellulose/polyaniline composite gel membrane and its characterization, *RSC Advances* 6: 68599-68605.

Zaar, K., (1979), Visualisation of pores (export sites) correlated with cellulose production in the envelope of the gram-negative bacterium *Acetabacter xylinum*, *Journal of Cell Biology* 80: 773-777.

Zadorecki, P., Mitchell, A.J., (1989), Future prospects for wood cellulose as reinforcement in organic polymer composites, *Polymer Composites* 10: 69-77.

Zhang, B., Gong, H., Lü, S., Ni, B., Liu, M., Gao, C., Huang, Y., Han, F., (2012), Synthesis and characterization of carboxymethyl potato starch and its

application in reactive dye printing, *International Journal of Biological Macromolecules* 51: 668–674.

Zhou, X., Lin, X., White, K.L., Lin, S., Wu, H., Cao, S., Huang, L., Chen, L., (2016), Effect of the degree of substitution on the hydrophobicity of acetylated cellulose for production of liquid marbles, *Cellulose* 23: 811–821.



THE
Character Building
UNIVERSITY