

DAFTAR PUSTAKA

- Abrori, C., Nurfadhila, K., & Sakinah, E. N. (2019). Acute Toxicity Tests of Basil Leaves (*Ocimum sanctum*) Ethanolic Extract Determined By LD50 and Renal Histopathology. *Journal of Agromedicine and Medical Sciences*, 5(1), 13-19, DOI: <https://doi.org/10.19184/ams.v5i1.6501>.
- Agusta., (2000), Minyak Atsiri Tumbuhan Tropika Indonesia, ITB, Bandung.
- Ahmad, J. (2019). Gambaran Tingkat Pengetahuan Pasien Diabetes Melitus Tipe 2 Tentang Manajemen Diabetes Melitus. *Media Keperawatan*, 10(2), 19-22.
- Alkautsar, A. (2021). Hubungan Penyakit Komorbid Dengan Tingkat Keparahan Pasien Covid-19. *Jurnal Medika Utama*, 3(1), 1488-1494.
- Al-Dosari, D. I., Ahmed, M. M., Al-Rejaie, S. S., Alhomida, A. S., & Ola, M. S. (2017). Flavonoid naringenin attenuates oxidative stress, apoptosis and improves neurotrophic effects in the diabetic rat retina. *Nutrients*, 9(10), 1161. <https://doi.org/10.3390/nu9101161>.
- Al-Ishaq, R. K., Abotaleb, M., Kubatka, P., Kajo, K., & Büsselberg, D. (2019). Flavonoids and their anti-diabetic effects: cellular mechanisms and effects to improve blood sugar levels. *Biomolecules*, 9(9), 430. <https://doi.org/10.3390/biom9090430>.
- Anggraini, A. (2020). Manfaat Antioksidan Daun Salam Terhadap Kadar Glukosa Darah Dan Penurunan Apoptosis Neuron Di Hippocampus Otak Tikus Yang Mengalami Diabetes. *Jurnal Medika Utama*, 2(01), 349-355.
- Anugrahini, C. P. H., & Wahyuni, A. S. (2021). Narrative Review: Aktivitas Antidiabetes Tanaman Tradisional Di Pulau Jawa. *Pharmacon: Jurnal Farmasi Indonesia*, 120-131.
- Ariefin, A.P. (2013). Uji Efek Seduhan Daun Katuk (*Sauropus androgynous* L. Merr) terhadap Libido Tikus Jantan (*Rattus norvegicus*) dalam penggunaannya sebagai Afrodisiak dengan Alat Libidometer. *Jurnal Ilmiah Mahasiswa Universitas Surabaya*. 2(1), 22-29.
- Atun, S., (2014), Metode Isolasi dan Identifikasi Struktur Senyawa Organik Bahan Alam, *Jurnal Konservasi Cagar Budaya Borobudur* 8(2): 53-61.
- Averyanov, L. V, Xu, W. Bin, Nguyen, K. S., Maisak, T. V, Academy, R., Petersburg, S. and Str, P. P. (2020) 'Paraboea villosa (Gesneriaceae), a new species from Northern Vietnam', *Taiwania*, 65(1), pp. 2-4.

- A. Xu, Z., Burtt, S. L., Skog, L. E., & Middleton, D. J. (2008). A revision of *Paraboea* (Gesneriaceae). *Edinburgh Journal of Botany*, 65(2), 161-347, DOI: <https://doi.org/10.1017/S0960428608005106>.
- Baroroh, F., Aznam, N., Susanti, H. (2011). Antihyperglycemic Effect Ethanol Extract Of Kacapiring (*Gardenia Augusta*, Merr) Leaf At White Rats Male Strain Of Wistar. *Jurnal Ilmiah Kefarmasian*, 1(1), 43-53.
- Barman, A. K., Ahmed, T., Das, H., Biswas, B., Ali, M. S., Acharyya, R. N., & Dev, S. (2021). Evaluation of antidiabetic potential of extract of *Sonneratia caseolaris* (L.) Engl. leaves against alloxan-induced diabetes in mice.
- DiPiro, J.T., Talbert, R.L., Yees, G.C., Matzke, G.R., Wells, B.G., & Posey, L.M. (2005). *Pharmacotherapy A Pathophysiologic Approach*. New York: McGrawHill.
- Djamil, R., Winarti, W., Zaidan, S., & Abdillah, S. (2017). Antidiabetic activity of flavonoid from binahong leaves (*Anredera cordifolia*) extract in alloxan induced mice. *Journal of Pharmacognosy & Natural Products*, 3(2), 2-5.
- Do, N. H., Le, T. M., Nguyen, C. D., & Ha, A. C. (2020). Optimization of total flavonoid content of ethanol extract of *Persicaria pulchra* (Bl.) Soják for the inhibition of α -glucosidase enzyme. *Fine Chemical Technologies*, 15(4), 39-50. <https://doi.org/10.32362/2410-6593-2020-15-4-39-50>.
- Edison, E., Diharmi, A., Ariani, N. M., & Ilza, M. (2020). Komponen bioaktif dan aktivitas antioksidan ekstrak kasar *Sargassum plagyophyllum*. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(1), 58-66.
- Elfahmi, E., Santoso, W., & Anggardiredja, K. (2019). Uji Aktivitas Antidiabetes Produk Obat Herbal yang Mengandung Ekstrak Bratawali (*Tinospora crispa* (L.) Miers ex Hoff. & Thoms). *Jurnal Sains Farmasi & Klinis*, 6(3), 213-219.
- Fadillah, C. Y., Al-Mukholladun, A. W., & Syafriana, V. (2017). Aktivitas antifungi ekstrak etanol biji anggur (*Vitis vinifera* L.) terhadap *Candida albicans*. *Sainstech Farma*, 10(1), 25-29.
- Fu, X., Chen, J., Xie, R., Zhou, L., Wei, Y., Yuan, C., ... & Gu, W. (2022). Phytochemical and chemotaxonomic studies on *Paraboea rufescens* (Gesneriaceae). *Biochemical Systematics and Ecology*, 102, 104414.
- Ghorbani, A. (2017). Mechanisms of antidiabetic effects of flavonoid rutin. *Biomedicine & Pharmacotherapy*, 96, 305-312. <https://doi.org/10.1016/j.biopha.2017.10.001>.
- Goboza, M., Meyer, M., Aboua, Y. G., & Oguntibeju, O. O. (2020). In vitro antidiabetic and antioxidant effects of different extracts of *Catharanthus*

roseus and its indole alkaloid, vindoline. *Molecules*, 25(23), 5546. <https://doi.org/10.3390/molecules25235546>.

- Grasselli, G., Greco, M., Zanella, A., Albano, G., Antonelli, M., Bellani, G., & Zoia, E. (2020). Risk factors associated with mortality among patients with COVID-19 in intensive care units in Lombardy, Italy. *JAMA internal medicine*, 180(10), 1345-1355.
- Gundala, N. K., & Das, U. N. (2019). Arachidonic acid – rich ARASCO oil has anti-inflammatory and antidiabetic actions against streptozotocin+ high fat diet induced diabetes mellitus in Wistar rats. *Nutrition*, 10(1), 203-218.
- Guyton, A.C. dan Hall, J. E., (2008). Buku Ajar Fisiologi Kedokteran. Edisi 11. Jakarta: EGC.
- Harmita dan Radji M. (2008). Buku ajar analisis hayati Edisi 3. Jakarta : EGC.
- Hartono, H., & Kusumastuti, L. A. (2019). Tingkat Kepatuhan Penggunaan Ramuan Jamu Sainifik Hiperglikemia pada Pasien Diabetes Melitus di Rumah Riset Jamu Hortus Medicus B2P2TOOT Tawangmangu. *Jurnal Farmasi (Journal of Pharmacy)*, 8(1), 29-37. DOI: <https://doi.org/10.37013/jf.v1i8.77>.
- Hasan, H., Suryadi, A. M. T. A., & Djufri, Z. (2022). Uji Aktivitas Antidiabetes Ekstrak Etil Asetat Daun Lamun (*Enhalus acoroides*) Pada Mencit (*Mus musculus*). *Journal Syifa Sciences and Clinical Research*, 4(1). <https://doi.org/10.37311/jsscr.v4i1.15379>.
- Herlina, H., Amriani, A., Solihah, I., & Sintya, R. (2018). Antidiabetic activity test of Ethanolic Seri Leave's (*Muntingia calabura L.*) extract in male rats induced by Alloxan. *Science and Technology Indonesia*, 3(1), 7-13.
- Hua, F., Zhou, P., Wu, H. Y., Chu, G. X., Xie, Z. W., & Bao, G. H. (2018). Inhibition of α -glucosidase and α -amylase by flavonoid glycosides from Lu'an GuaPian tea: molecular docking and interaction mechanism. *Food & function*, 9(8), 4173-4183. <https://doi.org/10.1039/C8FO00562A>.
- International Diabetes Federation (2019). IDF Diabetes ATLAS (9th Ed). ISBN:978-2-930229-87-4.
- Irdalisa, I., Safrida, S., Khairil, K., Abdulah, A., & Sabri, M. (2015). Profil Kadar Glukosa Darah Pada Tikus Setelah Penyuntikan Aloksan Sebagai Hewan Model Hiperglikemik. *Jurnal EduBio Tropika*, 3(1), 54-67.
- Julianto, T. S. (2019). Fitokimia Tinjauan Metabolit Sekunder dan Skrining Fitokimia. Yogyakarta : Universitas Islam Indonesia.

- Juwitaningsih., A., Iin, (2020) Antibacterial and Toxicity Activity From Non Polar Fraction of Gal Manjakani (*Quercus Infectoria*). *Acta Pharmaciae Indonesia*, 8(2), 69-79, DOI: 10.20884/1.api.2020.8.2.3487.
- Juwitaningsih, T., Jahro, I.S., Sari, S.A, (2020) Kajian Potensi Tumbuhan Obat Sumatera Utara Sebagai Zat Antimikroba. Laporan Penelitian BOPTN Unimed.
- Kato, C. G., Gonçalves, G. D. A., Peralta, R. A., Seixas, F. A. V., de Sa-Nakanishi, A. B., Bracht, L., Peralta, R. M. (2017). Inhibition of α -amylases by condensed and hydrolysable tannins: Focus on kinetics and hypoglycemic actions. *Enzyme Research*, 2017:1-12. <https://doi.org/10.1155/2017/5724902>.
- Khairiyani, A. (2018). Uji Efek Penurunan Kadar Glukosa Darah Ekstrak Etanol Daun Pandan Wangi (*Pandanus amaryllifolius* Roxb.) Terhadap Mencit Jantan yang diinduksi Aloksan.
- Kumar, A., Arora, A., Sharma, P., Anikhindi, S. A., Bansal, N., Singla, V., Khare, S., & Srivastava, A. (2020). Is diabetes mellitus associated with mortality and severity of COVID19 A meta-analysis. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 14(4), 535–545.
- Kurniawaty, E., & Lestari, E. E. (2016). Uji Efektivitas Daun Belimbing Wuluh (*Averrhoa bilimbi* L.) sebagai Pengobatan Diabetes Melitus. *Jurnal Majority*, 5(2), 32-36.
- Landis, Wayne G. (2011). Introduction to environmental toxicology molecular substructures to ecological landscape. Fourth edition. USA: CRC Press.
- Lestari, D., Kartika, R., & Marlina, E. (2019). Uji brine shrimp lethality test (BSLT) umbi bawang tiwai (*Eleutherine bulbosa* (Mill.) Urb) dan uji toksisitas akut fraksi aktif. *Jurnal Riset Kefarmasian Indonesia*, 1(1), 1-10.
- Mahargyani, W. (2019). Uji Aktivitas Antidiabetes Ekstrak n-Heksan Kulit Buah Naga Merah (*Hylocereus polyrhizus*). *EduChemia (Jurnal Kimia Dan Pendidikan)*, 4(1), 13-23.
- Martha, R. D. (2020). Uji Toksisitas Ekstrak Etanolik Batang Tanaman Majapahit (*Crescentia cujete*) Terhadap *Artemia salina* Leach. *Photon: Jurnal Sain Dan Kesehatan*, 11(1), 7-15.
- Maulida, U., Jofrisha, J., & Mauliza, M. (2019). Uji Aktivitas Antidiabetes Ekstrak Etanol pada Tanaman Pegagan (*Centella Asiatica* (L) Urban). *KATALIS: Jurnal Penelitian Kimia dan Pendidikan Kimia*, 2(2), 1-8.

- McCormack, D., & McFadden, D. (2013). A review of pterostilbene antioxidant activity and disease modification. *Oxidative medicine and cellular longevity*.
- Meyer, B.N., Ferrigni, N.R., Putnam, J.E., Jacobsen, L.B., Nichols, D.E., dan McLaughlin, J.L., (1982), Brine Shrimp: A Convenient General Bioassay for Active Plant Constituent, *Planta Medica*. 45(1), 31-34, DOI: 10.1055/s-2007-971236.
- Meid, H., & S Haddad, P. (2017). The antidiabetic potential of quercetin: underlying mechanisms. *Current medicinal chemistry*, 24(4), 355-364. <https://doi.org/10.2174/0929867323666160909153707>.
- Muaja, A. D., Koleangan, H. S., & Runtuwene, M. R. (2013). Uji toksisitas dengan metode BSLT dan analisis kandungan fitokimia ekstrak daun soyogik (*Saurauia bracteosa* DC) dengan metode soxhletasi. *Jurnal MIPA*, 2(2), 115-118.
- Munaini. W. (2022). Uji Toksisitas dan Daya Tahan Ekstrak Bawang Hutan *Eleutherine bulbosa* (Mill.) Urb. pada Pakan. *Jurnal Ilmiah Jurusan Budidaya Perairan*. 7(1): 25-32
- Murray RK, Granner DK, Mayes PA, Rodwell VW, (2009), *Biokimia Harper*, Edisi XXV, Penerjemah Hartono Andry, Jakarta: EGC
- Nimenibo, U, R., & Nwachukwu, K. (2020). Antidiabetic Effect of Aqueous Root Extract of *Carica papaya* L. in Alloxan-induced Diabetic Rats.
- Ningdyah, A. W., Alimuddin, A. H., & Jayuska, A. (2015). Uji toksisitas dengan metode BSLT (Brine Shrimp Lethality Test) terhadap hasil fraksinasi ekstrak kulit buah tampoi (*Baccaurea macrocarpa*). *Jurnal Kimia Khatulistiwa*, 4(1) 75-83.
- Njoku, O. C., Airaodion, A. I., Awosanya, O., Ekenjoku, J. A., Okoroukwu, V. N., Ogbuagu, Igwe, C. (2019). Antidiabetic potential of alkaloid extracts from *Vitex doniana* and *Ficus thonningii* leaves on alloxan-induced diabetic rats. *International Research Journal of Gastroenterology and Hepatology*, 2(2), 1-12.
- Price, S.A., (2005). *Patofisiologi: Konsep Klinis Proses-Proses Penyakit. Ed.6.* Jakarta: EGC
- Priyanto. (2009). *Toksikologi: mekanisme, terapi antidotum, dan penilaian resiko.* Lembaga Studi dan Konsultasi Farmakologi Indonesia (LESKONFI)
- Purnama, A., & Sari, N. (2019). Aktivitas Fisik dan Hubungannya dengan Kejadian Diabetes Mellitus. *Window of Health: Jurnal Kesehatan*, 6(1), 368-381.

- Purwantiningsih, T. I., Rusae, A., & Freitas, Z. (2019). Uji In Vitro Antibakteri Ekstrak Bawang Putih sebagai Bahan Alami untuk Celup Puting. *Sains Peternakan: Jurnal Penelitian Ilmu Peternakan*, 17(1), 1-4.
- Rahayu, S., Fitri, L., & Ismail, Y. S. (2021). The Endophytic Actinobacterial Toxicity Test of Ginger (*Zingiber officinale* Roscoe) Used The BSLT (Brine Shrimp Lethality Test) Method. *Elkawanie: Journal of Islamic Science and Technology*, 7(1), 19-29.
- Rahman, N., Muhammad, I., Khan, H., Aschner, M., Filosa, R., & Daglia, M. (2019). Molecular docking of isolated alkaloids for possible α -glucosidase inhibition. *Biomolecules*, 9(10), 544. <https://doi.org/10.3390/biom9100544>.
- Reddy, S. S. K., & Tan, M. (2020). Diabetes mellitus and its many complications. In *Diabetes Mellitus*, Academic Press.
- Riris, I. D., Barus, T., Wirjosentono, B., & Simanjuntak, P. (2013). Aktivitas Antidiabet Dan Uji Toksisitas Dan Antioksidan Dari Ekstrak N-Heksan, Etil Asetat, Etanol, Dan Air Dari Kulit Batang Raru (*Vatica pauciflora* Blume).
- Riris, I. D. (2014). Isolasi dan Elusidasi Struktur Kimia Senyawa Flavonoid sebagai Inhibitor Enzim A-Glukosidase dari Ekstrak Etanol Kulit Batang Raru (*Vatica pauciflora* Blume).
- Riris, I. D., & Napitupulu, M. A. (2017). Antidiabetic Activity of Methoxy Bergenin Isolated from Ethanol Extract of Raru Stem Bark (*Vatica pauciflora* Blume) in Alloxan Induced Diabetic Wistar Rats. *Asian Journal of Chemistry*, 29(04), 870-874.
- Rizal. (2011). *Pengolahan Data Penelitian Menggunakan SPSS 17.00*. Jakarta. Cipta Pustaka.
- Saidi, I., Manachou, M., Znati, M., Bouajila, J., & Jannet, H. B. (2022). Synthesis of new halogenated flavonoid-based isoxazoles: In vitro and in silico evaluation of α -amylase inhibitory potential, a SAR analysis and DFT studies. *Journal of Molecular Structure*, 1247, 131379. <https://doi.org/10.1016/j.molstruc.2021.131379>.
- Salehi, Asghari, B., Esmaeili, M. A., Dehghan, H., and Ghazi, I. (2013). α -Glucosidase and α -amylase inhibitor effect and antioxidant activity of ten plant extracts traditionally used in Iran for diabetes. *Journal of Medicinal Plants Research*, 7(6), 257-266.
- Sastrohamidjojo, H., (2002), *Kromatografi*, Liberty, Yogyakarta

- Sebayang, L. B., Hasibuan, A. S., Farmasi, P. S., Pakam, L., & Serdang, D. (2021). Uji Efek Imunomodulator VCO (Virgin Coconut Oil) Pada Tikus Jantan. *Jurnal Bios Logos*, 11(2), 139–146.
- Sharma A., (2012). Transdermal Approach of Antidiabetic Drug Glibenclamide: A Review. *International Journal of Pharmaceutical Research and Development*, 3 (11),25-32.
- Sherwood L., (2012). Fisiologi manusia dari sel ke sistem. *6th ed.* Jakarta: EGC
- Sihombing, Y. R., & Octora, D. D. (2019). Immunomodulator is a compound that can increase the immune system. One of the plants that have immunomodulator's activity is Waru Leaf (*Hibiscus tiliaceus*). the purpose of this research was to test the effect of immunomodulator by extract of Waru Leaf. *Jurnal penelitian Farmasi Herbal*, 1(2), 11–17.
- Shi, J., Yu, J., Pohorly, J.E., and Kakuda, Y. (2003). Polyphenolics in grape seeds-biochemistry and functionality. *J. Med. Food* 18(6); 291-29.
- Simorangkir, M., & Hutapea, A. (2016).Aktivitas Antidiabetes Ekstrak Daun Ranti Hitam (*Solanum Blumei* Nees Ex Blume) Pada Tikus Putih Yang Diinduksi Aloksan.152- 154.
- Simorangkir, M., Nainggolan, B., & Silaban, S. (2019). Potensi Antibakteri Ekstrak N-Hexana, Etil Asetat, Etanol Daun Sarang Banua (*Clerodendrum Fragrans* Vent Willd) Terhadap *Salmonella enterica*. *Jurnal Biosains*, 5(2), 92-98.
- Sinaga, O. M. (2019). Uji Manfaat Daun Gagaten Harimau (*Vitisgracilis*BL) Sebagai Tonikum Pada Mencit. Skripsi. Fakultas Farmasi dan Kesehatan : Institut Kesehatan Helvetia.
- Sitorus, P. (2015). Characterization Simplisia and Ethanolic Extract of Pirdot(*Saurauia Vulcani*, Korth) Leaves and Study of Antidiabetic Effect in Alloxan Induced Diabetic Mice. *Int.J. ChemTech Res.* 8(6): 789-794.
- Silaban, E. E., Afifuddin, Y., & Batubara, R. (2015). Eksplorasi Tumbuhan Obat Di Kawasan Gunung Sibuatan, Kecamatan Merek, Kabupaten Karo Sumatera Utara. *Peronema Forestry Science Journal*, 4(2), 78–91.
- Soemirat, J. (2005). Toksikologi Lingkungan. Yogyakarta: UGM Press.
- Sohretoglu, D., & Sari, S. (2020). Flavonoids as alpha-glucosidase inhibitors: Mechanistic approaches merged with enzyme kinetics and molecular modelling. P-ISSN: 2656-8187, E-ISSN: 2656-9612 304 *Phytochemistry Reviews*, 19(5), 1081-1092. <https://doi.org/10.1007/s11101-019-09610-6>.

- Solis, P.N., Wright. C.W., Anderson. M.M., Gupta. M.F., Philipson. J.D. (1993). A Microwell Cytotoxicity Assay Using *Artemia salina* (Brine Shrimp). *Planta Medica*.
- Stahl, E., (1985), *Analisis Obat Secara Kromatografi dan Mikroskopi*, Bandung, ITB Press.
- Suastika K. (2020). The challenges of metabolic disorders in Indonesia: focus on metabolic syndrome, prediabetes, and diabetes. *Med J Indones*, 29(4):350–353.
- Suprayogi, A., Rahminiwati, M., Satyaningtijas, A., Nugraha, A. T., Sukandar, D., Pangestika, H., & Pratiwi, L. (2020). Identification Of Compounds Flavonoids Namnam Leaf Extract (*Cynometra Cauliflora*) As Inhibiting A-Glucosidase. In *Journal of Physics: Conference Series* (Vol. 1594, No. 1, p. 012005). IOP Publishing. <https://doi.org/10.1088/1742-6596/1594/1/012005>
- Tiwari, S. B., & Kumar, M. (2018). Antidiabetic and hepatoprotective activity of seed extract of *Brassica Nigra* seed on alloxan induced model. *Int. J. of Chem. Tech. Res*, 11(6), 5-19.
- Tumbel, K., Hariyadi, Tombuku, L., Tapehe. (2020). Uji Efektivitas Antidiabetes Ekstrak Daun Benalu *Dendrophthoe petandra* L. Pada Kayu Jawa Terhadap Tikus Putih *Rattus norvegicus* Yang Diinduksi Aloksan. *Jurnal Biofarmasetikal Tropis*, 3(1), 92- 96.
- Utami, M. R., & Ardiyanti, Y. (2019). Analisis aktivitas toksisitas beberapa minyak atsiri dengan metode brine shrimp lethality test. *Journal of Holistic and Health Sciences*, 3(1), 14-20, DOI: <https://doi.org/10.51873/jhhs.v3i1.34>.
- Wang, X. F., & Yao, C. S. (2016). Naturally active oligostilbenes. *Journal of Asian natural products research*, 18(4), 376-407.
- Widodo, A., Khumaidi, A., & A. Lasongke, P. F. (2019). Toksisitas Ekstrak Etanol dan Ekstrak Air dari Daun Jotang Kuda (*Synedrella nodiflora* (L.) Gaertn.), Daun Gandarusa (*Justicia Gendarussa* Burm.F.), dan Daun Pulutan (*Urena lobata* L.) dengan Brine Shrimp Lethality Test. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 5(2), 23-44.
- Yao, Z., Gu, Y., Zhang, Q., Liu, L., Meng, G., Wu, H., & Niu, K. (2019). Estimated daily quercetin intake and association with the prevalence of type 2 diabetes mellitus in Chinese adults. *European journal of nutrition*, 58(2), 819-830. <https://doi.org/10.1007/s00394-018-1713-2>.

- Yemirta., (2010), Identifikasi Kandungan Senyawa Antioksidan Dalam Kayu Secang. *Jurnal Kimia* 3(2) : 41- 46.
- Yin, H., Huang, L., Ouyang, T., & Chen, L. (2018). Baicalein improves liver inflammation in diabetic db/db mice by regulating HMGB1/TLR4/NF- κ B signaling pathway. *International Immunopharmacology*, 55, 55-62. <https://doi.org/10.1016/j.intimp.2017.12.002>.
- Zang, Y., Igarashi, K., & Li, Y. (2016). Anti-diabetic effects of luteolin and luteolin- 7-O-glucoside on KK-A y mice. *Bioscience, Biotechnology, and Biochemistry*, 80(8), 1580-1586. <https://doi.org/10.1080/09168451.2015.1116928>.
- Zhao, Y., Wang, M., & Huang, G. (2021). Structure-activity relationship and interaction mechanism of nine structurally similar flavonoids and α -amylase. *Journal of Functional Foods*, 86, 104739. <https://doi.org/10.1016/j.jff.2021.104739>.
- Zhu, Y., Zhao, J., Luo, L., Gao, Y., Bao, H., Li, P., & Zhang, H. (2021). Research progress of indole compounds with potential antidiabetic activity. *European Journal of Medicinal Chemistry*, 223, 113665. <https://doi.org/10.1016/j.ejmech.2021.113665>.

