

DAFTAR PUSTAKA

- Adegboye, F.M. & Babalola, O.O. (2012). Taksonomi dan ekologi *Actinomycetes* penghasil antibiotik. *Afr J Agric.* 7:2255–2261.
- Anderson, C.R., Condron, L.M., Clough, T.J., Fiers, M., Stewart, A., Hill, R.A., Sherloc, R.R. (2011). Perubahan komunitas mikroba tanah yang diinduksi biochar: Implikasi untuk siklus biogeokimia karbon, nitrogen, dan fosfor.
- Alwi, M., latifah, M., Umrah. (2012). Identifikasi *Actinomycetes*yang terdapat pada tanah di sekitar danau lindu Sulawesi Tengah. *Jurnal Biocelebes.* 6(1): 1-10.
- Asmoro, P.P. & Abdul, M. (2019). Bakteri endofit dari tumbuhan paku-pakuan sebagai agens hayati Rhizoctonia solani dan pemacu pertumbuhan tanaman padi. *Jurnal fitopatologi indonesia.* 15(6): 239 – 247.
- Baltz, R.H. (2007). Antrimicrobials from *actinomycetes*: back to the future. *Microbe.* 2:125-131.
- Benhadj, M., Gacemi – Kirane, D., Menasria, T., Geuebla, K., Ahmane, Z. (2018). Screening of rare *actinomycetes*isolated from natural wetland ecosystem (Fetzara Lake, Northeastern Algeria) for hydrolytic enzymes and antrimicrobial activities. *Journal of King Saoud University.* 31: 707 – 712.
- Barros, I.D.A., Wellington, L.A., Joao, L.A. (2010). The effect of different growth regimes on the endophytic bacterial communities of the fern. *Dicksonia sellowiana* hook (Dicksoniaceae). *Brazilian journal of microbiology.* 41: 956-965.
- Berdy, J. (2005). Bioactive microbial metabolites. *The Journal of Antibiotik.* 5(1): 1-26
- Bhatti, A.A., Haq, S., & Bhat, R.A. (2017). Peran kebaikan *Actinomycetes*dalam kesehatan tanah dan tanaman. *Patogenesis Mikroba.* 111:458–467.
- Budiarti, R. S., Kartila, W. D. (2016). Inovasi bertahap bakteri pendegradasi limbah tein dan kosong kelapa sawit di PT. Erasakti Wira Forestina Muaro Jambi. *Biospecies.* 9(1): 7-14.
- Burrows, W., J.M. Moulder, R.M. Lewert. (2004). *Textbook of Microbiology.* W.B. Saunders Company. Philadelphia.
- Capuccino, J.G. dan Sherman. N. (2001). *Microbiology; A Laboratory Manual.* Edisi Kedua. New York: Benjamin Cummings Publishing Company.
- Cappuccino, JG. dan Sherman, N. 2014. Manual Laboratorium Mikrobiologi Edisi Kedelapan. Alih Bahasa: Nur Miftahurrahman. Jakarta: EGC.
- Campbell, I. (1972). Numerical analysis of the genera *Saccharomyces* and *Kluyveromyces*. *Gen Micobiol.* 73(2) : 279–301.
- Charoussova, I., Medo, J., Halenarove, E., Javorekova, S. (2017). Aktivitas antimikrob dan enzimatik *Actinomycetes*diisolasi dari tanah pulau- pulau pesisir. *J Adv Pharm Technol.* 8: 46 – 51.

- Demain, A.L., & Sanchez, S. (2009). Microbial drug discovery: 80 years of progress. *J Antibiot.*, 62:5-16.
- Desriani., Kusmawai, D.E., Rivai, A., Hasanah, N., Amrinola, W., Triratna, L., Sukma, A. (2013). Potential endophytic bacteria for increase paddy var rojolele productivity. *Int. J. on Adv. Sci., Eng. and information Tech.* 3(1): 76 – 78.
- De Winter, W. P. D., & Amoroso, V. B. (2003). Plant resources of South-East Asia no 15(2): Cryptograms: Ferns and fern allies. Leiden: Backhuys Publishers.
- Diraviyam, T., Radhakrishnan, M., Balagurunathan. (2011). Antioxidant activity of melanin pigment from *Streptomyces* sp. D5 isolated from desert soil, Rajashtan, India. *Drug even.* 3: 12- 13.
- Ernawati. (2008). Prosedur pemeriksaan bakteri laboratorium bakteri balai karantina ikan kelas I, sultan Mahmud Badaruddin II.
- Fernández, C.D., Martín, A., Arias, E.M., Bååth, E., Díaz, R.M. (2010). Komunitas mikroba struktur tanah kebun anggur dengan pH dan kandungan tembaga yang berbeda. *Ekologi Tanah Terapan.* 46(2): 276– 282.
- Francesconi, K., Visoottiviseth, P., Sridokchan, W., Goessler, W. (2002). Spesies arsenik dalam pakis hiperakumulasi arsenik, *Pityrogramma calomelanos*: fitoremediator potensial dari tanah yang terkontaminasi arsenik. *Lingkungan Total Sci.* (3): 27–35.
- Gonzalez, F.A.C., Roberz, H.L., & Strap, J. (2017). Kitinase, kitosanase, dan aktivitas antijamur dari streptomycetes termofilik yang diisolasi dari kompos. *Phyton (B.Airles)*. 86 : 64 – 73.
- Harly, JP, 2005, *Laboratory Exercises in Microbiology sixth Edition*, McGraw Hill Companies, inc, 1211, Avenue of the Amonical, New York
- Hasibuan, H., Rizalinda, & Rusmiyanto, E. (2016). Inventarisasi jenis pakupukan (*Pteridophyta*) di Hutan Darat Kecamatan Sungai Ambawang Kalimantan Barat. *Jurnal Protoboint.* 5(1): 45-58.
- Holt JG, NR Krieg, PHA Sneath, JT Staley and ST Williams. 1994. *Bergey's Determinative Bacteriology*. Ninth Edition. Lippineot Williams & A Welters Kluwer Company. Baltimore.
- Idramsa., Endang, S., Hartanto, N., Rarastoeti, P., Eko, P. (2015). Endophytic bacteria inducing antibacterial synthesis of the bark of Raru (*Cotylelobium melanoxylon*). *Eur J Exp Biol.* 5(9): 20-26.
- Isnalni. (2010). Isolasi rare actinomycetes dari pasir pantai depok daerah istimewa yogyakarta yang berpotensi antibiotik terhadap proionibacterium acne. Fakultas farmasi. Universitas Muhammadiyah Surakarta.
- Jiang, Y., Li, Q., Chen, X., Jiang, C. (2016). Isolation and cultivation methodes of actinobacteria. *Basic and biotechnological Applications.* 39-57
- Juliantina., Citra., Nirwani., Nurmasitoh., Bowo. (2008). Kandungan metabolit sekunder Sirih Merah (*Piper crocatum*) sebagai Agen Anti Bakteri

- Terhadap Gram Positif dan Gram Negatif. *Jurnal Kedokteran dan Kesehatan Indonesia*.
- Kekuda, T.R.P., Shobha, K.S., Onkarappa, R. (2010). Fascinating diversity and potent biological activity of *Actinomycetes* metabolites. *J. Pharm.* 3:250-256.
- Khamna, S., Akira, Y., John, F., Saisamon, L. (2010). Indole-3-acetic acid production by *Streptomyces* sp. Isolated from some thai medical plant rhizosphere soil. *EurAsia Journal Biosci.* 4:23-32.
- Khan, M., R. & Williams, S.T. (1975). Studies on the ecology of *Actinomycetes* in soil, Distribution and characteristics of acidophilic *Actinomycetes*. *Soil Biol. Biochem.* 7: 345-348.
- Khuncharoen, N., Pattama, P., Somboon, T. (2018). *Micromonospora globbae* sp. nov., an endophytic actinomycete isolated from roots of globba winitii C.H. wright. *Int J Syst Evol Microbiol.* 68: 1073-1077.
- Kittiwongwahana, C., Dusanee, T., Chamioon, I., Prommart, K., Nonglak, P., Chatti, T. (2015). *Micromonospora orange* sp. nov. Isolated from roots of upload rice. *International Journal of Systematic and Evolutionary Mikrobiologi*. 65: 3818-3823.
- Kurboke. (2001). *Selective Isolation of Rare Actinomycetes*. Queensland. Australia.
- Leboffe, M.J. & Pierre, B.E (2011). *Aphotographic Atlas for the Microbiology Laboratorium*. Eglewood: MortonPublishing Company.
- Lertcanawanichakul, M., Sahabuddeen, T. (2023). Characterization of *Streptomyces* sp. KB1 and its cultural optimization for bioactive compounds production. *PeerJ*. 2-26.
- Lestari, Y. (2006). Identification of indigenous *Streptomyces* spp. Producing antibacterial compounds. *J Mikrobiol Indodes*.11:99 – 101.
- Lestari, S., Mukarlina., Rikhsan, K., (2019). Identifikasi dan deteksi aktivitas daya hambat bakteri *Actinomycetes* yang diisolasi dari tanah gambut di desa Tajok Kayong Kalimantan Barat. *Protobiont*. 8(1): 13- 19.
- Linda, T.M., Azizul, B., Bernadeta, L.F., Nery, S. Silvera, D. (2022). Isolation and analysis of bioactive compounds endophytic bacteria of sea fern (*Acrostichum aureum L.*) from Bengkalis Island, Riau. *Jurnal biologi tropis*. 22(1): 46- 54.
- Locci, R., (1989). *Streptomyces* and related genera. In: Williams, S.T., Sharpe, M.E., Holt, J.G. (Eds.), *Bergey's Manual of Systematic Bacteriology*. Williams and Wilkins, Baltimore, pp. 2451–2493.
- Macagnan, D., Romeiro, R., De, S.J., Pomella, A. (2006). Isolasi dari *Actinomycetes* dan bakteri pembentuk endospora dari permukaan buah kakao dan aktivitas antagonisnya terhadap patogen sapu dan buah hitam. *Phytoparasitica*. 34: 122- 132.
- Madigan, M.T., Martinko, J.M., Parker, J. (2006). *Brock Biology of*

- Mikroorganisms Toronto: *Prentice Hall Canada Inc.*
- Malisorn, K., Sunantana, E., Apinya, S., Patcharm, S., Wongsakorn, P., Somboon, T. (2020). Identification and antimicrobial activities of *Streptomyces*, *Micromonospora*, and *Kitasatospora* strains from rhizosphere soils. *Journal of Applied Pharmaceutical Science*, 10(2): 123-128.
- Martin, P.K., Sini, S., Chun, I.Z., Adrian, S., Madhusoodanan, P.V. (2006). Induksi apospori dan apogami yang efesien secara invitro pada pakis perak (*Pityrogrammacalomelanos* (L)). *Plant cell rep.* 25: 1300 – 1307.
- Moncheva, P.S., Tishkov, N., Dimitrova, V., Chipeva, N., Bogatzevka. (2002).Characteristic of soil *Actinomycetes*from Antarctica. *J. Cult. Coll.* 3: 3 – 14.
- Naine, J., Srinivasan, M.V., Devi, S.C. (2011). Novel anticancer compounds from marine actinomycetes: a review. *J. Pharm.* 4: 1285- 1287.
- Nakashima, T., Kamiya, Y., Iwatsuki, M., Takahashi, Y., Omura, S. (2014). Mangrominicins, six new anti-oxidative agents isolated from a culture broth of the *Actinomycete*, *Lechevalieria aerocolonigenes* K 10-0216. *The Journal of Antibiotics*. 67: 533-539.
- Nayaka, S., Babu, K., G. (2014). Isolation, identification and characterization of keratin degrading *Streptomyces albus*. *International Journal of Current Microbiology and Applied Sciences* 3(10):419–431.
- Newman, D.J., Cragg, G.M. (2007). Natural products as sources of new drugs over the last 25 years. *J.Nat. Prod.* 70:461-477.
- Nonthakaew, N., Panbangred, W., Songnuan, W., Intra, B. (2021). In-Vitro evaluation of *Actinomycetes*with plant growth-promoting properties. *Asia-Pacific Journal of Science and Technology*. 27(2): 1-8.
- Nurkanto, A. (2007). Identifikasi aktinomiset tanah hutan pasca kebakaran Bukit bangkirai Kalimantan Timur dan potensinya sebagai pendegradasi selulosa dan pelarut fosfat. *Biodiversitas*. 8:314-319.
- Nurkanto, A (2008). Keberagaman aktinomisets Kepulauan Waigo, kabupaten Raja Ampat, Papua dan potensinya sebagai pendegradasi selulosa dan pelarut fosfat. *Jurnal ilmiah nasional*. 9(1): 9-18.
- Nurkanto, A & Ahustria, A. (2015) Identifikasi molekuler da karakterisasi morfo fisiologi *Actinomycetes* penghasil senyawaAntimikroba. *Jurnal Biologi Indonesia*. 11(2): 195-203.
- Oskay., Tamer., dan Azeri. (2004). Antibacterial Activity of some *Actinomycetes*Isolated from Farming Soil of Turkey. *African Journal of Biotechnology*. 3(9) : 441- 446.
- Queendy, V., Roza, R. M. (2019). Aktivitas Antifungal Isolat Aktinomycetes Arboretum Universitas Riau Terhadap Jamur *Fusarium oxysporum f.sp lycopersici* dan *Ganoderma boninense*. *Journal of Biology*. 12(1): 73-88.

- Paustian, T. 1999. Microbiology and Bacteriologi. The World of Microbes *Streptomyces*. <http://www.bact.wisc.edu/> Microtextbook/index.php.
- Pelczar, J. R., M.J. Chan and N.R. Krieg. 2003. Microbiology Concepts and Applications. McGraw-Hill Higher Education. New York.
- Priest, F. G., & Goodfellow, M. (2000). *Applied microbial systematic*. Dordrecht Netherland: springer
- Purwanto, UMS, Fachriyan HP, dan Maria B. (2014). Isolasi Bakteri Endofit dari Tanaman Sirih Hijau (*Piper bettle L*) dan Potensinya sebagai Penghasil senyawa antibakteri. *Current Biochemistry*.1(1): 51-57.
- Rachmawati, R.C., Fibria, K., Atip, N. (2021). Identifikasi tumbuhan paku (pteridophyta) dan pemanfaatannya dihutan nglimut Gonoharjo kendal. *Seminar Nasional Hasil Penelitian (SNHP)*. Hal 680-693.
- Raja, A., Prabakaran, P., Gajalakshmi., Rahman, A.H. (2010). A population study of psychrophilic *Actinomycetes*isolated from rothang hill-manali soil sample. *J.Pure Appl. Microbiol*. 4:
- Rathore, D.S., Sheikh, M., Gohel, S., Singh, S.P. (2019). Strategi isolasi, kelimpahan dan karakteristik *Actinomycetes*laut Kachhighadi, Gujarat, India. *J Mar BiolAssoc India*. 8: 61-78.
- Radianingsih, D, S., Pujiastuti, P., Hariani, S.A. (2017). Inventarisasi Tumbuhan Paku (Pteridophyta) di Pos Rowobendo-Ngagelan Taman Nasional Alas Purwo Kabupaten Banyuwangi. *Bioeksperimen: Jurnal Penelitian Biologi*. 3(2): 20-30.
- Sapkota, A., Thapa, A., Budhathoki, A., Sainju, M., Shrestha, P., Aryal, S. (2020). Isolation, Characterization, and Screening of Antimicrobial-Producing *Actinomycetes*from Soil Samples. *J Mikrobiol intnational*. 1- 7.
- Sajeev, S., Raj, P., Adarsh, D. B., Hegde, S. (2015). Phytoconstituents of *Nephrolepis hirsutula* and *Pityrogramma calomelanos*, two medicinal ferns of the Western Ghats. *Indian Fern Journal*, 32: 244- 256.
- Sharma, M. (2014). *Actinomycetes*Source, Identification and Their Application. *International Journal pf Current Microbiology and Applied Sciences*. 3(2): 801-832.
- Sonia, M.T., Naceur, J., Abdennaceur, H. (2011). Studi tentang ekologi *Actinomycetes*di tanah pertanian diubah dengan residu organik:I.identifikasi kelompok dominan *Actinomycetales*. *Dunia J. Mikrobiol. Bioteknologi*.
- Souza, T.M., Narla, F.B., Jos, G.M.C., Antonio, A.F.S., Henrique, D.M.C. (2012). Peningkatan aktivitas antimikroba antibiotik dan antifungal oleh penggunaan produk alami dari *Pityrogramma calomelanos* (L). Link. *Lengkungan.Bio. Ilmu pengentahuan*. 64(1): 43-48.
- Strobel, G., & Daisy, B. (2003). Bioprospecting for microbial endophyte and their natural product. *Microbial Mol Biol Rev*. 64(4): 491-502.
- Sun, X., Shiwe, Q., Xianxian, L., Pinjiao, J., Junwei, Z., Xianyao, W., Jize, Y.,

- Xiangjing, W., Jia, S., Wensheng, X. (2021). *Micromonospora rubida* sp. nov., a novel of actinobacterium isolated from soil of Harbin. *Antonie Van Leeuwenhoek.* 1-12.
- Susilowati, D.N., Hidayatun, N., Tasliah., Mulya, K. (2010). Keragaman bakteri endofitik diisolasi dari empat varietas padi dengan metode ARDRA. *Beria Biologi.* 10(2): 241-248.
- Sutoyo, S., Ismono., Mitarlis., Hidajati, N., Wardana, A. P. (2018). Secondary metabolites isolated from the dichloromethane extract of silver fern (*Pityrogramma calomelanos*). *Research Journal of Pharmaceutical Biological and Chemical Sciences.* 9(1):566-570.
- Suyatno., Nurul, H., Umami, K., Sari, I.P. (2014). Flavonoids from Indonesian Silver Fern and their Cytotoxicity Against Murine Leukimia P-388 Cells. *Journal of Natural Science Research,* 4(15): 45-50.
- Tan, R.X., & Zou, W.X. (2001). Endofit: sumber yang kaya akan metabolit fungsional. *Nat Prod Rep.* 18 : 448-459 .
- Tian, X.L., Cao, L.X., Tan, H.M., Zeng, Q.G., Jia, Y.Y., Han, W.Q., Zhou, S.N. (2004). Study on the communicaties of endophytic fungi and endophytic *Actinomycetes*from rice and their antipathogenic activities in vitro. *World J Microbiol Biotechnol.* 20:303-309.
- Vaganov, A.V., Guereeva, I.I., Shmakov, A.I., Kuznetsov, A.A., Romanets, R.S., König, W.A. (2017). Morfologi spora *Pityrogramma calomelanos* (L.) Tautan(Pteridaceae). *Turczaninovia.* 20(3): 95-120.
- Waluyo, L. (2008). *Teknik metode dasar mikrobiologi.* Malang: Malang Press.
- Yan, S., Mingyuan, Z., Hong, W., Huawei, Z. (2022). *Micromonospora:* a prolific source of bioactive secondary metabolites with therapeutic potential. *Journal of medicinal chemistry.* 65(13): 8735-8771.
- Yanti, Y., Trimurti, H., Zurai, R., Dewi, S. (2013). Penapisan isolat rizobakteri dari perakaran tanaman kedelai yang sehat untuk pengendalian penyakit pustul bakteri (*Xanthomonas axonopodis PV. Glycines*). *J. HPT Tropika.* 13(1): 24 – 34.
- Yolla, A.S., Fitri, D., & Efri, G. (2022). Keanekaragaman tumbuhan paku terestrial dikawasan Hutan Pinus Gunung Pancar, Bogor. *Biological science and education journal.* 2(1): 63-71.
- Yusna, M., Nery, S., & Fitmawati. (2016). Keanekaragaman Pteridaceae berdasarkan karakter morfologi dan fitokimia dihutan PT. Chevron Pacific Indonesia (PT. CPT) Rumbai. *Jurnal Riau biologi.* 1(2): 165-176.