

## DAFTAR PUSTAKA

- Adelina, R. (2013). Study of Indonesian Medicinal Plants Potentially as Antidepressants. *Pusat Biomedis Dan Teknologi Dasar Kesehatan,Badan Litbang Kesehatan, Kemenkes RI*, 3(1), 9–18.
- Adelita, Indria Putri; Dharmono, D. (2018). *Keanekaragaman Genus Tumbuhan Dari Famili Fabaceae Di Kawasan Hutan Pantai Tabanio Kabupaten Tanah Laut Kalimantan Selatan.*
- Afrianto, W. F., TAMNGE, F., & HASANAH, L. N. (2020). Review: A relation between ethnobotany and bioprospecting of edible flower Butterfly Pea (*Clitoria ternatea*) in Indonesia. *Asian Journal of Ethnobiology*, 3(2), 51–61. <https://doi.org/10.13057/asianjethnobiol/y030202>
- Ahmed, B. (2007). *Chemistry Of Natural Products.* Department of Pharmaceutical Chemistry Faculty of Science Jamia Hamdard.
- Alexander Kosasi. (2023). *Perbedaan Aktivitas Antioksidan Ekstrak Etanol Bunga Telang (Clitoria Ternatea L.), Senyawa Antosianin Dan Mirisetin (Metode Abts).*
- Al-snafi, A. E. (2016). Pharmacological importance of *Clitoria ternatea* – A review Pharmacological importance of *Clitoria ternatea* – A review Prof Dr Ali Esmail Al-Snafi. *IOSR Journal of Pharmacy*, 6(3), 68–83.
- Al-Snafi, P. D. A. E. (2016). Medicinal plants with central nervous effects (part 2): plant based review. *IOSR Journal of Pharmacy (IOSRPHR)*, 06(08), 52–75. <https://doi.org/10.9790/3013-068015275>
- Amalia, A., Sari, I., & Nursanty, R. (2017). Aktivitas Antibakteri Ekstrak Etil Asetat Daun Sembung (*Blumea balsamifera* (L.) DC.) terhadap Pertumbuhan Bakteri Methicillin Resistant *Staphylococcus aureus* (MRSA). *Jurnal UIN Ar-Raniry*, 5(1), 387–391.
- Ansel. (1989). *Pengantar Bentuk Sediaan Farmasi* (IV, pp. 616–617). Universitas Indonesia Press.
- Arafah, A. F., Triana, V., & Murniwati, M. (2015). Uji Efektivitas Ekstrak Buah Jeruk Nipis (*Citrus aurantifolia*) dalam Menghambat Pertumbuhan Bakteri *Enterococcus faecalis* Secara In Vitro. *Andalas Dental Journal*, 3(2), 105–

112. <https://doi.org/10.25077/adj.v3i2.109>
- Asparinda, I., & Juwitaningsih, T. (2020). Toksisitas Fraksi Non Polar Gal Manjakani (*Quercus infectoria*). *Acta Pharm Indo*, 8(2), 69–79.
- Azis Saifudin. (2014). *Senyawa Alam Metabolit Sekunder Teori, Konsep, dan Teknik Pemurnian*.
- Bahashwan, S. A., & Shafey, H. M. El. (2013). Antimicrobial resistance patterns of proteus isolates from clinical specimens. *European Scientific Journal*, 9(27), 1857–788. <http://eujournal.org/index.php/esj/article/view/1819/1809>
- Balai Penelitian Tanaman Rempah dan Obat. (2020). *Selain Cantik Ini Segudang Manfaat Bunga Telang*.
- Balouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71–79. <https://doi.org/10.1016/j.jpha.2015.11.005>
- Brooks, GF., Carroll KC, Butel JS, M. (2013). *Mikrobiologi Kedokteran* (25th ed.). Kedokteran EGC.
- Budiasih Kun Sri. (2017). Kajian potensi farmakologis bunga telang (*Clitoria ternatea*). In *Prosiding Seminar Nasional Kimia UNY*, 21, 183–188.
- Campbell, S. M., Pearson, B. J., & Christopher Marble, S. (2020). Substrate type and temperature on germination parameters of butterfly PEA. *HortTechnology*, 30(3), 398–403. <https://doi.org/10.21273/HORTTECH04583-20>
- Cavalieri, S.J., I.D. Rankin., R.J. Harbeck., R.S. Sautter., Y.S. McCarter., S.E. Sharp., J.H. Ortez., dan C. A. S. (2005). *Manual of Antimicrobial Susceptibility Testing*. American Society for Microbiology.
- Chakraborty GS, Kumar V, Gupta S, Kumar A1, Gautam N, K. L. (2018). Phytochemical and Pharmacological Aspects of *Clitoria Ternatea*- a Review. *Journal of Applied Pharmaceutical Sciences and Research*, 1(2), 3–9. <https://doi.org/10.31069/japsr.v1i2.13061>
- Chusniasih, D., & Tutik, T. (2020). Uji Toksisitas Dengan Metode Brine Shrimp Lethality Test (Bslt) Dan Identifikasi Komponen Fitokimia Ekstrak Aseton Kulit Buah Kakao (*Theobroma cacao* L.). *Analit: Analytical and Environmental Chemistry*, 5(02), 192–201.

<https://doi.org/10.23960/aec.v5.i2.2020.p192-201>

- Cushnie, T. P. T., & Lamb, A. J. (2005). Antimicrobial activity of flavonoids. *International Journal of Antimicrobial Agents*, 26(5), 343–356. <https://doi.org/10.1016/j.ijantimicag.2005.09.002>
- Dalimartha. (2008). *Atlas Tumbuhan Obat Indonesia* (Jilid 2). PT. Pustaka Pembangunan Swadaya Nusantara.
- Dalimartha, S & Adrian, F. (2013). *Ramuan Herbal Tumpas Penyakit*. Penebar Swadaya.
- Dalton Fidel Tabeo, Nurlina Ibrahim, A. W. N. (2019). Etnobotani Suku Togian Di Pulau Malenge Kecamatan Talatako, Kabupaten Tojo Una-Una, Sulawesi Tengah. *Biocelebes*, 13(9), 30–37.
- Damodaran, T., Tan, B. W. L., Liao, P., Ramanathan, S., Lim, G. K., & Hassan, Z. (2018). *Clitoria ternatea* L. root extract ameliorated the cognitive and hippocampal long-term potentiation deficits induced by chronic cerebral hypoperfusion in the rat. *Journal of Ethnopharmacology*, 224, 381–390. <https://doi.org/10.1016/j.jep.2018.06.020>
- Departemen Kesehatan RI. (2000). *Acuan Sediaan Herbal*. Direktorat Jendral POM-Dekkes RI.
- Dian Riana Ningsih, Zusfahair, D. K. (2016). Identifikasi Senyawa Metabolit Sekunder Serta Uji Aktivitas Ekstrak Daun Sirsak Sebagai Antibakteri. *Molekul*, 11(1), 101–111.
- Dwidjoseputro, D. (1998). *Dasar-Dasar Mikrobiologi* (13th ed.). Djambatan.
- Dzoyem, J. P., Nkuete, A. H. L., Kuete, V., Tala, M. F., Wabo, H. K., Guru, S. K., Rajput, V. S., Sharma, A., Tane, P., Khan, I. A., Saxena, A. K., Laatsch, H., & Tan, N. H. (2012). Cytotoxicity and antimicrobial activity of the methanol extract and compounds from *Polygonum limbatum*. *Planta Medica*, 78(8), 787–792. <https://doi.org/10.1055/s-0031-1298431>
- Endang Christine Purba. (2020). Kembang telang (*Clitoria ternatea* L.): pemanfaatan dan bioaktivitas. *EduMatSains*, 4(2), 111–124.
- Erkmen, O. B. (2016). *Food Microbiology : Principles into Practice*. 1. Wiley.
- European Food Safety Authority (EFSA). (2022). Notification of dried flowers of *Clitoria ternatea* L. as a traditional food from a third country pursuant to

- Article 14 of Regulation (EU) 2015/2283. *EFSA Supporting Publications*, 19(2). <https://doi.org/10.2903/sp.efsa.2022.en-7084>.
- Evans, S. M., & Cowan, M. M. (2016). Plant products as antimicrobial agents. *Cosmetic and Drug Microbiology*, 12(4), 205–231. <https://doi.org/10.3109/9781420019919-17>
- Fauziah, W. . (2015). *Uji Aktivitas Antimikroba Ekstrak Etanol Daun, Kulit Dan Biji Kelengkeng (Euphoria longan L.) Terhadap Pertumbuhan Saccharomyces cerevisiae Dan Lactobacillus plantarum Penyebab Kerusakan Nikra Siwalan (Borassus flabellifer L.)* [Universitas Islam Negeri Maulana Malik Ibrahim Malang]. <http://etheses.uin-malang.ac.id/3251/>
- Ganiswara, G. . (1995). *Farmakologi dan Terapi* (4th ed.). Universitas Indonesia Press.
- Gollen B, Mehla J, & Gupta P. (2018). Clitoria ternatea Linn: A Herb with Potential Pharmacological Activities: Future Prospects as Therapeutic Herbal Medicine. *Journal of Pharmacological Reports*, 3(1), 4–5.
- Gomez, S. M., & . A. K. (2003). Butterfly Pea (Clitoria ternatea): A Nutritive Multipurpose Forage Legume for the Tropics - An Overview. *Pakistan Journal of Nutrition*, 2(6), 374–379. <https://doi.org/10.3923/pjn.2003.374.379>
- Gulewicz, P., Martinez-Villaluenga, C., Kasprowicz-Potocka, M., & Frias, J. (2014). Non-nutritive compounds in Fabaceae family seeds and the improvement of their nutritional quality by traditional processing - A review. *Polish Journal of Food and Nutrition Sciences*, 64(2), 75–89. <https://doi.org/10.2478/v10222-012-0098-9>
- Hawari, H., Pujiasmanto, B., & Triharyanto, E. (2022). Morfologi dan kandungan flavonoid total bunga telang (Clitoria Ternatea L.) di berbagai ketinggian. *Kultivasi*, 21(1), 88–96. <https://doi.org/10.24198/kultivasi.v21i1.36327>
- Husna, A., Lubis, Y. M., & Erika, C. (2022). Ekstraksi pewarna alami dari bunga telang (Clitoria ternatea L.) Dengan variasi jenis pelarut dan lama ekstraksi Extraction of Natural Coloring from Telang Flower (Clitoria ternatea L.) With Variation of Solvent Type and Extraction Times. *Jurnal Ilmiah Mahasiswa Pertanian*, 7(2), 410–418.

- Husni, E., Suharti, N., & Atma, A. P. T. (2018). Characterization of crude drugs and henna leaves extract (*Lawsonia inermis* Linn) and determination of total phenolic content and antioxidant activity test. *Jurnal Sains Farmasi & Klinis*, 5(1), 12–16.
- Inayati, H. (2007). *Potensi Antibakteri Ekstrak Daun Kedondong Bangkok*. Departemen Biologi FMIPA. Institut Pertanian Bogor.
- Indriasari, Y., & Kumalaningsih, S. (2016). Effect of blanching on saponins and nutritional content of moringa leaves extract. *Journal of Food Research*, 5(3), 55–60.
- Irianto, K. (2014). *Bakteriologi medis, mikologi medis, dan virologi medis*. Alfabeta.
- Isnaini Marfuah, Eko Nurcahya Dewi, L. R. (2018). Kajian Potensi Ekstrak Anggur Laut (*Caulerpa Racemosa*) Sebagai Antibakteri Terhadap Bakteri *Escherichia Coli* Dan *Staphylococcus Aureus*. *J. Peng. & Biotek. Hasil Pi.*, 7(1), 430–439.
- Jawetz, E., J. . M. and E. A. (1995). *Medical Microbiology*. Apleton and Lange.
- Juita, S., Putri, B., Juwitaningsih, T., Dumariris, I., Simorangkir, M., & Roza, D. (2021). *Phytochemical Screening and Antibacterial Activity , Antilarvacides and Toxicity Test of Acetone Extract Pulutan Leave ( Urena lobata )*. 15(1), 56–63.
- Juwitaningsih, T., Jahro, I. S., & Sari, S. A. (2020). Evaluation of north sumatera cardamom seed (*amomum compactum*) extract as antibacterial and anticancer. *Journal of Physics: Conference Series*, 1485(1). <https://doi.org/10.1088/1742-6596/1485/1/012019>
- Kamilla, L., Mnsor, S. M., Ramanathan, S., & Sasidharan, S. (2009). Antimicrobial activity of *Clitoria ternatea* (L.) extracts. *Pharmacologyonline*, 1, 731–738.
- Kanwar, A. S. (2007). Brine shrimp (*artemia salina*) a marine animal for simple and rapid biological assays. *Journal of Chinese Clinical Medicine*, 2(4), 236–240.
- Kar, A. (2003). *Pharmacognosy and Pharmacobiotechnology*. International Limited Publishers.

- Kazuma, K., Noda, N., & Suzuki, M. (2003). Malonylated flavonol glycosides from the petals of *Clitoria ternatea*. *Phytochemistry*, 62(2), 229–237.  
[https://doi.org/10.1016/S0031-9422\(02\)00486-7](https://doi.org/10.1016/S0031-9422(02)00486-7)
- Kelemu, S., Cardona, C., & Segura, G. (2004). Antimicrobial and insecticidal protein isolated from seeds of *Clitoria ternatea*, a tropical forage legume. *Plant Physiology and Biochemistry*, 42(11), 867–873.  
<https://doi.org/10.1016/j.plaphy.2004.10.013>
- Khoir, N. L. M. (2018). *Kemampuan Ekstrak Jahe Merah (Zingiber Officinale Rosc Var Rubrum) Sebagai Antibakteri Enterococcus Faecalis In Vitro (Perbandingan Dengan Bahan Sterilisasi Saluran Akar Gigi Endoseptone)* (Skripsi). Universitas Muhammadiyah Semarang.
- Kosai, P., Sirisidhi, K., Jiraungkoorskul, K., & Jiraungkoorskul, W. (2015). Review on ethnomedicinal uses of memory boosting herb, butterfly pea, *clitoria ternatea*. *Journal of Natural Remedies*, 15(2), 71–76.  
<https://doi.org/10.18311/jnr/2015/480>
- Kurniawan, H., & Ropiqa, M. (2021). Uji Toksisitas Ekstrak Etanol Daun Ekor Kucing (*Acalypha hispida* Burm.f.) Dengan Metode Brine Shrimp Lethality Test (BSLT). *Journal Syifa Sciences and Clinical Research*, 3(2), 52–62.  
<https://doi.org/10.37311/jsscr.v3i2.11398>
- Kusuma, A. D. (2019). Potensi teh bunga telang (*clitoria ternatea*) sebagai obat pengencer dahak herbal melalui uji mukositas. *Risenologi*, 4(2), 65–73.  
<https://doi.org/10.47028/j.risenologi.2019.42.53>
- Lay, B. H. (1994). *Analisis Mikroba di Laboratorium*. PT. Raja Grafindo Persada.
- Lewis, G. P., Schrire, B., Mackinder, B., & Lock, M. (2005). *Legumes of the World*.
- Madduluri, S., Rao, K. B., & Sitaram, B. (2013). In vitro evaluation of antibacterial activity of five indigenous plants extract against five bacterial pathogens of human. *International Journal of Pharmacy and Pharmaceutical Sciences*, 5(4), 679–684.
- Manjula, P., Mohan, C. H., Sreekanth, D., Keerthi, B., & Devi, B. P. (2013). Phytochemical Analysis of *Clitoria Ternatea* Linn., a Valuable Medicinal Plant. *J. Indian Bot. Soc*, 92(4), 173–178.

- Mansur Ibrahim, Akhyar Anwar, N. I. Y. (2012). *Lethal Dose 50 % ( LD50 ) Tests of Poliherbal ( Curcuma Xanthorrhiza , Kleinhovia hospita , Nigella sativa , Arcangelisia flava and Ophiocephalus striatus ) on Heparmin ® in Mice ( Mus muscul ). October.*
- Marpaung, A. M. (2020). Tinjauan manfaat bunga telang (*clitoria ternatea l.*) bagi kesehatan manusia. *Journal of Functional Food and Nutraceutical*, 1(2), 63–85. <https://doi.org/10.33555/jffn.v1i2.30>
- Meyer, B. N., Ferrigni, N. R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E., & McLaughlin, J. L. (1982). Brine shrimp: A convenient general bioassay for active plant constituents. *Planta Medica*, 45(1), 31–34. <https://doi.org/10.1055/s-2007-971236>
- Misna, M., & Diana, K. (2016). AKTIVITAS ANTIBAKTERI EKSTRAK KULIT BAWANG MERAH (*Allium Cepa L.*) TERHADAP BAKTERI *Staphylococcus Aureus*. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)* (e-Journal), 2(2), 138–144. <https://doi.org/10.22487/j24428744.2016.v2.i2.5990>
- Muaja, A. D., Koleangan, H. S. J., & Runtuwene, M. R. J. (2013). *Uji Toksisitas dengan Metode BSLT dan Analisis Kandungan Fitokimia Ekstrak Daun Soyogik ( Saurauia bracteosa DC ) dengan Metode Soxhletasi*. 2(2), 115–118.
- Mudjiman. (1983). *Udang Renik Air Asin (Artemia salina)*. Bhatara.
- Mujahid, Awal & Nita. (2011). Maserasi sebagai alternatif ekstraksi pada penetapan kadar kurkuminoid simplisia temulawak (*Curcuma xanthorrhiza Roxb*). *Jurnal Ilmu Farmasi & Farmasi Klinik*, 18–23.
- Mukhriani. (2014). Ekstraksi, Pemisahan Senyawa, Dan Identifikasi Senyawa Aktif. *Jurnal Agripet*, 7(2), 361–367. <https://doi.org/10.17969/agripet.v16i2.4142>
- Mukherjee, P. K., Kumar, V., Kumar, N. S., & Heinrich, M. (2008). The Ayurvedic medicine *Clitoria ternatea*-From traditional use to scientific assessment. *Journal of Ethnopharmacology*, 120(3), 291–301. <https://doi.org/10.1016/j.jep.2008.09.009>
- Natheer, S. E., Sekar, C., Amutharaj, P., Rahman, M. S. A., & Khan, K. F. (2012).

- Evaluation of antibacterial activity of Morinda citrifolia , Vitex trifolia and Chromolaena odorata.* 6(11), 783–788. <https://doi.org/10.5897/AJPP11.435>
- Novitasari, A. E., & Putri, D. Z. (2016). Isolasi dan Identifikasi Saponin pada Ekstrak Daun Mahkota Dewa Dengan Ekstraksi Maserasi. *Jurnal Sains*, 6(12), 10–14.
- P. Michael Davidson, John N. Sofos, A. L. B. (1993). *Antimicrobials in Food* (2nd ed.). Marcel Dekker, Inc.
- Panjaitan, R. B. (2011). *Uji Toksisitas Akut Ekstrak Kulit Batang Pulasari (Alyxiae Cortex) Dengan Metode Brine Shrimp Lethality Test (Bst)*. Skripsi.
- Pangestuti, I. E., Summardianto, & Amalia, U. (2017). Skrining senyawa fitokimia rumput laut *Sargassum* sp. dan aktivitasnya sebagai antibakteri terhadap *Staphylococcus aureus* and *Escherichia coli*. *Indonesian Journal of Fisheries Science and Technology (IJFST)*, 12(2), 98–102.
- Parasuraman, S. (2011). Toxicological screening. *Journal of Pharmacology and Pharmacotherapeutics*, 2(2), 74–79. <https://doi.org/10.4103/0976-500X.81895>
- Parija, S. C. (2012). Antibiotic resistance pattern among common bacterial uropathogens with a special reference to ciprofloxacin resistant *Escherichia coli*. *Indian Journal of Medical Research*, 136 (5), 842–849.
- Pelczar, M.J., and E. C. S. C. (1988). *Dasar-Dasar Mikrobiologi Jilid 1 dan Jilid 2*. UI Press.
- Priyanti, P., & Irsyam, A. S. D. (2017). Suku Fabaceae Di Kampus Universitas Islam Negeri Syarif Hidayatullah, Jakarta, Bagian 2: Tumbuhan Polong Berperawakan Terna. *Al-Kauniyah: Jurnal Biologi*, 10(1). <https://doi.org/10.15408/kauniyah.v10i1.4872>
- Purwanto, U. M. S., Aprilia, K., & Sulistiyan. (2022). Antioxidant Activity of Telang (*Clitoria ternatea* L.) Extract in Inhibiting Lipid Peroxidation. *Current Biochemistry*, 9(1), 26–37. <https://doi.org/10.29244/cb.9.1.3>
- Puspitasari, A. D., & Prayogo, L. S. (2017). Perbandingan metode ekstraksi maserasi dan sokletasi terhadap kadar fenolik total ekstrak etanol daun kersen (*Muntingia calabura*). *Jurnal Ilmiah Cendekia Eksakta*, 1(2), 1–8.
- Putri, M. K. D., Pringgenies, D., & Radjasa, O. K. (2012). Uji fitokimia dan

- toksisitas ekstrak kasar gastropoda (*Telescopium telescopium*) terhadap larva *Artemia salina*. *Journal of Marine Research*, 1(2), 58–66.
- Rafiqah, R., Mastura, M., & Hasibuan, M. . (2019). Uji Toksisitas Fraksi Etanol Tanaman Obat yang Digunakan Masyarakat Menggunakan Metode Brine Shrimp Lethality Test. *Chemica : Jurnal Pendidikan Kimia Dan Ilmu Kimia*, 2(1), 14–20.
- Rohman, F. (2007). *Aktivitas Antibakteri Filtrat Bunga Telang (Clitoria ternatea.L) Terhadap Bakteri Penyebab Konjungtivitas*.
- Saputra. (2008). *Karakterisasi biji kamandrah (Croton tiglium L.) dan pengembangan teknologi proses ekstrak terstandar sebagai bahan laksatif*.
- Setianto, R. H. B. (2009). *Deteksi dan Uji Toksisitas LC50 Senyawa Aflatoksin B1, B2, G1, G2 Pada Kacang Tanah (Arachis hypogaea L.)*. Departemen Biokimia FMIPA. IPB.
- Shashi Alok, Nitika Gupta, A. K. and A. M. (2015). *an Update on Ayurvedic Herb Vishnukanta (Clitoria Ternatea Linn.)*. 1(1), 9–25.  
[https://doi.org/10.13040/IJPSR.0975-8232.IJLSR.1\(1\).1-9](https://doi.org/10.13040/IJPSR.0975-8232.IJLSR.1(1).1-9)
- Singh, N. K., Garabadu, D., Sharma, P., Srivastava, S. K., & Mishra, P. (2018). Anti-allergy and anti-tussive activity of *Clitoria ternatea* L. in experimental animals. In *Journal of Ethnopharmacology* (Vol. 224). Elsevier Ireland Ltd.  
<https://doi.org/10.1016/j.jep.2018.05.026>
- Soemirat, J. (2005). *Toksikologi Lingkungan*. Gadjah Mada University Press.
- Soetan, K. O., Oyekunle, M. A., Aiyelaagbe, O. O., & Fafunso, M. A. (2006). Evaluation of the antimicrobial activity of saponins extract of Sorghum Bicolor L. Moench. *African Journal of Biotechnology*, 5(23), 2405–2407.
- Sopandi. (2018). *Tanaman Obat Tradisional (Jilid II)*. PT. Sarana Pancakarya Nusa.
- Suganda, T., Komalasari, P., Yulia, E., & Natawigena, W. D. (2020). Uji In Vitro Keefektifan Ekstrak Air Daun Dan Bunga Kembang Telang (*Clitoria ternatea* L.) terhadap Jamur Alternaria solani Penyebab Penyakit Bercak Coklat pada Tanaman Tomat. *Agrikultura*, 31(2), 88.  
<https://doi.org/10.24198/agrikultura.v31i2.28909>
- Suhirman, S., Hernani, & Syukur, C. (2006). Uji Toksisitas Ekstrak Lempuyang

- Gajah (*Zingiber zerumbet*) Terhadap Larva Udang (*Artemia salina Leach.*). *Bul. Litro*, XVII(1), 30–38.
- Sulistyo. (1971). *Farmakologi dan Terapi*. EKG.
- Sutara, P. K. (2013). Jenis Tumbuhan Dan Penggunaannya Pada Upacara Memukur Di Desa Beng, Gianyar- Bali. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Sutedi, E. (2014). Potency Of *Clitoria Ternatea* As Forage For Livestock. *Indonesian Bulletin of Animal and Veterinary Sciences*, 23(2), 51–62. <https://doi.org/10.14334/wartazoa.v23i2.715>
- Suwandi, U. (1992). *Mekanisme Kerja Antibiotik*. Cermin Dunia Kedokteran. *Pusat Penelitian dan Pengembangan*. P.T. Kalbe Farma.
- Toksisitas, U., Artemia, U., Ekstrak, L., Variasi, M., & Pelarut, J. (2021). *Alchemy : journal of chemistry*.
- Theresia. (2020). *Identifikasi Bakteri *Proteus Vulgaris* Pada Telur Itik Yang Dijual Di Pasar Tradisional Kota Makassar*.
- Tita, J., Siti, J. I., Adelila, S. S., & Yaya, R. (2020). *Antibacterial activity of various medicinal plants in North Sumatra against common human pathogens*. 24(1), 99–105.
- Vogel, A. I. (1987). *Textbook of Practical Organic Chemistry*. Revised by Furries B.S. (2nd Editio).
- Vogel, A. I. (2022). *Textbook of Practical Organic Chemistry*. Revised by Furries B.S. (Issue 8.5.2017).
- Widodo, A., Khumaidi, A., & A. Lasongke, P. F. (2019). Toksisitas Ekstrak Etanol dan Ekstrak Air dari Daun Jotang Kuda (*Synedrella nodiflora* (L.) Gaertn.), Daun Gandarusa (*Justicia Gendarussa Burm.F.*), dan Daun Pulutan (*Urena lobata* L.) dengan Brine Shrimp Lethality Test. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 5(2), 198–205. <https://doi.org/10.22487/j24428744.2019.v5.i2.13935>
- Yulianingtyas dan Bambang. (2016). Optimasi Volume Pelarut Dan Waktu Maserasi Pengambilan Flavonoid Daun Belimbing Wuluh Optimization Of Solvent Volume And Maceration Time On Extraction Of Flavonoids From *Averrhoa Bilimbi* Leaves. *Jurnal Teknik Kimia*, 10(2), 58–64.

Zuhud, E. A. M. (2009). *Potensi Hutan Tropika Indonesia Sebagai Penyangga Bahan Obat Alam Untuk Kesehatan Bangsa.*

