

Daftar Pustaka

- Abdel-Rahman, S. S. A., & Abdel-Kader, A. A. S. (2020). Response of Fennel (*Foeniculum vulgare*. Mill) plants to foliar application of moringa leaf extract and benzyladenine (BA). *South African Journal of Botany*, 129, 113–122. <https://doi.org/10.1016/j.sajb.2019.01.037>
- Achard, P., et al. (2009). Gibberellin Signaling Controls Cell Proliferation Rate in Arabidopsis. *Current Biology*, 19(14), 1188–1193. <https://doi.org/10.1016/j.cub.2009.05.059>
- Aiman, M., & Numba, S. (2022). Daya Multiplikasi Tunas Kentang Secara In Vitro dalam Media Dasar Murashige and Skoog (MS) dengan Penambahan Suplemen Ekstrak Tomat dan Air Kelapa. *Jurnal Agrotekmas*, 3(1), 21–29. <https://jurnal.fp.umi.ac.id/index.php/agrotekmas>
- Aisyah, & Mawardi, N. (2016). Budidaya Kentang di Dataran Tinggi Gayo Tahun 1945-2015. *Jurnal Ilmiah Mahasiswa Pendidikan Sejarah*, 1(1), 156–171.
- Amriyanti, F. L., & Purity, S. A. (2019). Aplikasi Sari Daun Kelor Sebagai Zat Pengatur Tumbuh Organik Terhadap Pertumbuhan Dan Kadar Klorofil Tanaman Kedelai (*Glycine max* (L.) Merr.). *In Stigma*, 12(2).
- Anis, M., & Ahmad, N. (2016). Plant tissue culture: Propagation, conservation and crop improvement. In *Plant Tissue Culture: Propagation, Conservation and Crop Improvement*. Springer Singapore. <https://doi.org/10.1007/978-981-10-1917-3>
- Astarini, I. A., Margareth, D., & Maya Temaja, I. G. R. (2018). In vivo thermotherapy: Attempt to eliminate virus in potato tuber. *IOP Conference Series: Earth and Environmental Science*, 130(1). <https://doi.org/10.1088/1755-1315/130/1/012021>
- Astutik. (2008). Penggunaan Air Kelapa dalam Kultur Jaringan Pisang. *Buana Sains*, 8(1), 67–72.
- Badan Pusat Statistik. (2020). *Statistik Tanaman Sayuran dan Buah - buahan Semusim* (E. Susilawati & Sri Wahyuningsih, Eds.; 1st ed.). Pusat Data dan Sistem Informasi Pertanian.
- Baday, Saja. J. S. (2018). International Journal of Agriculture and Environmental Research Plant Tissue Culture. *International Journal of Agriculture and Enviromental Research*, 4(4), 977–989. www.ijaer.in

- Barus, E. M., & Restuati, Martina. (2018). Pengaruh Media Kultur Pada Planlet Kentang *Solanum tuberosum* L. Terhadap Totipotensi Pertumbuhan Tunas. *JIFI (Jurnal Ilmiah Farmasi Imelda)*, 1(2), 51–56.
- Basra, S. M. A., & Lovatt, C. J. (n.d.). (2016). Exogenous Applications of Moringa Leaf Extract and Cytokinins Improve Plant Growth, Yield, and Fruit Quality of Cherry Tomato. *Horttecnology*, 26(3), 327-337.
- Basri, A. H. H. (2016). Kajian Pemanfaat Kultur Jaringan dalam Perbanyak Tanaman Bebas Virus. *Agrica Ekstensi*, 10(1), 6473.
- Bastian, M. F. , & M. M. M. (2022). Perbedaan Kadar Kalium dalam Kentang Merah dan Kentang Kuning (*Solanum tuberosum* L.) Menggunakan Spektrofotometri Serapan Atom. *Jurnal Ilmiah Pharmacy*, 9(2), 119–129.
- Bhoite, H. A., & Palshikar, G. S. (2014). Plant Tissue Culture: A Review. *World Journal of Pharmaceutical Sciences*, 2(6), 565–572. <http://www.wjpsonline.org/>
- Biswas, A., Hoque, T., & Abedin, M. (2016). Effects of moringa leaf extract on growth and yield of maize. *Progressive Agriculture*, 27(2), 136–143. <https://doi.org/10.3329/pa.v27i2.29322>
- Boston, A. et al. (2013). *Plant Tissue Culture Techniques and Experiments Third edition*. www.elsevierdirect.com/rights
- Brenner, W. G., & Schmölling, T. (2012). Transcript profiling of cytokinin action in Arabidopsis roots and shoots discovers largely similar but also organ-specific responses. *BMC Plant Biology*, 12. <https://doi.org/10.1186/1471-2229-12-112>
- Cahyati, S., Mayta Novaliza Isda, & Wahyu Lestari. (2016). Induksi Tunas dari Eksplan Kotiledon dan Epikotil In Vitro Jeruk Siam (*Citrus nobilis* Lour.). *Jurnal Riau Biologia*, 1(5), 31–38.
- Chamida Madina, E. I., & Koesriharti, K. (2023). Pengaruh Media Tanam dan Ekstrak Daun Kelor (*Moringa oleifera*) terhadap Pertumbuhan dan Hasil Tanaman Pakcoy (*Brassica rapa* var. *chinensis*) dengan Sistem Hidroponik Substrat. *Plantropica: Journal of Agricultural Science*, 8(1), 62–70. <https://doi.org/10.21776/ub.jpt.2023.008.1.7>

- Culver, M., Tagwira Fanuel, & Chiteka Albert Zvenhamo. (2012). Effect of Moringa oleifera leaf aqueous extract on growth and yield of rape and cabbage. *African Journal Of Biotechnology*, 11(73). <https://doi.org/10.5897/ajb12.942>
- Elkazzaz, A. (2015). Micropropagation of four potato cultivars in vitro. *Academia Journal of Agricultural Research*, 3(9), 184–188. <https://doi.org/10.15413/ajar.2015.0145>
- Emongor, V. (2015). Effects of Moringa (Moringa Oleifera) Leaf Extract on Growth, Yield and Yield Components of Snap Beans (Phaseolus vulgaris). *British Journal of Applied Science & Technology*, 6(2), 114–122. <https://doi.org/10.9734/bjast/2015/14795>
- Fauzi, D. (2018). Analisa Tingkay Keuntungan Petani Kentang Merah di Kabupaten Solok. *Menara Ilmu*, 11(9), 32–39.
- Foidl N, Makkar H.P.S., & Becker K. (2001). The Potential of Moringa Oleifera for Agricultural and Industrial Uses. In *What development potential for Moringa products*.
- Guade Yalemtesfa Firew. (2017). The Effect of Plant Growth Hormones (Auxins and Citokinins) on In-Vitro Shooting and Rooting Ability of Potato Nodal Culture. *European Journal of Biomedical and Pharmaceutical Sciences*, 4(5), 489–493. <https://www.researchgate.net/publication/349098272>
- Halimah Larekeng, S. (2012). Optimasi Kombinasi NAA dan GA 3 Planlet Kentang Secara In Vitro. *Jurnal Galung Tropika*, 24–29.
- Hapsoro, D., & Yusnita. (2018). *Kultur Jaringan-Teoridan Praktik* (A. Pramesta, Ed.; 1st ed.). Yogyakarta: Andi Ofset.
- Harahap, F., & Nusyirwan, D. (2014). Induksi Tunas Nanas (Ananas comosus) In Vitro dengan Pemberian Dosis Auksin dan Sitokinin yang Berbeda. *Jurnal Saintika*, 14(2), 113–120.
- Harahap, F., Sinuraya, K. B., Syarifuddin, S., Suriani, C., Ningsih, A. P., Edi, S., & Nusyirwan, N. (2023). The Effect of IAA and BAP on Root Induction of Cattleya Orchids. *Jurnal Pembelajaran Dan Biologi Nukleus*, 9(2), 387–397. <https://doi.org/10.36987/jpbn.v9i2.4481>
- Harahap, M. S., Harahap, F., Edi, S., & Rosmayati. (2020). In vitro multification of dendrobium sp. with plant growth regulator. *Journal of Physics: Conference Series*, 1485(1). <https://doi.org/10.1088/1742-6596/1485/1/012041>

- Hongbao, M. (2019). Totipotent of Stem Cell. *Academia Arena*, 11(1), 174–177. <https://doi.org/10.7537/marsaaj110119.06>
- Hoque, T. S., et al. (2022). Application of moringa leaf extract improves growth and yield of Tomato (*Solanum lycopersicum*) and Indian Spinach (*Basella alba*). *Plant Science Today*, 9(1), 137–143. <https://doi.org/10.14719/pst.1353>
- Huda, A. H., Fauziyah Harahap, & Syahmi Edi. (2017). Analysis of Biological Difficulties in Studying Tissue Culture at Medan State University. *International Journal of Humanities, Social Sciences and Education*, 4(11). <https://doi.org/10.20431/2349-0381.0411007>
- Husna, et al. (2014). Pertumbuhan dan Perkembangan Nodus Kentang (*Solanum tuberosum* L.) Akibat Modifikasi Konsentrasi Sukrosa dan Penambahan 2-Isopenteniladenin Secara In Vitro. The Growth and Development of Potato (*Solanum tuberosum* L.) Nodes as Modification of Sucrose Concentration and Addition of 2-Isopenteniladenine by Using In Vitro Methode. *Jurnal Online Agroekoteknologi*, 2(3), 997–1003.
- Imanudin. (2016). *Pengaruh Penambahan Air Rebusan Kentang (Solanum tuberosum L.) BAP dan NAA Terhadap Induksi Tunas Jati Emas (Cordia subcordata) Secara In Vitro*. Report. Universitas Muhammadiyah Yogyakarta. Yogyakarta.
- Iqbal, J., et al. (2020). Comparative study of water extracts of Moringa leaves and roots to improve the growth and yield of sunflower. *South African Journal of Botany*, 129, 221–224. <https://doi.org/10.1016/j.sajb.2019.06.032>
- Iqbal, M. A. (2015). Improving Germination and Seedling Vigour of Cowpea (*Vigna unguiculata* L.) with Different Priming Techniques. *J. Agric. & Environ. Sci*, 15(2), 265–270. <https://doi.org/10.5829/idosi.ajeaes.2015.15.2.12508>
- Ismadi, et al. (2021). Karakterisasi Morfologi dan Hasil Tanaman Kentang Varietas Granola dan Kentang Merah yang Dibudidayakan di Bener Meriah Provinsi Aceh. *Jurnal Agrium*, 18(1), 6371.
- Ismono, D. (2019). Pengaruh Jenis Zpt Alami Dan Asal Biji Terhadap Perkecambahan Dan Pertumbuhan Bibit Kakao (*Theobromonas Cocoa* L.). *Jurnal Pengaruh Jenis Zpt Alami Dan Asal Biji Terhadap Perkecambahan Dan Pertumbuhan Bibit Kakao (Theobromonas Cocoa L.)*, 1(1), 1–9.

- Jamilah, Pendra Fauzi, & Aslan Sari Thesiwati. (2022). Peranan Pupuk Cair Asal Inokulan *Trichoderma* sp pada Budidaya Tanaman Kentang Merah Semi Organik. *J.Solum* , 19(1), 34–42. <https://doi.org/10.25077/jsolum.19.1.34-42.2022>
- Kadam, J. R., et al. (2018). *Extraction and Detection of Zeatin from Moringa Oleifera Leaves and to Check its Crude Extract Effect on Plant Growth*. 4(9), 76–79. www.ijrst.com
- Karjadi, A. K., & Bukhori A. (2008). Pengaruh Auksin dan Sitokinin terhadap Pertumbuhan dan Perkembangan Jaringan Meristem Kentang Kultivar Granola. *J. Hort*, 18(4), 380–384.
- Krisnadi, A. D. (2015). *Kelor Super Nutrisi* (1st ed.). Blora : Kelorina.
- Kyari, Z., Bunu, A., Dauda, I., & Shehu, I. B. (2020). The Effectiveness of Moringa oleifera Leaf Extracts on The Growth and Yield of Tomato (*Solanum lycopersicon*). *International Journal of Scientific Research in Science, Engineering and Technology*, 125–129. <https://doi.org/10.32628/ijrsrset207623>
- Lestari, F. W., Suminar, E., & Mubarak, S. (2018). Pengujian berbagai eksplan kentang (*Solanum tuberosum* L.) dengan penggunaan konsentrasi BAP dan NAA yang berbeda. *Jurnal AGRO*, 5(1), 66–75. <https://doi.org/10.15575/1348>
- Mahadi. (2017). *Pengaruh Beberapa Konsentrasi NAA dan BAP Terhadap Pertumbuhan Stek Buku kentang (Solanum tuberosum L.) Pada Media MS Secara In - Vitro* Agroekoteknologi. Skripsi. Universitas Muhammadiyah Sumatera Utara. Medan.
- Maishanu, H. M., Mainasara, M. M., Yahaya, S., & Yunusa, A. (2017). The Use of Moringa Leaves Extract as a Plant Growth Hormone on Cowpea (*Vigna Anguiculata*). *Traektoria Nauki = Path of Science*, 3(12), 3001-3006. <https://doi.org/10.22178/pos.29-4>
- Marzuki, S., Muslimin, & Irmasari. (2016). Organogenesis Tanaman Jabon Merah (*Anthocephalus macrophyllus* (Roxb) Havil) Pada Berbagai Konsentarsi Kombinasi IAA (Indole Acetid Acid) dan BAP (Benzyl Amino Purin) Secara In Vitro. *Warta Rimba* , 4(1), 105–111.
- Mashamaite, C. V., et al. (2022). Assessing the Usefulness of Moringa oleifera Leaf Extract as a Biostimulant to Supplement Synthetic Fertilizers: A Review. In *Plants*, 11(17), 1-17. MDPI. <https://doi.org/10.3390/plants11172214>
- Moubayidin, L., et al. (2010). The rate of cell differentiation controls the arabidopsis root meristem growth phase. *Current Biology*, 20(12), 1138–1143. <https://doi.org/10.1016/j.cub.2010.05.035>

- Mukminah, F., Trinawaty, M., & Prihatin, T. (2021). Multiplikasi Planlet Kentang (*Solanum tuberosum* L.) Secara In Vitro pada Media MS dengan Penambahan NAA dan Air Kelapa (Multiplication of Potato (*Solanum tuberosum* L.) Planlet on MS medium with the addition of NAA and Coconut Water in Vitro). *Jur. Agroekotek*, 13(2), 213–223.
- Munggarani, M., Suminar, E., Nuraini, A., & Mubarok, S. (2018). Multiplikasi Tunas Meriklon pada Berbagai Jenis dan Konsentrasi Sitokinin. *Agrologia*, 7(2), 80–89.
- Mvumi, C., Marais, D., Ngadze, E., du Toit, E. S., & Tsindi, A. (2018). Effect of moringa extract on the leaf anatomy and yield potential of tomato infected by *Alternaria solani*. *South African Journal of Plant and Soil*, 35(5), 389–392. <https://doi.org/10.1080/02571862.2018.1446223>
- Nagar, P. K., Iyer, R. 1, & Sircar, P. K. (1982). Cytokinins in developing fruits of *Moringa pterigosperma* Gaertn. *Physiol. Plant*, 55, 45–50.
- Neumann, K.-H., Kumar, A., & Imani, J. (2020). Plant Cell and Tissue Culture – A Tool in Biotechnology. In *Plant Cell and Tissue Culture – A Tool in Biotechnology*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-49098-0>
- Nurhanis, S. E., Wulandari, R. S., & Suryantini, R. (2019a). Korelasi Konsentrasi IAA dan BAP Terhadap Kultur Jaringan Sengon (*Paraserianthes falcataria*) (Correlation of IAA and BAP Concentration to the Growth of Sengon Tissue Culture). *Jurnal Hutan Lestari*, 7(2), 857–867.
- Pandia, W. (2023). Respon Pertumbuhan Tanaman Kentang (*Solanum tuberosum* L.) Varietas Granola Secara In Vitro dengan Penambahan NAA dan BAP In Vitro Growth Response of Potato (*Solanum tuberosum* L.) Granola Variety by Addition of NAA and BAP. *Jurnal Agroteknosains*, 7(2), 227-235.
- Park, S. (2021). Media Component and Preparation. In E. Hayes (Ed.), *Plant Tissue Culture Techniques and Experiments* (ed ke-4., hal. 33–43). Charlotte Cockle. Springer International Publisher.
- Payadnya, I. P. A. A. (2018). Panduan Penelitian Eksperimen Beserta Analisis Statistik dengan SPSS. In Payadnya, I. Putu Ade Andre & Jayantika. I Gusti Agung Ngurah Trisna (Eds.), *Panduan Penelitian Eksperimen Beserta Analisis Statistik dengan SPSS* (1st ed.). Deepublish Publisher.

- Pratama, A. R., Sugiyono, S., Prayoga, L., & Husni, A. (2014). Pertumbuhan Tunas Mikro Kentang Kultivar Granola dengan Jenis dan Konsentrasi Sitokinin yang Berbeda. *Scripta Biologica*, 1(3), 209. <https://doi.org/10.20884/1.sb.2014.1.3.553>
- Pratama, J., & Nilahayati. (2018). Modifikasi Media MS Dengan Penambahan Air Kelapa Untuk Subkultur I Anggrek *Cymbidium*. *Jurnal Agrium*, 15(2), 96-109.
- Rahmah, F., & Pandia, E. S. (2019). Pengaruh Ekstrak Daun Kelor (*Moringa oleifera*) Terhadap Pertumbuhan Cabai Rawit (*Capsicum frutescens* L.). *Jurnal Jeumpa*, 6(2), 287-293.
- Rahman, M., Karno, K., & Kristanto, B. A. (2017). Pemanfaatan tanaman kelor (*Moringa oleifera*) sebagai hormon tumbuh pada pembibitan tanaman Tebu (*Saccharum officinarum* L.). *Journal of Agro Complex*, 1(3), 94. <https://doi.org/10.14710/joac.1.3.94-100>
- Rehman, H. U., Nawaz, Q., Basra, S. M. A., Afzal, I., Yasmeen, A., & Ul-Hassan, F. (2014). Seed priming influence on early crop growth, phenological development and yield performance of linola (*Linum usitatissimum* L.). *Journal of Integrative Agriculture*, 13(5), 990–996. [https://doi.org/10.1016/S2095-3119\(13\)60521-3](https://doi.org/10.1016/S2095-3119(13)60521-3)
- Rivai, R. S., & Anugrah, I. S. (2011). Konsep dan Implementasi Pembangunan Pertanian Berkelanjutan di Indonesia. *Forum Penelitian Agro Ekonomi*, 29(1), 13–25.
- Rudiyanto, Deritha Elly .R., & Tri Muji.E. (2016). Pertumbuhan Kultur Tunas Kentang Merah (*Solanum tuberosum*) pada Media MS (Murashige & Skoog) dengan Perlakuan Konsentrasi dan Jenis Sitokinin. *Prosiding Seminar Nasional XXV ‘ Kimia Dalam Industri Dan Lingkungan ’*, 103–112. <https://www.researchgate.net/publication/315891673>
- Rukmana, D., Rahmadanih, Tenriawaru, A. N., Darwis, Arsyad, M., & Rauf, R. A. (2021a). A study on superior-environment friendly red potato production development. *IOP Conference Series: Earth and Environmental Science*, 681(1), 1 – 10. <https://doi.org/10.1088/1755-1315/681/1/012104>
- Sakakibara, H. (2006). Cytokinins: Activity, biosynthesis, and translocation. In *Annual Review of Plant Biology*, 57. 431 – 449. <https://doi.org/10.1146/annurev.arplant.57.032905.105231>
- Sari, R., Paserang, A. P., Pitopang, R., Suwastika, N., & Biologi, J. (2019). Induksi Kalus Tanaman Kentang Dombu (*Solanum tuberosum* L.) Secara In Vitro Dengan

- Penambahan Ekstrak Tomat Dan Air Kelapa Callus Induction of Potato (*Solanum tuberosum* L.) of c.v. Dombu In Vitro On Ms Medium With Additional Of Tomato Extract And Coconut Water. *Natural Science: Journal of Science and Technology*, 8(1), 20–27.
- Sarkar, D., Pandey, S. K., & Sharma, S. (2006). Cytokinins antagonize the jasmonates action on the regulation of potato (*Solanum tuberosum*) tuber formation in vitro. *Plant Cell, Tissue and Organ Culture*, 87(3), 285–295. <https://doi.org/10.1007/s11240-006-9166-3>
- Setiadi. (2009). *Budidaya Kentang (Pilihan Berbagai Varietas dan Pengadaan Benih)*. Penebar Swadaya.
- Shani, E., Yanai, O., & Ori, N. (2006). The role of hormones in shoot apical meristem function. In *Current Opinion in Plant Biology*, 9(5), 484–489. <https://doi.org/10.1016/j.pbi.2006.07.008>
- Sianipar, M. A. (2022). *Perbedaan Kadar Vitamin C Pada Kentang Merah (Solanum tuberosum var. Desiree) dan Kentang Kuning (Solanum tuberosum var. Granola L.) Secara Titrasi 2,6 Diklorofenol Indofenol*. Skripsi. Politeknik Kesehatan Kemenkes Medan. Medan.
- Sidharta, V., Resman Muharul Tambunan., Azwar, & Aliafia Ghaniyyu. (2021). Suatu Kajian :Pembangunan Pertanian Indonesia. *KAIS Kajian Ilmu Sosial*, 2(2), 229–232.
- Simamora, E. D., & Fauziyah Harahap. (2019). Pengaruh Pemberian Zat Pengatur Tumbuh 2,4-d Acid dan BA Terhadap Induksi Kalus Nanas (*Ananascomosus* L.) Secara In Vitro. *Prosiding Seminar Biologi Dan Pembelajaranya* , 96–107.
- Singh, M., Singh, S., & Verma, D. (2020). Morphological and Pharmacognostical Evaluation of *Moringa oleifera* Lam. (Moringaceae): A Plant with High Medicinal Value in Tropical and Subtropical Parts of the World. *Pharmacognosy Reviews*, 14(28), 138–145. <https://doi.org/10.5530/phrev.2020.14.17>
- Su, Y. H., Tang, L. P., Zhao, X. Y., & Zhang, X. S. (2021). Plant cell totipotency: Insights into cellular reprogramming. In *Journal of Integrative Plant Biology*, 63 (1). 228–243. Blackwell Publishing Ltd. <https://doi.org/10.1111/jipb.12972>
- Sunarjono, H. 2007. *Petunjuk Praktis Budidaya Kentang*. Jakarta : Agromedia Pustaka.
- Triyanti, E., Nazirwan, & Erfa, L. (2019). Multiplikasi Tunas Kentang Atlantik pada Berbagai Konsentrasi NAA dan Air Kelapa secara In Vitro. *Jurnal Planta Simbiosa*, 1(1), 10–19.

- Tyagi, R. K., Agrawal, A., Mahalakshmi, C., Hussain, Z., & Tyagi, H. (2007). Low-cost media for in vitro conservation of turmeric (*Curcuma longa* L.) and genetic stability assessment using RAPD markers. *In Vitro Cellular and Developmental Biology - Plant*, 43(1), 51–58. <https://doi.org/10.1007/s11627-006-9000-y>
- UPOV. (2004). *International Union for the Protection of New Varieties of Plants Guidelines for the Conduct of Tests for Distinctness, Uniformity and Stability*. Report. Hal 1-34. www.upov.int
- Vargas, V. M. L., & Alejo, N. O. (2018). An Introduction to Plant Tissue Culture: Advances and Perspectives. In *Methods in Molecular Biology*, 18(15), 1-13. Humana Press Inc. https://doi.org/10.1007/978-1-4939-8594-4_1
- Williams, O. A., Ogunwande, O. A., & Amao, A. O. (2018). Potetial of Moringa oleifera Leaf Extract in Increasing Maize (*Zea mays* L.) Productivity in Nigeria. *International Journal of Scientific and Research Publications (IJSRP)*, 8(12). <https://doi.org/10.29322/ijsrp.8.12.2018.p8438>
- Wulandari, S., Sholihatun Nisa, Y., Indarti, S., & Rr Rahmi Sri Sayekti. (2021). Sterilisasi Peralatan dan Media Kultur Jaringan. *Agrinova: Journal of Agrotechnology Innovation*, 4(2), 16–19. <https://jurnal.ugm.ac.id/Agrinova/>
- Yasmeen, A., et al. (2013). Exogenous application of moringa leaf extract modulates the antioxidant enzyme system to improve wheat performance under saline conditions. *Plant Growth Regulation*, 69(3), 225–233. <https://doi.org/10.1007/s10725-012-9764-5>