

## DAFTAR PUSTAKA

- Abbas, B., & Warastuti, Y.(2018). Preparasi dan Karakterisasi Kitosan-Karboksi Metil Selulosa Iradiasi untuk Scaffold Preparation and Characterization of Irradiated Chitosan-Carboxy Methyl Cellulose for Scaffold. Jurnal Ilmiah Aplikasi Isotop dan Radiasi
- Abedalwafa M, Wang F, Wang L, Li C. (2013). Biodegradable polyepsilon-caprolactone (PCL) for tissue engineering applications: a review. Rev Adv Mater Sci. ;34:123–40.
- Agarwal S. (2010). Chemistry, chances and limitations of the radical ring-opening polymerization of cyclic ketene acetals for the synthesis of degradable polyesters. Polym Chem ;1:953-64.
- Ajitha, Thomas S.(2020).Compatibilization of polymer blends. Elsevier Science
- Akbar, F., Anita, Z., & Harahap, H. (2013). Pengaruh Waktu Simpan Film PlastikBiodegradasi Dari Pati Kulit Singkong Terhadap Sifat Mekanikalnya. Jurnal Teknik,2(2): 11-15.
- Al Fath, M. T., Lubis, M., Ayu, G. E., & Dalimunthe, N. F. (2022). Pengaruh Selulosa Nanokristal dari Serat Buah Kelapa Sawit sebagai Pengisi dan Kalium Klorida sebagai Agen Pendispersi Terhadap Sifat Fisik Bioplastik Berbasis Pati Biji Alpukat (*Persea americana*). *AQUACOASTMARINE: Journal of Aquatic and Fisheries Sciences*, 11(2), 89-94.
- Amin, S. (2000). Penelitian Berbagai Jenis Kayu Limbah Pengolahan untuk Pemilihan Bahan baku Briket Arang. Jurnal Sains dan Teknologi Indonesia 2, 41-46
- Anand Kumar, S., & Shivraj Narayan, Y. (2019). Tensile testing and evaluation of 3D-printed PLA specimens as per ASTM D638 type IV standard. In *Innovative Design, Analysis and Development Practices in Aerospace and Automotive Engineering (I-DAD 2018) Volume 2* (pp. 79-95). Springer Singap

- A'Yuni Hisbiyah, S. S. (2021). Simultaneous effect of ultrasonic and chemical treatment on the extraction of nanocellulose from sugarcane bagasse. *Jurnal Kimia Sains dan Aplikasi*, 24(5), 146-151.
- Azhari, Karolina R., Ritonga S.I. (2022). Karakterisasi termal material menggunakan Differential scanning calorimetry (DSC). Penerbit NEM.
- Bahri, S., Fitriani, F., & Jalaluddin, J. (2021). Pembuatan Biofoam Dari Ampas Tebu Dan Tepung Maizena. *Jurnal Teknologi Kimia Unimal*, 10(1), 24-32.
- Bartnikowski, M., Dargaville, T. R., Ivanovski, S., & Hutmacher, D. W. (2019). Degradation mechanisms of polycaprolactone in the context of chemistry, geometry and environment. *Progress in Polymer Science*, 96, 1-20.
- Bartnikowski, Michal; Dargaville, Tim R.; Ivanovski, Sašo; Hutmacher, Dietmar W. (2019). *Degradation Mechanisms of Polycaprolactone in the Context of Chemistry, Geometry and Environment. Progress in Polymer Science*, (), S0079670018303915–.
- Baruah, S. D. (2011). Biodegradable polymer: the promises and the problems. *Science and Culture*, 77(11-12), 466-470.
- Bezerra, E. B., França, D. C. D., Moraes, D. D. D. S., Silva, I. D. D. S., Siqueira, D. D., Araújo, E. M., & Wollen, R. M. R. (2019). Compatibility and characterization of Bio-PE/PCL blends. *Polímeros*, 29
- Budiyanto, Handono.(2020). Pengujian Material. Lampung; CV. Ladunya Alifatama.
- Campbell, A.N., Reece, B.J., Mitchell, G.L.(2002). Biologi Edisi Kelima Jilid 1. Jakarta; Erlangga
- Ciolacu, D., Ciocanu, F. & Popa, V. I. (2011). Amorphous cellulose - Structure and characterization', *Cellulose Chemistry and Technology*. 45(1–2), 13–21.
- Das O., M.S. Hedenqvist, E. Johansson, R.T. Olsson, T.A. Loho, A.J. Capezza, R.K. Singh Raman, S. Holder,. (2019) An all-gluten biocomposite: comparisons with carbon black and pine char composites, *Composites, Part A* 120 42–48.
- Das O., N.K. Kim, M.S. Hedenqvist, R.J.T. Lin, A.K. Sarmah, D. Bhattacharyya. (2018). An attempt to find a suitable biomass for biochar-based polypropylene biocomposites, *Environ. Manage.* 62 403–413.

- Das O., R.E. Neisiany, A.J. Capezza, M.S. Hedenqvist, M. Försth, Q. Xu, L. Jiang, D. Ji, S. Ramakrishna, (2020). The need for fully bio-based facemasks to counter coronavirus outbreaks: a perspective, *Sci. Total Environ.* 736 139611.
- Dekkers, M. (1990). Magnetic properties of natural goethite—III. Magnetic behaviour and properties of minerals originating from goethite dehydration during thermal demagnetization. *Geophysical Journal International*, 103(1), 233–250.
- Dewi, A. P., & Yesti, Y. (2018). Pengujian Biodegradasi Filem Plastik Campuran Polimer Sintetis (Polistiren) Dan Biopolimer (Polikaprolakton) Dalam Media Tanah. Prosiding Seminar Nasional Fisika Universitas Riau Ke-3, 3004: 76-82.
- Diana, L., Safitra, A. G., & Ariansyah, M. N. (2020). Analisis kekuatan tarik pada material komposit dengan serat penguat polimer. *Jurnal Engine: Energi, Manufaktur, dan Material*, 4(2), 59-67.
- Dikobe, D. G., & Luyt, A. S. (2017). Thermal and mechanical properties of PP/HDPE/wood powder and MAPP/HDPE/wood powder polymer blend composites. *Thermochimica Acta*, 654, 40–50.
- Doctor, R., & Feinberg, J. M. (2022). Differential thermal analysis using high temperature susceptibility instruments. *Journal of Geophysical Research: Solid Earth*, 127(7), e2021JB023789.
- Dufresne, A. (2017). Cellulose nanomaterial reinforced polymer nanocomposites. *Current Opinion in Colloid and Interface Science*, 29, 1–8.
- Ebnesajjad, S.(2012). Handbook of Biopolymers and Biodegradable Plastics: Properties, Processing and Applications. Belanda: Elsevier Science.
- Effendi, D. B., Rosyid, N. H., Nandiyanto, A, B, D., Mudzakir, A. (2015). Sintesis Mikroseulosa. *Jurnal Integrasi Proses*. 5(2) : 61-74
- El-Fattah, A. A., Grillo Fernandes, E., Chiellini, F., & Chiellini, E. (2022). Amphiphilic Pentablock Copolymers Prepared from Pluronic and  $\epsilon$ -Caprolactone by Enzymatic Ring Opening Polymerization. *International Journal of Molecular Sciences*, 23(3), 1390.

- Eliyanadan A., dan Toto W., (2017). Karakterisasi FTIR pada Studi Awal Penumbuhan CNT dengan Prekursor Nanokatalis Agdengan Metode HWC-VHF-PECVD, Jurnal Fisika dan Apl., vol. 13(2), 39- 43.
- El-Shekeil, Y.A.; Sapuan, S.M.; Khalina, A.; Zainudin, E.S.; Al-Shuja'a, O.M. (2012). Influence of chemical treatment on the tensile properties of kenaf fiber reinforced thermoplastic polyurethane composite. Express Polym. Lett., 6, 1032-1040.
- Erita, C., Martunis, M., & Indarti, E. (2020). Pengaruh Penambahan Nanoselulosa Dari Tandan Kosong Kelapa Sawit Terhadap Ketebalan Dan Transparansi Film Polycaprolactone (PCL). Jurnal Ilmiah Mahasiswa Pertanian, 5(1), 346-350.
- Fadilla, A., Amalia, V., & Wahyuni, I. R. (2023). Pengaruh Selulosa Ampas Tebu (*Saccharum officinarum*) sebagai Zat Pengisi Plastik Biodegradable berbasis Pati Kulit Singkong (*Manihot fsculenta*). In *Gunung Djati Conference Series* (Vol. 34, pp. 69-80).
- Fathurrahman, I., Azmi, F. A., Fauzi, F., & Hisbullah, H. (2023). Ekstraksi Selulosa dari Ampas Tebu Menggunakan Proses Soda. *Jurnal Inovasi Ramah Lingkungan*, 4(1), 16-20.
- Fatriasari, Widya., Masruchin, Nananf., dan Hermiati, Euis. 2019. Selulosa Karakteristik Dan Pemanfaatannya. Jakarta: LIPI Press.
- Fowler P.A., J.M. Hughes, R.M. Elias, (2006) Biocomposites: technology, environmental credentials and market forces, J. Sci. Food Agric. 86 1781–1789.
- Gea, S., Andita, D., Rahayu, S., Nasution, D. Y., Rahayu, S. U., Piliang, A.F. (2018). Preliminary Study On The Fabrication Of Cellulose Nanocomposite Film From Oil Palm Empty Fruit Bunches Partially Solved Into LiCl/DMAC With The Variation Of Dissolution Time. SEMIRATAInternational Conference On Science And Technology, 1116:1-7
- Ginting, E, M. (2016). Sifat Mekanis Nano Komposit Termoplastik HDPE Dengan Beberapa Bahan Pengisi. Medan : Unimed Press

- Hidayani, T. R., Pelita, E., & Nirmala, D. (2015). Karakteristik plastik biodegradabel dari limbah plastik polipropilena dan pati biji durian. *Majalah Kulit, Karet, dan Plastik*, 31(1), 9-14.
- Gong, X.; Guo, Z.; Wang, Z. (2010) Variation on Anthracite Combustion Efficiency with CeO<sub>2</sub> and Fe<sub>2</sub>O<sub>3</sub> Addition by Differential Thermal Analysis (DTA). *Energy*, 35, 506–511.
- Gupta GK, Shukla P (2020) Lignocellulosic biomass for the synthesis of nanocellulose and its eco-friendly advanced applications. *Front Chem* 8:1–13.
- Haines, P.J.; Reading, M.; Wilburn, F.W. (1998). Chapter 5—Differential Thermal Analysis and Differential Scanning Calorimetry. In *Handbook of Thermal Analysis and Calorimetry*; Brown, M.E., Ed.; Principles and Practice; Elsevier Science B.V.: Amsterdam, The Netherlands; Volume 1, pp. 279–361.
- Hanum, FF, Rahayu, A., Amrillah, NAZ, & Mustafa, YNH (2023). Metode Pemanfaatan dan Ekstraksi Nanoselulosa: Suatu Tinjauan. *Jurnal Sains Natural*, 13 (3), 107-114.
- Harizamrry., 2008, Biokomposit Kelapa Sawit: Dari Bahan Buangan Kepada Kemewahan. Teratak Maya Tempatku Lepak, Blogspot.com.
- Hasran, Muhammad Aditya Ramadhan, Dian Noviyanti Agus Imam, and Bambang Sunendar. "Addition of rice husk nanocellulose to the impact strength of resin base heat cured." *Journal of Vocational Health Studies* 4.3 (2021): 119-124.
- Hendrawati.(2023). Bioplastik berbahan dasar sisa hasil pertanian. Sleman; Deepublish digital.
- Hikmawan, R., Widiastuti, I., & Wijayanto, D. S. Analisis Pengaruh Iradiasi Sinar Gamma Terhadap Kekuatan Tarik Dan Penyerapan Air Komposit Polymer Blend Berpenguat Serat Bambu. *NOZEL Jurnal Pendidikan Teknik Mesin*, 4(2), 106-124.
- Hu, Y., Daoud, W. A., Cheuk, K. K. L., & Lin, C. S. K. (2016). Newly developed techniques on polycondensation, ring-opening polymerization and polymer modification: Focus on poly (lactic acid). *Materials*, 9(3), 133.

- Ilyas, R. A., & Sapuan, S. M. (2019). The preparation methods and processing of natural fibre bio-polymer composites. *Current Organic Synthesis*, 16(8), 1068-1070.
- Ilyas, R. A., Zuhri, M. Y. M., Norrrahim, M. N. F., Misenan, M. S. M., Jenol, M. A., Samsudin, S. A., ... & Omran, A. A. B. (2022). Natural fiber-reinforced polycaprolactone green and hybrid biocomposites for various advanced applications. *Polymers*, 14(1), 182.
- Joshi, S.V., L.T. Drzal, A.K. Mohanty, S. Arora, (2004) . Are natural fiber composites environmentally superior to glass fiber reinforced composites? *Composites, Part A* 35 371–376.
- J. Han, S. H. Shin, K. M. Park, and K. M. Kim. (2015). “Characterization of physical, mechanical, and antioxidant properties of soy protein-based bioplastic films containing carboxymethylcellulose and catechin,” *Food Science and Biotechnology*, vol. 24, no. 3, pp. 939-945.
- Kalsum, U., Robiah, R. & Yokasari, Y. (2020). Pembuatan Bioplastik Dari Ampas Tahu Dan Ampas Tebu Dengan Pengaruh Penambahan Gliserol Dan Tepung Maizena. *Jurnal Distilasi*, 5(2), 34–37.
- Kanwal Rehman and Muhammad Sajid Hamid Akash, 2020. Essentials of Pharmaceutical Analysis. Introduction to thermal analysis. ISBN 978-981-15-1547-7 (eBook). Springer Nature Singapore Pte Ltd. P 195-222.
- Khalid MY et al (2021a) Recent advances in nanocellulose-based different biomaterials: types, properties, and emerging applications. *J Mater Res Technol* 14:2601–2623.
- Khalid MY, Al Rashid A, Arif ZU et al (2021b) Natural fiber reinforced composites: sustainable materials for emerging applications. *Results Eng* 11:100263.
- Kholil, A., Aufi, F., & Syaefudin, E. A. (2020, December). Pengaruh layer thickness dan orientasi 3D Printing terhadap uji tarik material ABS. In *Prosiding Seminar Nasional NCIET* (Vol. 1, No. 1, pp. 219-226).
- Koliakou, I., Gounari, E., Nerantzaki, M., Pavlidou, E., Bikaris, D., Kaloyianni, M., & Koliakos, G. (2019). Kapasitas diferensiasi sel multipotensial turunan monosit pada film tipis berbasis nanokomposit Poli (e-

- kaprolakton). *Rekayasa Jaringan dan Pengobatan Regeneratif*, 16 , 161-175.
- Kricheldorf HR, Berl M, Scharnagl N. (1998). Poly(lactones). Polymerization mechanism of metal alkoxide initiated polymerizations of lactide and various lactones. *Macromol* ;21:286-93.
- Kulp, J., & Trites, A. F. (1951). Differential thermal analysis of natural hydrous ferric oxides. *American Mineralogist*, 36, 23–44
- Kunusa, W, R. (2017). Kajian Tentang Isolasi Selulosa Mikrokristalin (SM) dari LimbahTongkol Jagung. *Jurnal Entropi*. 12(1) : 105-108.
- Kurniawan, B. (2023). Analisis Sifat Termal Dan Mekanik Poliblen Polikaprolakton (Pcl) Hasil Sintesis Dengan ,Mikroserat selulosa Dari Tongkol Jagung Sebagai Bahan Dasar Pembuatan Biokomposit . *Skripsi*. Medan ; Universitas Negeri Medan
- Kustiyah, e., Novitasari, d., Wardani, I. A., Hasaya, h., & Widiantoro, M. (2023). Pemanfaatan Limbah Ampas Tebu untuk Pembuatan Plastik Biodegradable dengan Metode Melt Intercalation: Utilization of Sugarcane Bagasses for Making Biodegradable Plastics with the Melt Intercalation Method. *Jurnal Teknologi Lingkungan*, 24(2), 300-306.
- Kusumawardani, R., Titin anita Zhara, dan Lia Destiarti, (2018). "Adsorpsi Kadmium (II) Menggunakan adsorben selulosa ampas tebu teraktivasi asam nitrat. Universitas Tanjungpura
- Lani, N. S., Ngadi, N., Johari, A., & Jusoh, M. (2014). Isolation, characterization, and application of nanocellulose from oil palm empty fruit bunch fiber as nanocomposites. *Journal of Nanomaterials*, 2014.
- Lee, H.V., S. B. A. Hamid, dan S. K. Zain. 2014. Conversion of Lignocellulosic Biomass to Nanocellulose: Structure dan Chemical Process. *The Scientific World Journal*. 1-20
- Limwanich W, Meepowpan P, Nalampang K, Kungwan N, Molloy R, Punyodom W. (2015). Kinetics and thermodynamics analysis for ring-opening polymerization of  $\epsilon$ caprolactone initiated by tributyltin n-butoxide using differential scanning calorimetry. *J Therm Anal Calorim* ;119:567-79.

- Long, Y. (2009). Biodegradable Polymer Blends and Composites from Renewable Resources. New Jersey : J Wiley.
- Malinová L, Brožek J. (2014). Ethyl magnesium bromide as an efficient anionic initiator for controlled polymerization of  $\epsilon$ -caprolactone. Polym Bull ;71:111-23.
- Manasikana, O. O. A. (2019). Pemanfaatan Limbah Kulit Jagung Dan Ampas Tebu Sebagai Kertas Kemasan Ramah Lingkungan. *Jurnal Zarah*, 7(2), 79-85.
- Manivasagam, G.; Reddy, A.; Sen, D.; Nayak, S.; Mathew, M.T.; Rajamanikam, A. (2019). *Dentistry: Restorative and Regenerative Approaches*; Elsevier: Amsterdam, The Netherlands, ; Volume 1–3, ISBN 9780128051443.
- Manson, J.A.(2012). Polymer Blends and Composites. Inggris ; Springer US
- Maryam., Rahmad, R., Yunizurwan. (2019). Sintesis Mikro Selulosa Baktri Sbagai Penguat (Rinforcement) pada Komposit Bioplastik Dengan Matriks PVA. *Jurnal Kimia danKemasan*. 41(2) : 110 – 118.
- Mastura, M.T., Sapuan. S.M., Ilyas, R.A. (2024). Additive Manufacturing for Biocomposites and Synthetic Composites. Inggris ; CRC Press.
- Muhajir, M., Mizar, M. A., & Sudjimat, D. A. (2016). Analisis Kekuatan Tarik Bahan Komposit Matriks Resin Berpenguat Serat Alam dengan Berbagai Varian Tata Letak. *Jurnal Teknik Mesin*, 24(2), 1-8.
- Nagalakshmaiah, M., Afrin, S., Malladi, R. P., Elkoun, S., Robert, M., Ansari, M. A., ... & Karim, Z. (2019). Biocomposites: Present trends and challenges for the future. *Green composites for automotive applications*, 197-215.
- Nasution, M. H. (2022). Miscibility Poliblen Polikaprolakton (Pcl) Hasil Sintesis Dengan Mikroserat Selulosa Sebagai Bahan Dasar Pembuatan Bionanokomposit (Doctoral Dissertation, UNIMED).
- Nawangsari, D. (2019). Isolasi dan karakterisasi selulosa mikrokristal dari ampas tebu (*Saccharum officinarum* L.). *Pharmacon: Jurnal Farmasi Indonesia*, 16(2), 67-72.
- Nugraha, AB, Nuruddin, A., & Sunendar, B. (2021). Isolasi Nanoselulosa Terkarboksilasi dari Limbah Kulit Pisang Ambon Lumut dengan Metode Oksidasi. *Jurnal Sains dan Teknologi Aplikatif* , 5 (1), 236-244.

- Nurhabibah, S. A., & Kusumaningrum, W. B. (2021). Karakterisasi bioplastik dari K-Karagenan Eucheuma cottonii terplastisasi berpenguat nanoselulosa. *Jurnal Kimia dan Kemasan*, 43(2), 82-94.
- Nurhajati, D. W., Sholeh, M., Indrajati, I. N., & Setyorini, I. (2017). Pengaruh bahan pengisi serat kaca terhadap sifat fisik dan kristalinitas polipaduan PC/ABS. *Majalah Kulit, Karet, Dan Plastik*, 33(1), 43.
- Nuruddin, M., Santoso, R. A., & Hidayati, R. A. (2018). Desain Komposisi Bahan Komposit yang Optimal Berbahan Baku Utama Limbah Ampas Serat Tebu (Baggase). In *Prosiding Seminar Nasional Teknoka* (Vol. 3, pp. M53-M58).
- Palacios Hinestrosa, H., Urena-Saborio, H., Zurita, F., Guerrero de Leon, A. A., Sundaram, G., & Sulbarán-Rangel, B. (2020). Nanocellulose and polycaprolactone nanospun composite membranes and their potential for the removal of pollutants from water. *Molecules*, 25(3), 683.
- Paul, D.R. (2012). Polymer Blend. Inggris; Elsevier Science
- Postek M. T., Ed., (2013). Production and applications of cellulose nanomaterials. Peachtree Corners, Ga: TAPPI Press
- Prasad, A., & Kandasubramanian, B. (2019). Pengolahan deposisi menyatu polikaprolakton komposit untuk aplikasi biomedis. *Teknologi dan Bahan Polimer-Plastik* , 58 (13), 1365-1398.
- Pula, B., Ramesh, S., Pamidipati, S., & Doddipatla, P. (2021). A comparative study of greener alternatives for nanocellulose production from sugarcane bagasse. *Bioresources and Bioprocessing*, 8, 1-18.
- Purnawan C., Hilmyana D., Wantini, Fatmawati E. (2013). Pemanfaatan Limbah Ampas Tebu Untuk Pembuatan Kertas Dekorasi Dengan Metode Organosolv, Jurnal EKOSAINS, Vol. IV No.2, Universitas Sebelas Maret, Surakarta
- Putri, FN (2022). Pembuatan Nanoselulosa dari Limbah Kulit Pisang Kepok Dengan Metode Hidrolisis Asam.
- Rahmasari, E., Zamhari, M., & Silviyati, I. (2022). Plastik Biodegradable Berbasis Carboxymethyl Cellulose dari Ampas Tebu. *Jurnal Pendidikan dan Teknologi Indonesia* , 2 (9), 385-391.

- Rahmi. (2018). Modifikasi Khitosan Sebagai Adsorben. Aceh : Syiah Kuala Univeersity Press.
- Rohim, M. H. R. N., & Mujiburohman, M. (2019). *Pemanfaatan Limbah Ampas Tebu Menjadi Briket Energi Alternatif dengan Perekat Tepung Tapiokas* (Doctoral dissertation, Universitas Muhammadiyah Surakarta).
- Samsiar, A. (2021). Nanoemulsi fraksi ekstrak daun pelawan (Tristaniopsis merguensis Griff) sebagai antidiabetes (Doctoral dissertation, Universitas Bangka Belitung).
- Saputri, L. H., & Sukmawan, R. (2020). Pengaruh proses blending dan ultrasonikasi terhadap struktur morfologi ekstrak serat limbah batang kelapa sawit untuk bahan baku bioplastik (selulosa asetat). *Rekayasa*, 13(1), 15-21.
- Saputri, L. H., Sukmawan, R., Rochardjo, H. S. B., & Rochmadi, R. (2018). Isolasi Nano Selulosa dari Ampas Tebu dengan Proses Blending pada Berbagai Variasi Konsentrasi. In *Seminar Nasional Teknik Kimia "Kejuangan"* (p. 10).
- Septiyani, R., (2011). Pengaruh Konsentrasi Dan Waktu Inkubasi Enzim Selulase Terhadap Kadar Gula Eduksi Ampas Tebu. Skripsi. Teknologi Hasil Pertanian. Universitas Lampung. 53 hlm
- Setiati, R., Wahyuningrum, D., Siregar, S., and Marhaendrajana, T. (2016). Ethos (Jurnal Penelitian dan Pengabdian Masyarakat): Optimasi Pemisahan Lignin Ampas Tebu Menggunakan Natrium Hidroksida. Jurnal Penelitian Dan Pengabdian Masyarakat. 4. 257–264.
- Shanmugam, V., Mensah, R. A., Försth, M., Sas, G., Restás, Á., Addy, C., ... & Ramakrishna, S. (2021). Circular economy in biocomposite development: State-of-the-art, challenges and emerging trends. *Composites Part C: Open Access*, 5, 100138.
- Sheldon, R.A., M. Norton, (2020). Green chemistry and the plastic pollution challenge: Towards a circular economy, *Green Chem.* 22 6310–6322.
- Shih, C. M., Shieh, Y. T. & Twu, Y. K. (2009). Preparation and characterization of cellulose/chitosan blend films. *Carbohydrate Polymers*, 78(1), 169–174.

- Siregar, J. D. (2021). Potensi Selulosa Dari Limbah Tandan Kosong Kelapa Sawit Sebagai Bahan Baku Bioplastik Ramah Lingkungan Dengan Metode Atom Transfer Radical Polymerisation. Jurusan Kimia.UNIMED.
- Soeswanto, B., Wahyuni, N. L., Hardianti, I. S., Aiman, A. N., & Nurkomala, A. (2019). Pembuatan Komposit Berpori Tinggi Untuk Biomaterial Making High PortedComposite For Biomaterial. *Jurnal Kinetika*, 10(03): 6-8
- Sogut, E., & Seydim, A. C. (2018). Development of Chitosan and Polycaprolactone based active bilayer films enhanced with nanocellulose and grape seed extract. *Carbohydrate Polymers*, 195, 180-188.
- Stino, S. (2022). Thermal analysis of dental materials: Differential Thermal Analysis (DTA)-Differential Scanning Calorimetry (DSC)-Thermogravimetric Analysis (TGA). *Biomaterials Journal*, 1(12), 15-23.
- Storey RF, Sherman JW. (2002). Kinetics and Mechanism of the Stannous Octoate-Catalyzed Bulk Polymerization of  $\epsilon$ -Caprolactone. *Macromol* ;35:1504-12.
- Sundarakannan R., V. Arumugaprabu, V. Manikandan, S. Vigneshwaran, (2019). Mechanical property analysis of biochar derived from cashew nut shell waste reinforced polymer matrix, *Mater. Res. Express* 6 125349,
- Suparnawati, H., & Warsidah, A. B. (2021). Indonesian Journal of Pure and Applied Chemistry.
- Syaikh, H., Anis, A., Poulose, A M., Al-Zahrani, S M., Madhar, N A., Alhamidi, A., & Asif Alam, M. (2021). Isolation and Characterization of Alpha and Nanocrystalline Cellulose from Date Palm (*Phoenix dactylifera L.*) Trunk Mesh. *Polymers*. 13, 1-14
- Synthesis, Structure and Properties of Poly(lactic Acid). (2017). Jerman: Springer International Publishing.
- Tarigan, A. S., Wirjosentono, B., Zuhra C. F., & Zulnazri. (2021). Isolasi Nanoselulosa Dari Tandan Kosong Kelapa Sawit Menggunakan Hidrolisis Asam Sebagai Material Biomedis. *KLOROFIL*. 5(1), 1-3.
- Trache, D., Tarchoun, A. F., Derradji, M., & Hamidon, T. S. (2020). Nanocellulose : From Fundamentals to Advanced Applications (Vol. 8, Issue May).

- Utama, E. (2019). Kompatibilitas Poliblen Polystyrene (PS) Dan Poli- $\epsilon$ Kaprolakton (PCL) Sebagai Plastik Biodegradasi. Skripsi, Universitas Negeri Medan.
- Vandamme TF, Legras R. (1995). Physico-mechanical properties of poly ( $\epsilon$ -caprolactone) for the construction of rumino-reticulum devices for grazing animals. *Biomater* ;16:1395-40
- Varshney, S., Mishra, N., & Gupta, M. K. (2021). Progress in nanocellulose and its polymer based composites: A review on processing, characterization, and applications. *Polymer Composites*, 42(8), 3660-3686.
- Vilaplana F., E. Strömberg, S. Karlsson. (2010). Environmental and resource aspects of sustainable biocomposites, in: Polymer Degradation and Stability, Elsevier, pp. 2147–2161.
- Viti, C. (2010). Serpentine minerals discrimination by thermal analysis. *American Mineralogist*, 95(4), 631–638.
- Warastuti, Y., Abbas, B., & Suryani, N. (2013). Pembuatan Komposit Polikaprolakton Kitosan-Hidroksiapatit Iradiasi Untuk Aplikasi Biomaterial. *MajalahMetalurgi*, 0216-3188: 149-160.
- Widiastuti, E., Marlina, A. (2020). Studi Awal Pembuatan Nano Serat Selulosa Alang-Alang (Imperata Cylindrical (L) Beauv) Sebagai Bahan Pengikat Komposit. *Industrial Research Workshop and National Seminar*. 1(1) : 682-686.
- Widyanti, Emmanuela M., Kusumawati, E., Regiana, A., & Suminar, D R. (2020). Production Nanocellulose from Raw Materials for Oil Palm Empty Bunches (TKKS) with Hydrolysis and Freeze Drying Methods. IOP Conf. Ser: Materials Science and Engineering, 742 012033, 1-7.
- Wijayanti, W. (2019). Identifikasi Efek Heating Rate Terhadap Laju Kinetika Reaksi Pirolisis Kayu Mahoni Dengan Thermal Analysis dan Termogravimetry. *Rekayasa Mesin*, 9, 65–76.
- Wuisan, J. J., Wenas, D. R., Rampengan, A. M., & Bujung, C. A. (2022). Studi Struktur Mikro dan Jenis Mineral Batuan Tanah Beruap di Gunung Soputan Minahasa. *Jurnal FisTa: Fisika dan Terapannya*, 3(2), 19-25.

- Wulandari, W T., Rochliadi, A., & Areana, I M. (2016). Nanocellulose prepared by acid hydrolysis of isolated cellulose from sugarcane bagasse. IOP Conf. Ser.: Mater. Sci. Eng. 107 012045, 1-7
- Yusan dkk., (2023). Nanopartikel Kitosan Limbah Cangkang Rajungan (*portunus pelagicus.*) Terhadap Aktivitas Bakteri *Staphylococcus aureus* Pada Pasien Gangren. Surabaya; Scopindo
- Yusuf, M., Dari, N., & Utama, E. (2020). PM3 Semi-Empirical Method on the Ring Opening Polymerization of  $\epsilon$ -Caprolactone Using Bis(Benzoyltrifluoroacetone) Zirconium (IV) Chloride as catalyst. In Journal of Physics: Conference Series, 1462(1), 1-7
- Yusuf, M., Dari, N., & Utama, E. (2020, February). PM3 Semi-Empirical Method on the Ring Opening Polymerization of  $\epsilon$ -Caprolactone Using Bis(Benzoyltrifluoroacetone) Zirconium (IV) Chloride as catalyst. In *Journal of Physics: Conference Series* (Vol. 1462, No. 1, p. 012054). IOP Publishing.
- Yusuf, M., Pulungan, A. N., Irmala Sari, R. D., Fitri Amne, D. P., Siregar, R., & Rahmah, M. (2021). Ring-opening Polymerization Reaction Mechanism of  $\epsilon$ -Caprolactone Catalyzed by Bis(dibenzoylmethanato) zirconium(IV) Using PM3 Semi-Empirical Method. *Journal of Physics: Conference Series*, 1811(1), 012057.
- Yusuf, M., Roza, D., Nurfajriani, Gunawan, H., & Dari, N. (2019). Synthesis Of Bis(B-Diketonato)Zirconium (Iv) Chloride As A Catalyst In The Ring Opening Polymerizations Of E-Caprolactone. *Rasayan Journal of Chemistry*, 12(04), 2132–2140.
- Zhang, H., Jia, H., Feng, W., Ni, Z., Xu, P., & Li, X. (2023). Ultra-Responsive MEMS Sensing Chip for Differential Thermal Analysis (DTA). *Sensors*, 23(3), 1362.
- Zhou, W., Li, X., Yao, F., Zhang, H., Sun, K., Chen, F., ... & Li, X. (2022). Chip-Based MEMS Platform for Thermogravimetric/Differential Thermal Analysis (TG/DTA) Joint Characterization of Materials. *Micromachines*, 13(3), 445.

- Zhu, Z., Wang, W., Wang, X., Zhao, X., Xia, N., Kong, F., & Wang, S. (2021). Study of the Preparation of Nanocellulose Powder and Its Formation Mechanism. *Research Square*. 1, 1-25.
- Żółtowska, K., Sobczak, M., & Olędzka, E. (2015). Novel zinc-catalytic systems for ring-opening polymerization of  $\epsilon$ -caprolactone. *Molecules*, 20(2), 2816-2827.

