

DAFTAR PUSTAKA

- Abakar, H. O. M., Bakhiet, S. E., & Abadi, R. S. M. (2017). Antimicrobial activity and minimum inhibitory concentration of *Aloe vera* sap and leaves using different extracts. *Journal of Pharmacognosy and Phytochemistry*, 6(3), 298-303.
- AGUSTA, A. (2000). AGUSTA Experience on Damage Tolerance Evaluation of Helicopter Components. *Application of Damage Tolerance Principles for Improved Airworthiness of Rotorcraft*.
- Agustini, N. P. E. (2018). Uji Aktivitas Antibakteri Fraksi Daun Secang Terhadap Pertumbuhan Bakteri *Streptococcus mutans* (Doctoral dissertation, Jurusan Analis Kesehatan).
- Agwom, F. M., Afolabi, E. O., Bot, K. J., Yakubu, N. S., Olaitan, I. J., & Kindala, J. T. (2019). In silico studies, comparative synthesis and antibacterial activity of some imine derivatives of isonicotinic hydrazide. *Org. Med. Chem. Int. J*, 8(5), 106-113.
- Akbar, N. A., Amin, S., & Wulandari, W. T. (2022, December). Studi in Silico Senyawa Yang Terkandung Dalam Tanaman Daun Sirih Merah (*Piper crocatum* RUIZ & PAV) Sebagai Kandidat Anti SARS Cov-2. In *Prosiding Seminar Nasional Diseminasi Hasil Penelitian Program Studi SI Farmasi* (Vol. 2, No. 1).
- Akiyama, H., Fuji., Yamasaki. (2001). Antibacterial Action of Several Tannins Against *Staphylococcus aureus*, *Journal of Antimicrobia Chemotherapy*. 4(8): 487- 491.
- Amalia, A., Sari, I., & Nursanty, R. (2017). Aktivitas antibakteri ekstrak etil asetat daun sembung (*Blumea balsamifera* (L.) DC.) terhadap pertumbuhan bakteri Methicillin Resistant *Staphylococcus aureus* (MRSA). In *Prosiding Seminar Nasional Biologi, Teknologi dan Kependidikan* (Vol. 5, No. 1).
- Andari, S., & Yudhayanti, D. (2022). Isolasi Dan Identifikasi *Salmonella Sp* Pada

Daging Ayam Segar yang dijual di Pasar Legi Ponorogo. *Jurnal Delima Harapan*, 9(2), 101-108.

Arwansyah, A., Ambarsari, L., & Sumaryada, T. I. (2014). Simulasi docking senyawa kurkumin dan analognya sebagai inhibitor reseptor androgen pada kanker prostat. *Current Biochemistry*, 1(1), 11-19.

Asparinda, I., & Juwitaningsih, T. (2020). Toksisitas Fraksi Non Polar Gal Manjakani (*Quercus infectoria*). *Acta Pharm Indo*, 8(2), 69-79.

Balawala, G. B. (2012). Aktivitas Antibakteri Fraksi Etanol Kayu Secang (*Caesalpinia sappan L.*) Terhadap *Staphylococcus epidermidis*, *Pseudomonas aeruginosa ATCC 10145*, dan *Klebsiella pneumonia ATCC 10031* (Doctoral dissertation, Universitas Muhammadiyah Surakarta).

Basu, A., Bodycombe, N. E., Cheah, J. H., Price, E. V., Liu, K., Schaefer, G. I., ... & Schreiber, S. L. (2013). An interactive resource to identify cancer genetic and lineage dependencies targeted by small molecules. *Cell*, 154(5), 1151-1161.

Basuki, S. A., & Melinda, N. (2017). Prediksi mekanisme kerja obat terhadap reseptornya secara in silico (studi pada antibiotika Sefotaksim). *PROSIDING Rapat Kerja Fakultas Ilmu Kesehatan (Vol. 0, hal. 89-94)*. Malang: Fakultas Ilmu Kesehatan Universitas Muhammadiyah Malang.

Batubara, I., Mitsunaga, T., & Ohashi, H. (2009). Screening antiacne potency of Indonesian medicinal plants: antibacterial, lipase inhibition, and antioxidant activities. *Journal of Wood Science*, 55, 230-235.

Bitencourt-Ferreira, G., Veit-Acosta, M., & de Azevedo Jr, W. F. (2019). Hydrogen bonds in protein-ligand complexes. In *Docking screens for drug discovery* (pp. 93-107). New York, NY: Springer New York.

Bota, W., Martosupono, M., & Rondonuwu, F. S. (2015). Potensi senyawa minyak

sereh wangi (*Citronella oil*) dari tumbuhan *Cymbopogon nardus* L. sebagai agen antibakteri. *Prosiding Semnastek*.

Chanda W, Joseph TP, Guo X, Wang W, Liu M, Vuai MS, Padhiar AA, Zhong M. Effectiveness of omega-3 polyunsaturated fatty acids against microbial pathogens. *J Zhejiang Univ Sci B*. 2018;19(4):253-62.

Choi, S. M., Rao, K. M., Zo, S. M., Shin, E. J., & Han, S. S. (2022). Bacterial cellulose and its applications. *Polymers*, 14(6), 1080.'

Christian, Y. E., Rahmat, D., & Farida, Y. (2023). Effects of the RH-40 Cremophor Concentration on the Formulation of the *Vaccinium varingiifolium* (Blume) Miq leaf Extract Nanoemulsion. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 20(2), 147-149.

Cross, J. B., Thompson, D. C., Rai, B. K., Baber, J. C., Fan, K. Y., Hu, Y., & Humblet, C. (2009). Comparison of several molecular docking programs: pose prediction and virtual screening accuracy. *Journal of chemical information and modeling*, 49(6), 1455-1474.

Curie, C. A., Darmawan, M. A., Dianursanti, D., Budhijanto, W., & Gozan, M. (2022). The effect of solvent hydrophilicity on the enzymatic ring-opening polymerization of L-lactide by *Candida rugosa* lipase. *Polymers*, 14(18), 3856.

Cushnie, T. T., & Lamb, A. J. (2005). Antimicrobial activity of flavonoids. *International journal of antimicrobial agents*, 26(5), 343-356.

Dalimartha, S. (2008). *Resep tumbuhan obat untuk asam urat*. Niaga Swadaya.

Davis, W. W., & Stout, T. R. (1971). Disc plate method of microbiological antibiotic assay: I. Factors influencing variability and error. *Applied microbiology*, 22(4), 659-665.

Dianasari, N. (2009). Uji aktivitas antibakteri Fraksi etanol kayu secang (*Caesalpinia sappan* L.) Terhadap *Staphylococcus aureus* dan *Shigella*

dysentriae serta bioautografinya (Doctoral dissertation, Universitas Muhammadiyah Surakarta).

Diastuti, H., Syah, Y. M., Juliawaty, L. D., & Singgih, M. (2016). antibacterial activity of germacrone sesquiterpene from *Curcuma xanthorrhiza* rhizomes. *ALCHEMY Jurnal Penelitian Kimia*, 12(2), 103-111.

Dilika, F., Bremner, P. D., & Meyer, J. J. M. (2000). Antibacterial activity of linoleic and oleic acids isolated from *Helichrysum pedunculatum*: a plant used during circumcision rites. *Fitoterapia*, 71(4), 450-452.

Dilika, F., Bremner, P. D., & Meyer, J. J. M. (2000). Antibacterial activity of linoleic and oleic acids isolated from *Helichrysum pedunculatum*: a plant used during circumcision rites. *Fitoterapia*, 71(4), 450-452.

Donald, C., Passey, B. I., & Swaby, R. J. (1952). A comparison of methods for removing trace metals from microbiological media. *Microbiology*, 7(3-4), 211-220.

Dzoyem, J. P., Nkuete, A. H. L., Kuete, V., Tala, M. F., Wabo, H. K., Guru, S. K., Rajput, V. S., Sharma, A., Tane,

Enany, S., & Alexander, L. C. (Eds.). (2017). The rise of virulence and antibiotic resistance in *Staphylococcus aureus*. BoD–Books on Demand.

Fardhyanti, D. S., & Riski, R. D. (2015). Pemungutan brazilin dari kayu secang (*Caesalpinia sappan* L) dengan metode maserasi dan aplikasinya untuk pewarnaan kain. *Jurnal Bahan Alam Terbarukan*, 4(1), 6-13

Fasya, S. (2024). Tinjauan Literatur: Hubungan Stunting terhadap Keparahan Karies Gigi Sulung dan Kebersihan Rongga Mulut pada Anak Usia Sekolah Dasar. *Jurnal Syntax Admiration*, 5(6), 2098-2106.

Ferdian PR, Elfirta RR, Ikhwan AZN, Kasirah K, Haerul H, Sutardi D, Ruhiat G. 2021. Studi in silico senyawa fenolik madu sebagai kandidat inhibitor Mpro SARS-CoV-2. *Media Penelitian dan Pengembangan Kesehatan*. 31(3):213–232

- Frimayanti, N., Lukman, A., & Nathania, L. (2021). Studi molecular docking senyawa 1, 5-benzothiazepine sebagai inhibitor dengue DEN-2 NS2B/NS3 serine protease. *Chempublish Journal*, 6(1), 54-62.
- Gea, S. J., Juwitaningsih, T., Dumariris, I., Simorangkir, M., & Roza, D. (2021). 8. Phytochemical Screening and Antibacterial Activity, Antilarvacides and Toxicity Test of Acetone Extract Pulutan Leave (*Urena lobata*). *Jurnal Medika Veterinaria*, 15(1).
- Hamzah, H., Hertiani, T., Pratiwi, S. U. T., & Nuryastuti, T. (2019). The inhibition activity of tannin on the formation of mono-species and polymicrobial biofilm *Escherichia coli*, *Staphylococcus aureus*, *Pseudomonas aeruginosa*, and *Candida albicans*. *Majalah Obat Tradisional*, 24(2), 110-118.
- Hartanto, S., & Rudyanto, T. (2017). Penelitian secang sebagai pewarna alami rotan dan aplikasinya pada produk home décor. *Jurnal Dimensi Seni Rupa dan Desain*, 14(1), 15-30.
- Hartati, F. K., Djauhari, A. B., & Kharisma, V. D. (2021). Evaluation of pharmacokinetic properties, toxicity, and bioactive cytotoxic activity of black rice (*Oryza sativa* L.) as candidates for diabetes mellitus drugs by in silico. *Biointerface Res Appl Chem*, 11(4), 12301-11.
- HATIF, A. R., Mahmood, M. M., JAWAD, F. H., & Obies, A. H. (2024). Molecular Docking of Some Phytochemicals Against DNA Gyrase of Gram-Negative and Gram-positive Bacteria. *Current Clinical and Medical Education*, 2(5), 277-297.
- Hendy, J., Rest, M., & Warinner, C. (2022). The modern history of yoghurt [Essay]. *Fermentology*.
- Hidayah, N. (2016). Pemanfaatan senyawa metabolit sekunder tanaman (tanin dan saponin) dalam mengurangi emisi metan ternak ruminansia. *Jurnal Sain Peternakan Indonesia*, 11(2), 89-98.

- Hidayat, M. L., Mangisah, I., Krismiyo, L., & Yunianto, V. D. (2024). Administration of encapsulated of *Lactobacillus plantarum* and *Peperomia pellucida* plant extract on performance, protein digestibility and immunity of broiler chickens. *Adv. Anim. Vet. Sci*, 12(10), 1896-1902.
- Hurdle, J. G., O'Neill, A. J., Chopra, I., & Lee, R. E. (2011). Targeting bacterial membrane function: an underexploited mechanism for treating persistent infections. *Nature Reviews Microbiology*, 9(1), 62-75.
- Hwang, J. K., Shim, J. S., Baek, N. I., & Pyun, Y. R. (2000). Xanthorrhizol: a potential antibacterial agent from *Curcuma xanthorrhiza* against *Streptococcus mutans*. *Planta Medica*, 66(02), 196-197.
- Ilievska B, Loftsson T, Hjalmarsdottir MA, Asgrimsdottir GM. Topical formulation comprising fatty acid extract from cod-liver oil: development, evaluation and stability studies. *Mar Drugs*. 2016;14(6):105-15.
- Ilievska, B., Loftsson, T., Hjalmarsdottir, M. A., & Asgrimsdottir, G. M. (2016). Topical formulation comprising fatty acid extract from cod liver oil: development, evaluation and stability studies. *Marine Drugs*, 14(6), 105.
- Imanudin, N., Kurniawan, M., F, dan Rohmayanti, T. (2022). Potensi Senyawa Aktif Ekstrak Kayu Manis Padang (*Cinnamomum burmannii*) sebagai Inhibitor Enzim Aldose Reduktase secara Molekuler Docking. *Jurnal Riset Sains dan Teknologi*, 6(2), 171-179.
- Indarto, I., Narulita, W., Anggoro, B. S., & Novitasari, A. (2019). Aktivitas antibakteri fraksi daun binahong terhadap *Propionibacterium acnes*. *Biosfer: Jurnal Tadris Biologi*, 10(1), 67-78.
- Jannah, R. R., & Amaria, A. (2020). Artikel review: Sintesis nanopartikel perak menggunakan pereduksi asam amino sebagai deteksi Ion logam berat. In *Prosiding Seminar Nasional Kimia (SNK)* (pp. 185-202).
- Jawetz, E., Melnick, J. L., & Adelberg, E. A. (2013). *Medizinische Mikrobiologie*.

Springer-Verlag.

Juwitaningsih T, Syah YM, Juliawaty D. (2014). Aktivitas antibakteri dari fraksi *Alpinia malaccensis* (Burm.f.) Roxb, Laporan Penelitian Fundamental, Universitas Negeri Medan

Juwitaningsih, T., Jahro, I. S., & Sari, S. A. (2020). Evaluation of north sumatera cardamom seed (*amomum compactum*) extract as antibacterial and anticancer. *Journal of Physics: Conference Series*, 1485(1). <https://doi.org/10.1088/1742-6596/1485/1/012019>

Juwitaningsih, T., Jahro, I. S., Sari, S. A., & Rukayadi, Y. (2020). Antibacterial activity of various medicinal plants in North Sumatra against common human pathogens. *Research Journal of Chemistry and Environment*, 24(1), 99-105.

Kamble RP, Ghosh P, Kulkarni AA. 2022. Identification of α -amylase inhibitory compounds from leaves of *Careya arborea* Roxb. and in silico docking studies. *South African Journal of Botany*. 00:1–11.

Kamila, E. A., Abidin, Z., Arief, I. I., & Trivadila, T. (2023). Synthesis, characterization, antibacterial activity, and potential water filter application of copper oxide/zeolite composite. *Makara Journal of Science*, 27(3), 4.

Karlina, Y., Adirestuti, P., Agustini, D. M., Fadhillah, N. L., Fauziyyah, N., & Malita, D. (2016). Pengujian Potensi Antijamur Fraksi Air Kayu Secang Terhadap *Aspergillus Niger* dan *Candida Albicans*. *Chimica et Natura Acta*, 4(2), 84-87.

Karunia, S. D., Supartono, M. A., & Sumarni, W. (2017). Analisis Sifat Antibakteri Ekstrak Biji Srikaya (*Annona squamosa* L) dengan pelarut organik. *Indonesian Journal of Chemical Science*, 6(1), 56-60.

Kelutur, F. J., & Mustarichie, R. (2020). Molecular docking of the potential compound from cocoa shells (*Theobroma cacao* L.) against androgen

receptor as anti-alopecia. *Journal of Global Pharma Technology*, 12(9), 52-60.

Krovat, B. C., Tracy, J. H., & Omiecinski, C. J. (2000). Fingerprinting of cytochrome P450 and microsomal epoxide hydrolase gene expression in human blood cells. *Toxicological Sciences*, 55(2), 352-360.

Kuete, V. (2010). Potential of Cameroonian plants and derived products against microbial infections: a review. *Planta medica*, 76(14), 1479-1491.

Kurniati, A., Puspaningsih, N. N. T., Putri, K. D. A., Damayanti, M., Purwani, N. N., Rahmah, S. A., ... & Sanjaya, R. E. (2022). Heterologous fusion gene expression and characterization of a novel carbohydrate binding module (Cbm36) to laccase (Lcc2). *Biocatalysis and Agricultural Biotechnology*, 42, 102377.]

Kusmiati, D., & Priadi, D. (2014, May). Analisa senyawa aktif fraksi kayu secang (*Caesalpinia sappan* L.) yang berpotensi sebagai antimikroba. In *Seminar Nasional Teknologi Industri Hijau* (Vol. 1, pp. 169-174).

Lee, J.H.; Regmi Sushil, C.; Kim, J.A.; Cho Moo, H.; Yun, H.; Lee, C.S.; Lee, J. Apple Flavonoid Phloretin Inhibits Escherichia coli O157:H7 Biofilm Formation and Ameliorates Colon Inflammation in Rats. *Infect. Immun.* 2011, 79, 4819–4827.

Lestari, O. A., Palupi, N. S., Setiyono, A., Kusnandar, F., & Yuliana, N. D. (2024). LC-MS metabolomics and molecular docking approaches to identify antihyperglycemic and antioxidant compounds from *Melastoma malabathricum* L. Leaf. *Saudi Journal of Biological Sciences*, 31(8), 104047.

Lukmayani, Y. (2022). Aktivitas Antibakteri Ekstrak Kayu Secang (*Caesalpinia sappan* L.) Dan Minyak Bunga Cengkeh (*Syzygium aromaticum* L.) Serta Kombinasinya Terhadap Bakteri Penyebab Penyakit Kulit. *Jurnal Ilmiah Farmasi Farmasyifa*, 5(1), 33-40.

- Mabruroh, E. Q., Mursiti, S., & Kusumo, E. (2019). Isolasi dan Identifikasi Senyawa Flavonoid dari Daun Murbei (*Morus alba* Linn). *Indonesian journal of Chemical science*, 8(1), 16-22.
- Malau, N. D., & Azzahra, S. F. (2019). Analisa docking cyanidin 3, 5-di-(6-malonylglucoside) terhadap reseptor Plasmodium falciparum Enoyl Acyl Carrier Protein Reductase (PfENR) sebagai anti malaria. *Jurnal EduMatSains*, 4(1), 99-110.
- Mardiah, A., Alamsyah, Y., & Kornialia, K. (2017). Pengaruh ekstrak kulit buah jeruk pontianak (*Citrus Nobilis* L Var *Microcarpa*) dalam pembentukan zona hambat terhadap pertumbuhan bakteri streptococcus mutans. *B-Dent: Jurnal Kedokteran Gigi Universitas Baiturrahmah*, 4(1), 1-8.
- Mayasari, U., & Sapitri, A. (2020). Uji Aktivitas Antibakteri Ekstrak Daun Sereh Wangi Terhadap Pertumbuhan Bakteri Streptococcus mutans. *KLOROFIL: Jurnal Ilmu Biologi dan Terapan*, 3(1), 15-19.
- Mukesh, B., & Rakesh, K. (2011). Molecular docking: a review. *Int J Res Ayurveda Pharm*, 2(6), 1746-51.
- Mukhtasari, D. A. (2012). Uji aktivitas antibakteri perasan jeruk nipis (*Citrus aurantifolia*, Swingle) terhadap pertumbuhan *Shigella dysenteriae* secara in vitro.
- Muttaqin, F. Z. (2019). Molecular docking and molecular dynamic studies of stilbene derivative compounds as sirtuin-3 (Sirt3) histone deacetylase inhibitor on melanoma skin cancer and their toxicities prediction. *Journal of Pharmacopolium*, 2(2).
- Natheer, S. E., Sekar, C., Amutharaj, P., Rahman, M. S. A., & Khan, K. F. (2012). Evaluation of antibacterial activity of *Morinda citrifolia*, *Vitex trifolia* and *Chromolaena odorata*. *African journal of pharmacy and pharmacology*, 6(11), 783-788.
- Niken, N., Arman, E., Pebriansyah, R., & Yusuf, R. N. (2023). Uji Efektivitas

Antibakteri Fraksi Kulit Jeruk Manis (*Citrus Sinensis*) Terhadap Pertumbuhan Bakteri *Staphylococcus Aureus*. *Jurnal Kesehatan Saintika Meditory*, 6(2), 296-305.

Nirmal, N. P., Rajput, M. S., Prasad, R. G., & Ahmad, M. (2015). *Brazilin* from *Caesalpinia sappan* heartwood and its pharmacological activities: A review. *Asian Pacific Journal of Tropical Medicine*, 8(6), 421-430

Nomer, N. M. G. R., Duniaji, A. S., & Nocianitri, K. A. (2019). kandungan senyawa flavonoid dan antosianin fraksi kayu secang (*Caesalpinia sappan* L.) serta aktivitas antibakteri terhadap *Vibrio cholerae*. *Jurnal Ilmu dan Teknologi Pangan*, 8(2), 216-225.

Novitasari, A. E., & Putri, D. Z. (2016). Isolasi dan Identifikasi Saponin pada Ekstrak Daun Mahkota Dewa Dengan Ekstraksi Maserasi. *Jurnal Sains*, 6(12), 10–14

Nufailah, D. (2008). Uji Aktivitas Antibakteri Produk Reduksi Asam Palmitat dalam Sistem $\text{NaBH}_4/\text{BF}_3 \cdot \text{Et}_2\text{O}$ Terhadap *Escherichia coli* dan *Staphylococcus aureus*, Skripsi, FMIPA, Universitas Diponegoro, Yogyakarta.

Padmaningrum, R. T., Marwati, S., & Wiyarsi, A. (2012, June). Karakter fraksi zat warna kayu secang (*Caesalpinia sappan* L) sebagai indikator titrasi asam basa. In *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA Hal. K-1–K-9., Fakultas MIPA, Universitas Negeri Yogyakarta*.

Patil, R., Das, S., Stanley, A., Yadav, L., Sudhakar, A., & Varma, A. K. (2010). Optimized hydrophobic interactions and hydrogen bonding at the target-ligand interface leads the pathways of drug-designing. *PloS one*, 5(8), e12029.

Pebriani, D. A. A., Negara, I., Wijayanti, N. P. P., Sudaryatma, P. E., & Wiradana, P. A. (2024). Effect of vitamin C supplementation on the survival rate and histopathological changes of gills and kidneys of tilapia

(*Oreochromis niloticus*) infected by *Aeromonas hydrophila*. *Journal of Aquaculture & Fish Health*, 13(2).

Permadi, Y. W., & Mugiyanto, E. (2018). Formulasi Dan Evaluasi Sifat Fisik Shampo Anti Ketombe Ekstrak Daun Teh Hijau. *Jurnal Farmasi Sains dan Praktis*, 4(2), 62-66.

Pillai, B. S., MADHUBALA, M., Velmurugan, A., Amiritharaj, V. L., & Rajaraman, G. (2018). Comparative Evaluation of Antimicrobial Efficacy of Chlorhexidine, MTAD and Chitosan as Root Canal Irrigant against *Enterococcus faecalis*. *Journal of Clinical & Diagnostic Research*, 12(12).

Praja, D. I. 2015. Zat Aditif Makanan Manfaat Dan Bahayanya. Yogyakarta: Garudhawaca.

Prayoga, D. G. E., Nocianitri, K. A., & Puspawati, N. N. (2019). Identifikasi senyawa fitokimia dan aktivitas antioksidan fraksi kasar daun pepe (*Gymnema reticulatum* Br.) pada berbagai jenis pelarut. *Jurnal Ilmu dan Teknologi Pangan*, 8(2), 111-121.

Pringgenies, D., Setyati, W. A., Djunaedi, A., Pramesti, R., Rudiyaniti, S., & Ariyanto, D. (2021). Exploration of antimicrobial potency of mangrove symbiont against multi-drug resistant bacteria. *Jurnal Ilmiah Perikanan dan Kelautan*, 13(2), 222-232.

Priyanka, P., Tan, Y., Kinsella, G. K., Henahan, G. T., & Ryan, B. J. (2019). Solvent stable microbial lipases: Current understanding and biotechnological applications. *Biotechnology letters*, 41, 203-220.

Pui, C. H., Carroll, W. L., Meshinchi, S., & Arceci, R. J. (2011). Biology, risk stratification, and therapy of pediatric acute leukemias: an update. *Journal of clinical oncology*, 29(5), 551-565.

Puratchikody, A., Sriram, D., Umamaheswari, A., & Irfan, N. (2016). 3-D structural interactions and quantitative structural toxicity studies of tyrosine

derivatives intended for safe potent inflammation treatment. *Chemistry Central Journal*, 10(1), 1–19. <https://doi.org/10.1186/s13065-016-0169-9>

Putri, D. D., & Nurmagustina, D. E. (2014). Kandungan total fenol dan aktivitas antibakteri kelopak buah rosela merah dan ungu sebagai kandidat feed additive alami pada broiler. *Jurnal penelitian pertanian terapan*, 14(3).

Putri, G. T., Utami, N., Susianti, S., & Bakri, S. (2022). Karakteristik GC-MS dalam Kandungan Senyawa Fraksi Umbi *Cyperus rotundus* L. yang Berasal dari Provinsi Lampung dengan Dua Pelarut yang Berbeda. *JUKE*, 6(1).

Rahmaningsih, S., & Andriani, R. (2017). Aktivitas biologis ekstrak daun majapahit (*Crescentia Cujete*) dan potensinya sebagai antibakteri *Vibrio harveyi* secara insilico. *Prosiding SNasPPM*, 1(1), 80-87.

Rakesh, G., Mukesh, S., Dharmendra, A., & Anurekha, J. (2011). Synthesis and Anti-Oxidant Activity of Phenol and Aldehyde Derivatives of Sulfonyl Chloride Quinoxaline.

Ratu, B. D., Bodhi, W., Budiarmo, F., Kepel, B. J., & Manampiring, A. (2021). Molecular Docking Senyawa Gingerol dan Zingiberol pada Tanaman Jahe sebagai Penanganan COVID-19. *eBiomedik*, 9(1).

Retnowati, Y., Moeljopawiro, S., Djohan, T. S., & Soetarto, E. S. (2018). Antimicrobial activities of actinomycete isolates from rhizospheric soils in different mangrove forests of Torosiaje, Gorontalo, Indonesia. *Biodiversitas Journal of Biological Diversity*, 19(6), 2196-2203.

Rijayanti, R. P. (2014). Uji aktivitas antibakteri ekstrak etanol daun mangga bacang (*Mangifera Foetida* L.) terhadap *Staphylococcus aureus* secara in vitro. *Jurnal Mahasiswa PSPD FK Universitas Tanjungpura*, 1(1).

Rukayadi, Y., & Hwang, J. K. (2006). In vitro activity of xanthorrhizol against *Streptococcus mutans* biofilms. *Letters in Applied Microbiology*, 42(4),

400-404.

Rukayadi, Y., & Hwang, J. K. (2007). In vitro anti-Malassezia activity of xanthorrhizol isolated from *Curcuma xanthorrhiza* Roxb. *Letters in applied microbiology*, 44(2), 126-130.

Rukayadi, Y., & Hwang, J. K. (2007). In vitro antimycotic activity of xanthorrhizol isolated from *Curcuma xanthorrhiza* Roxb. against opportunistic filamentous fungi. *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*, 21(5), 434-438.

Saqallah FG, Hamed WM, Talib WH, Dianita R, Wahab HA. Antimicrobial activity and molecular docking screening of bioactive components of *Antirrhinum majus* (snapdragon) aerial parts. *Heliyon* [Internet]. 2022;8(8):e10391. Available from: <https://doi.org/10.1016/j.heliyon.2022.e10391>

Sari IW, Junaidin J, Pratiwi D. 2020. Studi molekular docking senyawa flavonoid herba kumis kucing (*Orthosiphon stamineus* B.) pada reseptor α -glukosidase sebagai antidiabetes tipe 2. *Jurnal Farmagazine*. 7(2):54-60

Sari, I. W., Junaidin, J., & Pratiwi, D. (2020). Studi Molecular Docking Senyawa Flavonoid Herba Kumis Kucing (*Orthosiphon Stamineus* B.) Pada Reseptor α -Glukosidase Sebagai Antidiabetes Tipe 2. *Jurnal Farmagazine*, 7(2), 54-60.

Sari, R. A. F. I. K. A., Cesilia, A., Maksum, R., & Amarila, M. (2011). Skrining Bakteriosin dari beberapa galur bakteri asam laktat isolat lokal genus *Streptococcus* dan *Weissella* [Screening of Bacteriocin from Some Locally-Isolated Strains Lactic Acid Bacteria of genus *Streptococcus* and *Weissella*]. *Jurnal Ilmu Kefarmasian Indonesia*, 9(2), 116-121.

Sari, R., & Suhartati, S. (2016). Secang (*Caesalpinia sappan* L.): Tumbuhan herbal kaya antioksidan. *Buletin Eboni*, 13(1), 57-67.

- Sattari A, Ramazani A, Aghahosseini H. Repositioning therapeutics for COVID-19: virtual screening of the potent synthetic and natural compounds as SARS-CoV-2 3CLpro inhibitors. *J Iran Chem Soc* [Internet]. 2021;18(10):2807–27. Available from: <https://doi.org/10.1007/s13738-021-02235-7>
- Shaaban, M. T., Ghaly, M. F., & Fahmi, S. M. (2021). Antibacterial activities of hexadecanoic acid methyl ester and green-synthesized silver nanoparticles against multidrug-resistant bacteria. *Journal of basic microbiology*, 61(6), 557-568.
- Shofi, M. (2021). Studi In Silico Senyawa Kuersetin Daun Kencana Ungu (*Ruellia tuberosa* L.) Sebagai Agen Antikanker Payudara. *Jurnal Sintesis: Penelitian Sains, Terapan dan Analisisnya*, 2(1), 1-9.
- Silviani, Y., & Handayani, S. (2017). Pengaruh Variasi Kombinasi Rebusan Kayu Secang (*Caesalpinia sappan* L.) dan Madu Terhadap Pertumbuhan *Staphylococcus aureus*. *Jurnal Kesehatan Kusuma Husada*.
- Sinaga, J. C. E., Kumaunang, M., & Tuther, P. (2024). Studi In Silico: Aktivitas Antibakteri Senyawa Resveratrol Terhadap Bakteri *Salmonella typhi* Penyebab Demam Tifoid.
- Skalicka-Woźniak, K., Los, R., Głowniak, K., & Malm, A. (2010). Antimicrobial activity of fatty acids from fruits of *Peucedanum cervaria* and *P. alsaticum*. *Chemistry & Biodiversity*, 7(11), 2748-2754.
- Skalicka-Woźniak, K., Los, R., Głowniak, K., & Malm, A. (2010). Antimicrobial activity of fatty acids from fruits of *Peucedanum cervaria* and *P. alsaticum*. *Chemistry & Biodiversity*, 7(11), 2748-2754.
- Soleha, T. U., Oktafany, Ayu, P. R., & Nafisah, A. (2024, September). The effectiveness of using HEPA filters in reducing the number of airborne bacteria in the operating room area. In *AIP Conference Proceedings* (Vol. 2970, No. 1, p. 050026). AIP Publishing LLC.

Srinivasan, R, Selvam, GG, Karthik, S, Mathivanan, K, Baskaran, R, Karthikeyan, M, et al. 2012. In vitro antimicrobial activity of *Caesalpinia sappan* L. Asian Pac J Trop Biomed 1(1): S136-S139. h Ahmad Bukittinggi, Journal Of Pharmaceutical and Sciences, 2(2), 43-48.

Sudirman, S., & Jacob, A. M. (2014). Proximate compositions, bioactive compounds and antioxidant activity from large-leafed mangrove (*Bruguiera gymnorhiza*) fruit. *International Food Research Journal*, 21(6), 2387.

Sugiyanto, R. N., Putri, S. R., Damanik, F. S., & Sasmita, G. M. A. (2013, December). Aplikasi kayu secang (*Caesalpinia sappan* L.) dalam upaya prevensi kerusakan DNA akibat paparan zat potensial karsinogenik melalui MNPCE assay. In *Pekan Ilmiah Mahasiswa Nasional Program Kreativitas Mahasiswa-Penelitian 2013*. Indonesian Ministry of Research, Technology and Higher Education.

Sukmawaty, E., Susanti, S., & Masriany, M. M. (2021). Penambatan Molekuler Senyawa Cendawan Endofit *Trichoderma* sp. Sebagai Inhibitor Protein Low Density Lipoprotein, Enzim Lanasterol 14 Demetilase dan Lipase yang Bertanggung Jawab dalam Dermatitis Seboroik. *Jiis (Jurnal Ilmiah Ibnu Sina): Ilmu Farmasi dan Kesehatan*, 6(1), 98-107.

Sukmiwati, M., Diharmi, A., Mora, E., & Susanti, E. (2018). Aktivitas antimikroba teripang kasur (*Stichopus vastus* Sluiter) dari perairan Natuna Kepulauan Riau. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(2), 328-335.

Sun M, Zhou Z, Dong J. Antibacterial and antibiofilm activities of docosahexaenoic acid (DHA) and eicosapentaenoic acid (EPA) against periodontopathic bacteria. *Microb Pathog*. 2016;19:196-203.

Sun, D. (2018). Pull in and push out: mechanisms of horizontal gene transfer in bacteria. *Frontiers in microbiology*, 9, 2154.

Susanti, N. M. P., Laksmiani, N. P. L., Dewi, P. P. P., & Dewi, P. Y. C. (2019). Molecular docking terpinen-4-ol pada protein IKK sebagai antiinflamasi

pada aterosklerosis secara in silico. *Jurnal Farmasi Udayana*, 1(8), 44-49.

Syahputra, G. (2014). Simulasi docking kurkumin enol, bisdemetoksikurkumin dan analognya sebagai inhibitor enzim 12-lipoksigenase. *Jurnal Biofisika*, 10(1).

Tammi, A. (2015). Aktivitas Antibakteri Buah Makasar (*Brucea javanica*) terhadap Pertumbuhan *Staphylococcus aureus*. *Jurnal Kesehatan dan Agromedicine*, 2(2), 99-103.

Tania, N. E. J., Shamsuzzaman, S. M., Islam, A., Kubra, K., & Rahman, M. M. (2024). Phenotypic and Genotypic Characterization of *mecA* gene in Methicillin-Resistant *Staphylococcus aureus* with Detection of Homologous Sequences isolated from Hospital Acquired Infection Patients admitted at a Tertiary Care Hospital in Dhaka City of Bangl. *Bangladesh Journal of Infectious Diseases*, 11(2), 146-151.

Theodoridis, G., Gika, H. G., & Wilson, I. D. (2008). LC-MS-based methodology for global metabolite profiling in metabonomics/metabolomics. *TrAC Trends in Analytical Chemistry*, 27(3), 251-260.

Tita, J., Siti, J. I., Adelila, S. S., & Yaya, R. (2020). Antibacterial activity of various medicinal plants in North Sumatra against common human pathogens. 24(1), 99–105

Todar K. 2011. *Staphylococcus aureus* and *Staphylococcus Diseases* <http://www.textbookofbacteriology.net/staph.html>. (Diunduh 30 Oktober 2024).

Veliani B.V, Gunawan S. (2021).” Profil Ketepatan Penggunaan Antibiotik pada Karyawan Universitas Tarumanagara. *Jurnal Muara Medika dan Psikologi Klinis*, 1(1), 30-39.

Xu, Z., Yan, S., Bi, K., Han, J., Chen, Y., Wu, Z., & Liu, H. (2013). Isolation and identification of a new anti-inflammatory cyathane diterpenoid from the

medicinal fungus *Cyathus hookeri* Berk. *Fitoterapia*, 86, 159-162.

Yodsaoue, O., Cheenpracha, S., Karalai, C., Ponglimanont, C., Chantrapromma, S., Fun, H. K., & Kanjana-Opas, A. (2008). Phanginin A–K, diterpenoids from the seeds of *Caesalpinia sappan* Linn. *Phytochemistry*, 69(5), 1242-1249.

Yosaatmadja, Y., Squire, C., McKeage, C., & Flanagan, M. (2014). 1.85 angstrom structure of EGFR kinase domain with gefitinib. *Protein Data Bank*. Available online: <https://www.rcsb.org/structure/4WKQ> (accessed on 15 August 2022)

Yuan C, Hao X. Heliyon Antibacterial mechanism of action and in silico molecular docking studies of Cupressus funebris essential oil against drug resistant bacterial strains. *Heliyon* [Internet]. 2023;9(8):e18742. Available from: <https://doi.org/10.1016/j.heliyon.2023.e18742>.

Yulia R, et al, 2019, Studi Tingkat Pengetahuan Masyarakat Terhadap Penggunaan Antibiotik di Puskesmas Rasima

Zhu, N. L., Sun, Z. H., Hu, M. G., Wu, T. Y., Yuan, J. Q., Wu, H. F., ... & Xu, X. D. (2017). New cassane diterpenoids from *Caesalpinia sappan* and their antiplasmodial activity. *Molecules*, 22(10), 1751.

Zulenda, Z., Naselia, U. A., Gustian, N., Zaharah, T. A., & Rahmalia, W. (2019). Sintesis dan karakterisasi kompleks brazilin dari fraksi kayu secang (*Caesalpinia sappan* Linn) serta aplikasinya dalam Dye Sensitized Solar Cells (DSSC). *Jurnal Kimia Valensi*, 5(1), 8-14.