

DAFTAR PUSTAKA

- Abdullah, S. L., Akbariyah, A. F., & Wikansari, R. (2024). Potensi Ekspor Crude Palm Oil (CPO) di Indonesia. *Journal Of Science and Social Research*, 7(1), 61-67.
- Anam, C., Sirojudin., & Firdausi, K.S. (2007). Analisis Gugus Fungsi Pada Sampel Uji Bensin dan Spritus Menggunakan Metode Spektroskopi FTIR. *Jurnal Berkala Fisika*, 10(1), 79-85.
- Badan Standardisasi Nasional. (2015). *SNI 7182:2015 Biodiesel dari Minyak Nabati dan Lemak Hewani - Spesifikasi*. Badan Standardisasi Nasional (BSN).
- Biyantoro, D., Basuki, K. T., & Subagiono, S. (2006). Studi Operasi Resin Penukar Ion Dalam Sistem Purifikasi Air Primer Pwr. *GANENDRA Majalah IPTEK Nuklir*, 9(1).
- BPS. (2024). Statistik Kelapa Sawit Indonesia 2023. Jakarta: Badan Pusat Statistik
- BSN. (2015). SNI 7182 : 2015. Biodiesel. Jakarta. Badan Standarisasi Nasional
- Cabral, N. M., Lorenti, J. P., Plass, W., & Gallo, J. M. R. (2020). Solid acid resin Amberlyst 45 as a catalyst for the transesterification of vegetable oil. *Frontiers in chemistry*, 8, 305.
- Chang, Y., Lee, C., & Bae, C. (2014). Polystyrene-based superacidic solid acid catalyst: synthesis and its application in biodiesel production. *RSC advances*, 4(88), 47448-47454.
- Chalykh, A. E., Khasbiullin, R. R., Aliev, A. D., Matveev, V. V., Gerasimov, V. K., Slesarenko, N. A., ... & Tverskoy, V. A. (2023). The Effect of Divinylbenzene on the Structure and Properties of Polyethylene Films with Related Radiation Chemical Grafted Polystyrene and Sulfocationite Membranes. *Membranes*, 13(6), 587.
- Changmai, B., Vanlalveni, C., Ingle, A. P., Bhagat, R., & Rokhum, S. L. (2020). Widely used catalysts in biodiesel production: a review. *RSC advances*, 10(68), 41625-41679.

- Chaudhary, V., & Sharma, S. (2019). Effect of various synthesis parameters on styrene–divinylbenzene copolymer properties. *Journal of Porous Materials*, 26(6), 1559-1571.
- Chen, L., et al. (2019). Thermal degradation characteristics of sulfonated polystyrene resin catalysts. *Polymer Degradation and Stability*, 162, 121-128.
- Corley, R.H.V. and Tinker, P.B. (2016) *The Oil Palm*. Wiley-Blackwell, Hoboken. <https://doi.org/10.1002/9781118953297>
- Corma, A., Iborra, S., & Velty, A. (1998). Chemical routes for the transformation of biomass into chemicals. *Chemical Reviews*, 107(6), 2411-2502.
- Coutinho, F. M., Rezende, S. M., & Soares, B. G. (2006). Characterization of sulfonated poly (styrene–divinylbenzene) and poly (divinylbenzene) and its application as catalysts in esterification reaction. *Journal of Applied Polymer Science*, 102(4), 3616-3627.
- Cunha, H. A., Vieira, I. R., Teixeira, S. S., Martins, D. L., & Costa, M. A. (2025). Synthesis and Characterization of Poly (styrene-co-divinylbenzene) Microspheres with Polystyrene Brushes Containing Trimercaptotriazine Obtained from Surface Initiation with Bromoacetyl and Chloromethyl Groups. *Journal of the Brazilian Chemical Society*, 36(7), e-20250045.
- de Aguiar, V. M., de Souza, A. L. F., Galdino, F. S., da Silva, M. M. C., Teixeira, V. G., & Lachter, E. R. (2017). Sulfonated poly (divinylbenzene) and poly (styrene-divinylbenzene) as catalysts for esterification of fatty acids. *Renewable Energy*, 114, 725-732.
- de Lima, A. P., Vieira, A. T., Nascimento, B., & Pasquini, D. (2021). Esterification of oleic acid employing sulfonated polystyrene and polysulfone membranes as catalysts. *Polímeros: Ciência e Tecnologia*, 31(3), e2021027. <https://doi.org/10.1590/0104-1428.20210067>
- de Oliveira Reis, M., de Sousa, R. G., & Batista, A. D. S. M. (2022). Synthesis and characterization of poly (styrene-co-divinylbenzene) and nanomagnetite structures. *MethodsX*, 9, 101764.
- Depuydt, S., Jammaer, J., Van den Broeck, E., et al. (2024). Overcoming the trade-off between methanol rejection and proton conductivity via facile synthesis of crosslinked sulfonated PEEK PEMs. *Applied Sciences*, 14(7), 3089.

- Deus, MS, Deus, KC, Lira, DS, Oliveira, JA, Padilha, CE, & Souza, DF (2023). Esterifikasi Asam Oleat untuk Produksi Biodiesel Menggunakan Alat Atomisasi Semibatch. *Jurnal Internasional Teknik Kimia*, 2023 (1), 6957812.
- Devi, T. R. P. S., Nurhayati, N., & Linggawati, A. (2015). *Produksi Biodiesel Dari CPO Dengan Proses Esterifikasi Dengan Katalis H₂SO₄ dan Transesterifikasi Dengan Katalis CaO Dari Cangkang Kerang Darah* (Doctoral dissertation, Riau University).
- Didi, D., Febrianto, F., & Tasroni, T. (2003). Analisis Pengaruh Katalis pada Reaksi Esterifikasi Minyak Sawit Mentah. *Jurnal Teknik: Media Pengembangan Ilmu dan Aplikasi Teknik*, 2(2), 200-205.
- Dimawarnita, F., Arfiana, A. N., Mursidah, S., Maghfiroh, S. R., & Suryadarma, P. (2021). Produksi Biodisel Berbasis Minyak Nabati Menggunakan Aspen HYSYS. *Jurnal Teknologi Industri Pertanian*, 31(1), 98-109.
- Dossin, T. F., Reyniers, M. F., & Marin, G. B. (2006). Kinetics of heterogeneously MgO-catalyzed transesterification. *Applied Catalysis B: Environmental*, 62(1-2), 35-45.
- Durand, D., Lorthioir, C., & Ziarelli, F. (1996). Kinetic investigation of the free-radical crosslinking copolymerization of styrene with a mixture of divinylbenzene isomers. *Polymer*, 37(18), 4141-4148.
- Encinar, J. M., González, J. F., Rodríguez-Reinares, A. (2011). Biodiesel from used frying oil. Variables affecting the yields and characteristics of the biodiesel. *Industrial & Engineering Chemistry Research*, 44(15), 5491–5499.
- Gea, S., Widati, A. A., Syukri, S., Eddiyanto, E., & Wardana, D. (2024, March). Esterification of palm fatty acid distillate to methyl ester using amberlyst catalyst in a semi-continuous reactor. In *AIP Conference Proceedings* (Vol. 3026, No. 1). AIP Publishing.
- Geesala, R., Bar, N., Dhoke, N. R., Basak, P., & Das, A. (2016). Porous polymer scaffold for on-site delivery of stem cells—protects from oxidative stress and potentiates wound tissue repair. *Biomaterials*, 77, 1-13.
- Guo, Y., Yang, F., Liu, J., Zhang, J., & Ji, J. (2016). Sulfonated polystyrene-divinylbenzene resin as heterogeneous catalyst for biodiesel production. *Fuel*, 164, 160–167.

- Handayani, D. S., & Kusumaningsih, T., & Yuli, M. (2004). Synthesis of co-poly (eugenol sulfonate)-DVB from eugenol as a major component of *Syzygium aromaticum* oils. *Asian Journal of Natural Product Biochemistry*, 2(2), 53-57.
- Handayani, D. S., & Kusumaningsih, T. (2007). Sintesis Kopolimer (Anetol-DVB) Sulfonat Sebagai Bahan Alternatif Resin Penukar Kation. *Jurnal Teknologi Industri Pertanian*, 17(2).
- Hanková, L., Holub, L., & Jeřábek, K. (2015). Formation of porous polymer morphology by microsineresis during divinylbenzene polymerization. *Journal of Polymer Science Part B: Polymer Physics*, 53(11), 774-781.
- Haryono, H., Nathanael, C. L., & Yuliyati, Y. B. (2017). Pengaruh Rasio Mol Minyak-Metanol Terhadap Perolehan Dan Kualitas Biodiesel Dari Minyak Kelapa Sawit Dengan Katalis Kalsium Oksida. *Prosiding SNaPP: Sains, Teknologi*, 7(1), 194-201.
- Hidayani, T. R., Rusmar, I., & Mirnandaulia, M. (2022). Using Of Divinyl Benzene as A Crosslinking Agent in The Manufacture Of Polymer Composite Materials. *Jurnal Rekayasa, Teknologi Proses dan Sains Kimia (REPROKIMIA)*, 1(1), 13-20.
- Hidayati, R., Allah, A. H., & Arita, S. (2012). Pengaruh Penambahan H_3PO_4 dan Resin Kation-Anion terhadap Persen Total Gliserol Hasil Samping Pembuatan Biodiesel. *Jurnal Teknik Kimia*, 18(4), 31-38.
- Holboke, A. E., & Pinnell, R. P. (1989). Sulfonation of polystyrene: Preparation and characterization of an ion exchange resin in the organic laboratory. *Journal of Chemical Education*, 66(7), 613.
- Hongyan, J., Hou, C., Ying, L., Yuhong, X., & Mingliang, W. (2009). Synthesis of monodisperse poly (styrene-co-divinyl benzene) microspheres by precipitation polymerization in acetonitrile and n-butanol mixture. *e-Polymers*, 9(1), 107.
- Hradil, J., & Králová, E. (1998). Styrene-divinylbenzene copolymers post-crosslinked with tetrachloromethane. *Polymer*, 39(24), 6041-6048.

- Jazuli, M., & Wibowo, A. A. (2020). Biodiesel sebagai Sumber Energi Terbarukan: Proses dan Teknologi Terkini. *DISTILAT: Jurnal Teknologi Separasi*, 6(2), 445-450.
- Khomein, P., Ketelaars, W., Lap, T., & Liu, G. (2021). Polimer aromatik tersulfonasi sebagai membran pertukaran proton masa depan: Tinjauan metode sulfonasi dan ikatan silang. *Renewable and Sustainable Energy Reviews*, 137, 110471.
- Kim, Y. S., & Pivovar, B. S. (2010). Moving beyond mass-based parameters for conductivity analysis of sulfonated polymers. *Annual Review of Chemical and Biomolecular Engineering*, 1, 123–148.
- Kuncahyo, P., Fathallah, A., & Sanuri, S. S. S. S. S. (2013). Analisa prediksi potensi bahan baku biodiesel sebagai suplemen bahan bakar motor diesel di Indonesia. *Jurnal Teknik ITS*, 2(1), B62-B66.
- Kurniasih, E. (2013). Produksi Biodiesel Dari Crude Palm Oil Melalui Reaksi Dua Tahap. Laporan Hasil Penelitian. Program Studi Teknik Kimia. Politeknik Negeri Lhokseumawe, Aceh.
- Lotero, E., Liu, Y., Lopez, D. E., Suwannakarn, K., Bruce, D. A., & Goodwin Jr, J. G. (2005). Synthesis of biodiesel via acid catalysis. *Industrial & Engineering Chemistry Research*, 44(14), 5353–5363.
- Lee, H., Lee, D., & Park, Y. (2020). Efficient biodiesel production using sulfonated polystyrene–divinylbenzene resin catalysts. *Fuel*, 263, 116703.
- Lestari, A. S., & Sartika, D. (2018). Preparasi dan karakterisasi nanopartikel Fe₃O₄ menggunakan metode kopresipitasi. *Jurnal Teknologi Technoscientia*, 7-10.
- Li, H.M, Liu, JC, Zhu, FM, & Lin, SA (2001). Sintesis dan sifat fisik ionomer polistiren sindiotaktik tersulfonasi. *Polimer internasional*, 50 (4), 421-428.
- Lu, L. I., Cheng, J., Xiufang, W. E. N., Pihui, P. I., & Zhuoru, Y. A. N. G. (2006). Synthesis and characterization of suspension polymerized styrene-divinylbenzene porous microsphere using as slow-release-active carrier. *Chinese Journal of Chemical Engineering*, 14(4), 471-477.
- Ma, F., & Hanna, M. A. (1999). Biodiesel production: A review. *Bioresource Technology*, 70(1), 1–15.

- Malik, MA, Ali, SW, & Ahmed, I. (2010). Resin stirena-divinibenzena tersulfonasi: mengoptimalkan sintesis dan memperkirakan karakteristik kopolimer dasar dan resin. *Penelitian Kimia Industri & Teknik*, 49 (6), 2608-2612.
- Mardawati, E., Hidayat, M. S., Rahmah, D. M., & Rosalinda, S. (2019). Produksi biodiesel dari minyak kelapa sawit kasar off grade dengan variasi pengaruh asam sulfat pada proses esterifikasi terhadap mutu biodiesel yang dihasilkan. *Jurnal Industri Pertanian*, 1(3), 46-60.
- Mat, R., Samsudin, R.A., Mohamed, M., Johari, A., 2012, Solid Catalysts and Their Application in Biodiesel Production, *Bulletin of Chemical Reaction Engineering & Catalysis*, Vol. 7 (2), pp. 142-149.
- Melero, J. A., Bautista, L. F., Morales, G., Iglesias, J., & Sánchez-Vázquez, R. (2008). Biodiesel production with heterogeneous sulfonic acid-functionalized mesostructured catalysts. *Energy & Fuels*, 22(5), 3365–3372.
- Melero, J. A., Iglesias, J., & Morales, G. (2010). Heterogeneous acid catalysts for biodiesel production: Current status and future challenges. *Green Chemistry*, 12(3), 426–443.
- Mo, X., Lotero, E., Lu, C., Liu, Y., & Goodwin, JG (2008). Katalis asam padat komposit karbon tersulfonasi baru untuk sintesis biodiesel. *Catalysis Letters*, 123, 1-6.
- Mukhtar, A., Saqib, S., Lin, H., Shah, M. U. H., Ullah, S., Younas, M., ... & Bokhari, A. (2022). Current status and challenges in the heterogeneous catalysis for biodiesel production. *Renewable and sustainable energy reviews*, 157, 112012.
- Ngadiwiyana, Ismiyarto, Gunawan, Purbowatiningrum, R. S., Prasetya, N. B. A., Kusworo, T. D., & Susanto, H. (2018, May). Sulfonated polystyrene and its characterization as a material of electrolyte polymer. In *Journal of Physics: Conference Series* (Vol. 1025, p. 012133). IOP Publishing.
- Ozer, O., Ince, A., Karagoz, B., & Bicak, N. (2013). Crosslinked PS-DVB microspheres with sulfonated polystyrene brushes as new generation of ion exchange resins. *Desalination*, 309, 141-147.

- Pereira, C.S.M., Silva, C.A., & Rocha, S.C.S. (2021). Esterification of oleic acid using sulfonated polystyrene catalysts. *Journal of Environmental Chemical Engineering*, 9(1), 104593.
- Pereira, I. P., de Souza, R. F. B., Silva, J. R., & Silva, C. C. (2021). Sulfonated polystyrene-divinylbenzene resins as catalysts for esterification reactions: Effects of sulfonation degree on catalytic activity. *Catalysis Today*, 362, 56–63.
- Poku, K. (2002). *Small-scale palm oil processing in Africa* (No. 148). Food & Agriculture Org..
- Pramod, S. K., Navnath, K. A., & Pramod, S. M. (2020). A Review On Gas Chromatography-Mass Spectrometry (GC-MS).
- Prasetya, N. B. A., Ngadiwiyana, N., Ismiyarto, I., & Sarjono, P. R. (2020, April). Effects of percent weight of divinylbenzene as crosslinking agent on the properties of eugenol–divinylbenzene copolymers. In *Journal of Physics: Conference Series* (Vol. 1524, No. 1, p. 012089). IOP Publishing.
- Prasetyo, Y. 2011. Scanning Electron Microscopy (SEM) dan Optical Emission Spectroscopy(OES).
- Prianto, B. (2010). Katalisis Heterogen dengan Mekanisme Langmuir-Hinshelwood sebagai Model Reaksi Elektrolisis Nacl. *Berita Dirgantara*, 9(3).
- Prihanto, A., & Irawan, T. B. (2018). Pengaruh Temperatur, Konsentrasi Katalis Dan Rasio Molar Metanol-Minyak Terhadap Yield Biodisel Dari Minyak Goreng Bekas Melalui Proses Netralisasi-Transesterifikasi. *Metana*, 13(1), 30-36.
- Prime, R. B., Bair, H. E., Vyazovkin, S., Gallagher, P. K., & Riga, A. (2009). Thermogravimetric analysis (TGA). *Thermal analysis of polymers: Fundamentals and applications*, 241-317.
- Pulungan, A. N., Kembaren, A., Nurfajriani, N., Syuhada, F. A., Sihombing, J. L., Yusuf, M., & Rahayu, R. (2021). Biodiesel Production from Rubber Seed Oil Using Natural Zeolite Supported Metal Oxide Catalysts. *Polish Journal of Environmental Studies*, 30(6), 5681-5689.

- Pulungan, A. N. (2018). Optimization of Indonesia biodiesel production from rubber seed oil using natural zeolite modification. *Jurnal Pendidikan Kimia*, 10(2), 387-392.
- Putri, A. R., Sari, D. P., & Syamsiah, S. (2020). Characterization of sulfonated PS-DVB resin catalyst and its application in oleic acid esterification. *Journal of Chemical Technology and Metallurgy*, 55(3), 639–646.
- Rahmawati, D., Pranowo, H. D., & Fitriani, S. (2019). Sulfonated polystyrene–divinylbenzene resin as solid acid catalyst for biodiesel production from oleic acid. *Indonesian Journal of Chemistry*, 19(1), 23–30.
- Rashid, U., & Anwar, F. (2008). Production of biodiesel through optimized alkaline-catalyzed transesterification of rapeseed oil. *Fuel*, 87(3), 265-273.
- Rodrigo, R., Toro, C. A., & Cuellar, J. (2013). Morphological characteristics of poly (styrene-co-divinylbenzene) microparticles synthesized by suspension polymerization. *Powder technology*, 247, 279-288.
- Roslan, N. A., Abidin, S. Z., Abdullah, N., Osazuwa, O. U., Rasid, R. A., & Yunus, N. M. (2022). Esterification reaction of free fatty acid in used cooking oil using sulfonated hypercrosslinked exchange resin as catalyst. *Chemical Engineering Research and Design*, 180, 414-424.
- Rustanto, M. E., Yudita, Y., & Ilcham, A. (2022). Manufacture of Capacitors from Activated Carbon from Used Batteries, Chicken Bones and Banana Skins: Manufacture of Capacitors from Activated Carbon from Used Batteries, Chicken Bones and Banana Skins. *Jurnal Rekayasa, Teknologi Proses dan Sains Kimia (REPROKIMIA)*, 1(2), 54-62.
- Salimon, J., Salih, N., & Yousif, E. (2010). Biolubricants: Raw materials, chemical modifications and environmental benefits. *European Journal of Lipid Science and Technology*, 112(5), 519–530.
- Sawangkeaw, R., & Bunyakiat, K. (2010). Biodiesel production from waste cooking oil using heterogeneous catalysts. *Renewable and Sustainable Energy Reviews*, 14(9), 2926–2931.
- Shah, P., et al. (2019). Comparative study of Amberlyst-15 and sulfonated polymer catalysts in biodiesel production. *Fuel Processing Technology*, 188, 90-98.

- Shibasaki-Kitakawa, N., Honda, H., Kuribayashi, H., Toda, M., Fukumura, T., & Yonemoto, T. (2007). Biodiesel production using anionic ion-exchange resin as heterogeneous catalyst. *Bioresource Technology*, 98(2), 416–421.
- Shibasaki-Kitakawa, Naomi, Hiromori, Kousuke, Ihara, Toru, Nakashima, Kazunori, & Yonemoto, Toshikuni. (2015). Production of high quality biodiesel from waste acid oil obtained during edible oil refining using ion-exchange resin catalysts. *Fuel*, 139(0), 11-17.
- Sihombing, J. L., Pulungan, A. N., Simatupang, L., & Wibowo, A. A. (2023). Effective Hydrodeoxygenation Bio-Oil Via Natural Zeolite Supported Transition Metal Oxide Catalyst. *Arabian Journal of Chemistry*, 16(06), 1-39.
- Silviyah, S. (2014). *Penggunaan Metode Ft-ir (Fourier Transform Infra Red) Untuk Mengidentifikasi Gugus Fungsi Pada Proses Pembaluran Penderita Mioma* (Doctoral dissertation, Brawijaya University).
- Sinaga, A. G. S., & Siahaan, D. (2018, October). Profil Asam Lemak Jenuh pada Produk Makanan Turunan Minyak Kelapa Sawit di Indonesia. In *Talenta Conference Series: Tropical Medicine (TM)* (Vol. 1, No. 1, pp. 306-312).
- Skoog, D. A., Holler, F. J., & Crouch, S. R. (2014). *Principles of Instrumental Analysis* (7th ed.). Cengage Learning.
- Smith, B. (2021). The infrared spectra of polymers III: Hydrocarbon polymers.
- Son, S. M., Kimura, H., & Kusakabe, K. (2011). Esterification of oleic acid in a three-phase fixed bed reactor packed with a cation exchange resin catalyst. *Bioresource Technology*, 102(2), 2130–2132. <https://doi.org/10.1016/j.biortech.2010.08.089>
- Suleman, N., & Paputungan, M. (2019). Esterifikasi dan transesterifikasi stearin sawit untuk pembuatan biodiesel. *Jurnal Teknik*, 17(1), 66-77.
- Sundram, K., Sambanthamurthi, R., & Tan, Y. A. (2014). Palm fruit chemistry and nutrition. *Asia Pacific Journal of Clinical Nutrition*, 12(3), 355–362.
- Susilorini, F. (2007). Sintesis kopoli (asam eugenil oksiasetat-dvb) terimpregnasi 5'-kloro-2, 4, 2'-trihidroksiazobenzena.
- Syahrir, I. (2012). Proses Perengkahan Asam Oleat Basis Minyak Sawit Menjadi Fraksi Gasoline. *Jurnal Teknik Kimia*, 3(2), 227-233.

- Tursunov, O., Dobrowolski, J., Klima, K., Kordon, B., Ryczkowski, J., Tylko, G., & Czerski, G. (2015). The influence of laser biotechnology on energetic value and chemical parameters of Rose Multiflora biomass and role of catalysts for bio-energy production from biomass: Case study in Krakow-Poland. *World Journal of Environmental Engineering*, 3(2), 58-66.
- Ulfa, S. N. S., & Samik, S. (2022). Artikel review: pemanfaatan katalis zeolit alam teraktivasi dalam sintesis biodiesel dengan metode esterifikasi dan transesterifikasi. *UNESA Journal of Chemistry*, 11(3), 165-181.
- Van der Maarel, J. R. C., Jesse, W., Kuil, M. E., & Lapp, A. (1996). Structure and charge distribution in poly (styrenesulfonate) ion exchange resins. *Macromolecules*, 29(6), 2039-2045.
- Wang, Y., Zhao, L., Li, H., & Liu, X. (2016). Sulfonated polystyrene-divinylbenzene resins as highly efficient solid acid catalysts for biodiesel production. *Bioresource Technology*, 218, 713-720.
- Wardana, M. (2023). Studi Kinetika Esterifikasi PFAD dengan Katalis Resin Sulfonat PS-DVB. *Jurnal Teknik Kimia Reaksi*, 6(2), 30-38.
- Wu, X., Leung, D. Y. C., Leung, M. K. H., & Chen, G. (2013). A review on biodiesel production using catalyzed transesterification. *Applied Energy*, 88(11), 4213-4221.
- Yanti, R. N., & Hutasuht, I. L. (2020). Potensi limbah padat perkebunan kelapa sawit di Provinsi Riau. *Wahana Forestra: Jurnal Kehutanan*, 15(2), 1-11.
- Yulvianti, M., Sobari, M. I., & Rijal, S. (2016). Optimaslisasi kinerja zeolit alam bayah sebagai katalis untuk pembuatan triacetin sebagai aditif premium. *Teknika: Jurnal Sains dan Teknologi*, 12(1), 93-103.
- Yusuff, AS (2022). Studi kinetik dan termodinamika esterifikasi asam oleat menggunakan katalis biochar kulit pohon eukaliptus yang difungsionalisasikan dengan SO₃H. *Scientific Reports*, 12 (1), 8653.
- Zainudin, A., Anggraeni, A., Sofyatin, T., & Bahti, H. H. (2015). Pembuatan Resin Penukar Ion Polistiren Sulfonat. *Chimica et Natura Acta*, 3(1).
- Zhang, S., Wang, Y., Zhang, Z., & Yang, M. (2020). Efficient production of biodiesel from oleic acid catalyzed by sulfonated polystyrene resin. *Renewable Energy*, 146, 1103-1110.

- Zhou, X., Zhang, Y., Wang, Y., & Wang, S. (2019). Esterification of oleic acid using solid acid catalyst in biodiesel production. *Renewable Energy*, 139, 350–358.
- Zhou, Y., Zhang, L., Li, H., & Zhang, Y. (2023). Optimization of sulfonation conditions for polystyrene-based solid acid catalysts to improve esterification performance. *Journal of Molecular Catalysis A: Chemical*, 517, 114038.



THE
Character Building
UNIVERSITY