DAFTAR PUSTAKA

Abdel, E. S. M., Young, J. C., & Rabalski, I. (2006). Anthocyanin composition in black, blue, pink, purple, and red cereal grains. *Journal of Agricultural and Food Chemistry*, 54(13), 4696–4704. https://doi.org/10.1021/jf0606609

Ahmed, M., Zhang, H., & Xiong, Y. (2026). Anthocyanin Structural Types and Stability: Implications for Natural Colorant Applications in Food Systems. *Foods*, *15*(12), 2080.

Alegbe, E. O., & Uthman, T. O. (2024). A review of history, properties, classification, applications and challenges of natural and synthetic dyes. *Heliyon*, *10*(13).

Armenta, S., Garrigues, S., & de la Guardia, M. 2022. Green Analytical Chemistry and Its Impact on Quality Assurance. *TrAC Trends in Analytical Chemistry*. 157: 116746.

Badan Pusat Statistik (BPS). (2022). *Statistik Hortikultura 2022: Produksi Buah Naga Menurut Provinsi*. Jakarta: BPS RI.

Dangles, O. (2024). Anthocyanins as natural food colorings: The chemistry behind and challenges still ahead. *Journal of Agricultural and Food Chemistry*, *72*(22), 12356-12372.https://doi.org/10.1021/acs.jafc.4c01050

Elshamey, E. A., Yang, X., Yang, J., Pu, X., Yang, L. E., Ke, C., & Zeng, Y. (2025). Occurrence, biosynthesis, and health benefits of anthocyanins in rice and barley. *International Journal of Molecular Sciences*, *26*(13), 6225.

Feitosa, B. F., Decker, B. L. A., de Brito, E. S., Marques, M. C., Rodrigues, S., & Mariutti, L. R. B. (2025). Anthocyanins stability theory–Evidence summary on the effects of microencapsulation. *Food and Bioproducts Processing*, 153, 77-86.

Gałuszka, A., Migaszewski, Z.M., Konieczka, P., & Namieśnik, J. 2023. Analytical Eco-Scale and Green Analytical Procedure Index as Tools for Assessing the Greenness of Analytical Methods. *TrAC Trends in Analytical Chemistry*. 164: 117115.

Giusti, M. M., & Wrolstad, R. E. (2001). Characterization and measurement of anthocyanins by UV-visible spectroscopy. *Current protocols in food analytical chemistry*, (1), F1-2.

Gomes, F. M. (2023). Study of latent fingerprints – A review. *ScienceDirect*. https://doi.org/10.1016/j.forc.2023.100525

Grover, A., Devi, L., Maity, J., Bumbrah, G. S., & Das, A. (2024). A comprehensive review on the detection of latent fingermarks using carbon dots. *Egyptian Journal of Forensic Sciences*, 14(1), 16.

He, J., & Giusti, M. M. (2010). Anthocyanins: natural colorants with health-promoting properties. *Annual review of food science and technology*, *1*(1), 163-187.

He, J., Xu, M., Li, J., Zhang, Y., & Zhao, X. (2025). Anthocyanins: Chemical Structure, Stability, Bioactivity and Emerging Applications. *Critical Reviews in Food Science and Nutrition*. 65(4): 1120–1142.

Houck, M. M., & Siegel, J. A. (2022). Fundamentals of Forensic Science *(4th ed.)*. *Academic Press.*

Jain, R. K., Sunil, D., & Bhagavath, P. (2025). Organic fluorophores in developing latent fingerprints: an up-to-date review. *Journal of Coatings Technology and Research.* https://doi.org/10.1007/s11998-024-00991-8

Khoo, H.E., Azlan, A., Tang, S.T., & Lim, S.M. (2024). Anthocyanidins and Anthocyanins: Colored Pigments as Food, Pharmaceutical Ingredients, and Potential Health Benefits. *Food & Nutrition Research*. 68: 10231.

Skoog, D. A., Holler, F. J., & Crouch, S. R. (1998). *Principles of instrumental analysis* (Vol. 849). Philadelphia: Saunders college publishing.

Kumari, S., Thakur, D., Singh, S., Bakshi, M., & Singh, S. K. (2025). Dragon fruit: Exploring bioactive compounds and their promising role in functional food innovation and value-added products. *Journal of Food Composition and Analysis*, *141*, 107370.

Laleh, G. H., Frydoonfar, H., Heidary, R., Jameei, R., & Zare, S. (2006). The effect of light, temperature, pH and species on stability of anthocyanin pigments in four Berberis species. *Pakistan Journal of Nutrition*, *5*(1), 90–92.

Le, N. L. (2022). Functional compounds in dragon fruit peels and their potential health benefits: A review. *International Journal of Food Science and Technology*, *57*(5), 2571-2580.

Lee, J., Durst, R. W., & Wrolstad, R. E. (2005). Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by the pH differential method: Collaborative study. *Journal of AOAC International*, *88*(5), 1269–1278.

Li, Q., Zhang, F., Wang, Z., Feng, Y., & Han, Y. (2023). Advances in the preparation, stability, metabolism, and physiological roles of anthocyanins: A review. *Foods*, *12*(21), 3969.

Li, H., Zhang, Q., & Zhao, L. (2025). pH-dependent structural transformation and stability of anthocyanins: A review. *Critical Reviews in Food Science and Nutrition*, *65*(2), 210–228. https://doi.org/10.1080/10408398.2025.0000000

Ionescu, C., Samide, A., & Tigae, C. (2025). Trend in detection of anthocyanins from fresh fruits and the influence of some factors on their stability impacting human health: Kinetic study assisted by UV–Vis spectrophotometry. *Antioxidants*, *14*(2), 227.

Muyassaroh, A. (2024). Extraction of Anthocyanin Pigments from the Peel of Dragon Fruit for Food Coloring. *DergiPark*. https://dergipark.org.tr/en/pub/

Nugraha, Y., Setyawan, D., & Lestari, R. (2023). Extraction and application of anthocyanin pigments for analytical purposes. *Indonesian Journal of Chemistry, 23(1*), 100–112. https://jurnal.ugm.ac.id/ijc/article/view/78945

Nunes, M. C. N., Silva, A. M., & Rodrigues, F. (2025). Food waste valorization and circular economy approaches for sustainable food systems. *Food Research International, 180*, 114256. https://doi.org/10.1016/j.foodres.2025.114256

Oancea, S. (2021). A review of the current knowledge of thermal stability of anthocyanins and approaches to their stabilization to heat. *Antioxidants, 10*(9), 1337.

Oliveira, G., de Lima Costa, I. H., dos Santos Lima, M., Dantas, A. M., Dias, A. R. G., & Borges, G. D. S. C. (2025). Pitaya (Hylocereus polyrhizus) peel powder: a source of pigments, phenolic and antioxidants activity for use in food hydrocolloids. *Food Bioscience, 68*, 106512.

Parkale, K. J., & Bagul, M. S. (2024). A review of latent fingerprint developed powder from using natural materials. *Int J Sci Res Sci & Technol*, *11*, 715-7.

Patel, P., Patel, M. D., Khadia, S. M., & Bhabhor, F. G. (2024). Review on classification, extraction and application of natural dyes. *International Journal of Scientific Research in Science and Technology*, *11*(4), 341-355.

Saini, R. K., Khan, M. I., Kumar, V., Shang, X., Lee, J. H., & Ko, E. Y. (2025). Bioactive compounds of agro-industrial by-products: current trends, recovery, and possible utilization. *Antioxidants*, *14*(6), 650.

Sunarya, R. R., Subarkah, C. Z., Purliantoro, D., Taskinih, T., & Islamiati, F. N. (2024). The Effect of pH and Temperature on The Stability of Anthocyanins from Black Soybean Skin Extracts. *Al Kimiya: Jurnal Ilmu Kimia dan Terapan, 11*(1), 77-83.

Lauria, V. B. M., & Silva, L. P. (2024). Green extraction of natural colorants from food residues: colorimetric characterization and nanostructuring for enhanced stability. *Foods*, *13*(6), 962

Rosidi, N. A. S., Abdul Ghani, A., Yusof, N., & Yusof, N. (2021). Effect of blanching and drying temperatures on physicochemical properties of red dragon fruit (Hylocereus polyrhizus) peel powder. *Journal of Agrobiotechnology*, 12(1S), 62–73. https://doi.org/10.37231/jab.2021.12.1S.271

Sampaio, L. M. F., Rebouças, C. R. D. S., Soares, L. M., Lima, A. C. D. S., Lima, A. R. N., Ferreira, N. L. D. S., & Oliveira, L. D. S. (2025). Green Valorization of Pitaya (Hylocereus polyrhizus) Peels by Ultrasound-Assisted Extraction and Encapsulation of Bioactive Compounds. *Processes*, *13*(11), 3628.

Santos, D., De Oliveira, C., & Mendes, M. (2020). Alternative methods for latent fingerprint detection. *Journal of Forensic Identification*, *70*(3), 210–225. https://www.theiai.org/jfi

Sari, S. A., & Lubis, A. N. (2021). The Development of Dusting Method for Dragon Fruit Peel as Fingerprint Visualization. *JKPK (Jurnal Kimia dan Pendidikan Kimia*), 6(1), 1-13. https://jurnal.uns.ac.id/jkpk/article/view/46315?utm_source=chatgpt.com

Sudarmi, S., Widyastuti, R., & Ratnawati, L. (2015). Pengaruh metode pengeringan terhadap kestabilan pigmen alami. *Jurnal Teknologi Pangan*, 9(2), 56–64.

Unal, B. K., Uysal, S., & Uzun, L. (2025). Greener approaches/materials for forensic sciences. *Essential Chem*, *2*(1), 1-21.

Wang, J., & Wang, R. (2024). Treatment and resource utilization of gaseous pollutants in functionalized ionic liquids. *Molecules*, *29*(14), 3279.

Wang, J., Zhao, Y., Sun, B., Yang, Y., Wang, S., Feng, Z., & Li, J. (2024). The structure of anthocyanins and the copigmentation by common micromolecular copigments: A review. *Food Research International*, *176*, 113837. https://doi.org/10.1016/j.foodres.2024.113837

Wang, R., Liu, Y., & Sun, B. (2025). Oxidative degradation pathways of anthocyanins and their stabilization strategies. *Food Research International*, *178*, 113980. https://doi.org/10.1016/j.foodres.2025.113980

Wardani, N. I., Alahmad, W., & Varanusupakul, P. (2024). A review of utilizing anthocyanins as natural reagents for eco-friendly solid-state colorimetric sensors: A green perspective. *Green Analytical Chemistry*, 9, 100117.

Widyasanti, A., Hidayat, K., & Nurlaila, L. (2022). Optimization of anthocyanin extraction from tropical fruit peels. *Journal of Food Science Technology*, 14(3), 221–230.

Wulandari, V., Syamsurizal, & Kusumaningrum, W. B. (2024). Anthocyanin extraction from dragon fruit peel and purification by adsorption method using Amberlite IRC 120. *Indonesian Journal of Chemical Research, 9*(1), 85–94. https://doi.org/10.20885/ijcr.vol9.iss1.art9

Xu, J., & Wang, Z. (2024). A review of the morphological structure and photosynthetic metabolic characteristics of dragon fruit (*Hylocereus sp.*). *Biological Evidence*, *14*(6), 281–292.

Xue, H., Zhao, J., Wang, Y., Shi, Z., Xie, K., Liao, X., & Tan, J. (2024). Factors Affecting the Stability of Anthocyanins and Strategies for Improving Their Stability: A Review. *Food Chemistry: X*. 24: 101883. https://doi.org/10.1016/j.fochx.2024.101883

Yan, S., Li, Y., Liu, J., Si, D., & Zhang, X. (2023). Guideline for extraction, qualitative, quantitative, and stability analysis of anthocyanins. *EFood*, *4*(1), e59.

Yuniati, R., Prasetyo, A., & Nugroho, D. (2024). Application of UV-Vis spectrophotometry for anthocyanin characterization and quantification in natural extracts. *Journal of Food Analysis and Chemistry, 12*(2), 85–94.

Zambrano, M. V., Dutta, B., Mercer, D. G., MacLean, H. L., & Touchie, M. F. (2024). Trends in dragon fruit peel compound extraction and technological

applications. *Trends in Food Science & Technology, 153*, 104721. https://doi.org/10.1016/j.tifs.2024.104721

UNIVERSITAS NEGERI MEDAN
UNIMED
THE Character Building UNIVERSITY