DAFTAR PUSTAKA

Aki, K., & Richards, P. G. (1980). *Quantitative Seismology: Theory and Methods*. W. H. Freeman.

Anggono, T., Sinambela, E., & Nasution, I. (2023). Microzonation study around Lake Toba, North Sumatra. IOP Conference Series: *Earth and Environmental Science*, 1233, 012056. https://doi.org/10.1088/1755-1315/1233/1/012056

Anggraini, N., Handayani, N., & Lubis, R. (2020). Analisis struktur kecepatan seismik di Kaldera Toba menggunakan data tomografi seismik. *Jurnal Geofisika dan Kebumian*, 8(2), 89–97.

Appelö, D., & Petersson, N. (2009). A stable *Finite Difference* method for the elastic wave equation on complex geometries with free surfaces. *Communications in Computational Physics*, 5(1), 84–107. https://doi.org/10.4208/cicp.2009.01.010

Badan Standardisasi Nasional (BSN). (2019). SNI 1726:2019 – *Tata cara perencanaan ketahanan gempa untuk struktur bangunan gedung dan non gedung*. Jakarta: BSN.

Bard, P.-Y., & Bouchon, M. (1980). The two-dimensional *resonance* of sedimentary valleys. *Bulletin of the Seismological Society of America*, 70(4), 1254–1274.

Chávez-García, F. J., & Bard, P.-Y. (1994). A theoretical study of the *resonance* phenomenon in sedimentary basins. *Geophysical Journal International*, 116(2), 431–445.

Chesner, C. A. (2012). The Toba Caldera Complex. *Quaternary International*, 258, 5–18. https://doi.org/10.1016/j.quaint.2011.09.025

Dziewonski, A. M., & Anderson, D. L. (1981). Preliminary reference Earth model. *Physics of the Earth and Planetary Interiors*, 25(4), 297–356. https://doi.org/10.1016/0031-9201(81)90046-7

Frankel, A. (1989). A review of numerical experiments on seismic wave *scattering* in both simple and complex velocity models. *Pure and Applied Geophysics*, 131(2), 447–474. https://doi.org/10.1007/BF00876267

Gardner, G. H. F., Gardner, L. W., & Gregory, A. R. (1974). Formation velocity and density – the diagnostic basics for stratigraphic traps. *Geophysics*, 39(6), 770–780. https://doi.org/10.1190/1.1440465

Handayani, N., Anggraini, N., & Lubis, R. (2025). Numerical modeling of seismic wave propagation in Toba Caldera using FDTD method. *Jurnal Geofisika dan Kebumian*, 10(1), 45–58.

Jaxybulatov, K., Koulakov, I., Shapiro, N. M., Abdurrachman, M., Kasatkina, E., West, M., & Yudistira, T. (2014). A large magmatic sill complex beneath the Toba caldera. *Science*, 346(6209), 617–621. https://doi.org/10.1126/science.1258582

Komatitsch, D., & Tromp, J. (1999). Introduction to the spectral-element method for three-dimensional seismic wave propagation. *Geophysical Journal International*, 139(3), 806–822. https://doi.org/10.1046/j.1365-246X.1999.00967

Koulakov, I., Jaxybulatov, K., Shapiro, N. M., Abdurrachman, M., & Kasatkina, E. (2009). Seismic tomography of the Toba caldera (Northern Sumatra) from local earthquake data. *Geophysical Journal International*, 177(3), 1121–1139. https://doi.org/10.1111/j.1365-246X.2009.04109.x

Koulakov, I., Zahirovic, S., Gerya, T., Connolly, J. A. D., & Gorbatov, A. (2016). The feeder system of the Toba supervolcano from the slab to the shallow reservoir. *Nature Communications*, 7, 12228. https://doi.org/10.1038/ncomms12228

Laske, G., Masters, G., Ma, Z., & Pasyanos, M. (2013). CRUST1.0 — A 1-by-1 degree global model of Earth's crust. *Earth Model Collaboration (EMC)*. Retrieved from https://igppweb.ucsd.edu/~gabi/crust1.html

Levander, A. (1988). Fourth-order finite-difference P–SV seismograms. *Geophysics*, 53(11), 1425–1436. https://doi.org/10.1190/1.1442422

Masson, Y., et al. (2024). 2-D seismic wave propagation using the distributional finite-difference scheme based on the Lebedev staggered grid. *Geophysical Journal International*, 237(1), 339–359. https://doi.org/10.1093/gji/ggad10

Masturyono, Fauzi, McCaffrey, R., Wark, D. A., & Ibrahim, G. (2001). Distribution of magma beneath the Toba caldera complex, North Sumatra, Indonesia, constrained by three-dimensional P wave velocity structure. Geochemistry, Geophysics, Geosystems, 2(9), 2001GC000189. https://doi.org/10.1029/2001GC000189

Semblat, J.-F., & Brioist, J. (2009). Efficiency of higher-order finite elements for the analysis of seismic wave propagation. arXiv preprint arXiv:0901.3715. https://arxiv.org/abs/0901.3715

Smith, V. C., Huber, C., Pyle, D. M., & Reid, M. R. (2019). Diverse late-stage crystallization and storage conditions in melt domains from the Youngest Toba Tuff revealed by age and compositional heterogeneity in the last increment of accessory phase growth. Contributions to Mineralogy and Petrology, 174(4), 1–23.https://doi.org/10.1007/s00410-019-1564-x

United States Geological Survey (USGS). (2020). Physical properties of rocks and minerals (Rock Property Tables). Retrieved from https://www.usgs.gov/

Virieux, J. (1986). P-SV wave propagation in heterogeneous media: Velocity-stress finite-difference method. Geophysics, 51(4), 889–901. https://doi.org/10.1190/1.1442147

Zienkiewicz, O. C., & Taylor, R. L. (2000). The Finite Element Method: Solid and Structural Mechanics (Vol. 2). Butterworth-Heinemann.

THE Character Building UNIVERSITY